


ONE PUBLIC FRAME, THREE PROTOTYPE ROLES

JZ 1:1 Prototype Mesh | structure + evidence

京张 1:1 原型网 | 总体结构与证据关系

JZ 1:1 / PROTOTYPE MESH



Conceptual recommendation · provisional geometry · derived from GeoJSON + metrics

MODEL → MATTER

model card → 1:1 prototype
use → repair → reuse

- 100 Y** public ground
memory + daily use
- 30 Y** public frame
shade + access + drainage
- 3 Y** service room
adaptable first floor
- 90 D** removable kit
trial + repair + reuse

MAKE
Zhongzhiyuan
N3 controlled test

TRANSLATE
AI Origin
N0/N1

USE
Dazhongsi
N2 public trial

FORECOURTS 23,024.999 sqm	PUBLIC FRAME 4,380,279.928 sqm	TOTAL ROAD LENGTH 21,716.922 m
------------------------------	-----------------------------------	-----------------------------------

v1.5

CORE JUDGEMENT

Innovation is not a technology corridor; it is a set of detachable, repairable, relocatable city parts with a public-service floor. Every AI generation meets a one-to-one field witness and returns to N0 and ordinary human mode on failure.

STUDY / OVERALL 43.6 / 11.4 km²	KEY AREAS 3 MAKE / TRANSLATE / USE	NODES / SCENES 12 / 12 traceable anchors
------------------------------------	---------------------------------------	---

FOUR LIFE LAYERS / 四层寿命

- 100 Y** memory base: rail/industrial ground + daily use
- 30 Y** public frame: shade, drainage, access, light
- 3 Y** service room: adaptable, human desk, courses
- 90 D** detachable kit: wayfinding, furniture, edge devices, repair

BOUNDARY NOTE

SITE / KEY_AREA are provisional, constraint inferred from the announcement and public clues; linework is not an official redline, ownership, road or approval. Areas are conceptual geometry readings and must be replaced and recomputed when official polygons arrive.

EVIDENCE HAND-OFF: NODE -> PASSPORT -> FIELD -> PUBLIC LOG

reviewable spatial judgement and responsibility share one chain

- 01 NODE**
spatial anchor / test bay
- 02 MODEL CARD**
input licence / failure mode
- 03 MATTER PASSPORT**
material / life / tools
- 04 HUMAN WITNESS**
pass / stop / human equivalent
- 05 PUBLIC LOG**
repair / restore / next site

REVIEW QUESTION	PROPOSAL ANSWER	EVIDENCE PENDING
where did AI decide?	six work orders merge into model card + part parameters	algorithm family, benchmark and field log
who takes over on failure?	human desk, paper/phone, ZONE -> N0	frontline capacity, remedy time, compensation
how does the kit avoid becoming waste?	passport, repair bench, restore/relocate state	ownership, waste and procurement
is the space implementable?	JZ-01—06 register + P0—P3 gates	official boundary, redlines, fire, funding

This board separates concept strength from evidence strength: reversible spatial actions can be proposed now, but provisional geometry, unknown operating metrics and unverified roles cannot be presented as facts.

ONE PASSPORT, THREE DISTINCT SPATIAL ACTIONS

MAKE / LOCAL PLAN

announced approx. ~192.1 ha / PROV-KEY-001; provisional relationship, not redline; dimensions/capacity pending

PUBLIC-GROUND SECTION / PEOPLE + MAINTENANCE

conceptual relationship: clear widths, loads and fire controls pending

OBJECT SCALE

4 forecourts: 23.025 sqm (concept)

TRANSLATE / LOCAL PLAN

announced approx. ~104.3 ha / PROV-KEY-002; provisional relationship, not redline; dimensions/capacity pending

PUBLIC-GROUND SECTION / PEOPLE + MAINTENANCE

conceptual relationship: clear widths, loads and fire controls pending

LONG-LIFE FRAME

green + forecourt union 38.38% (concept)

USE / LOCAL PLAN

announced approx. ~72.0 ha / PROV-KEY-003; provisional relationship, not redline; dimensions/capacity pending

PUBLIC-GROUND SECTION / PEOPLE + MAINTENANCE

conceptual relationship: clear widths, loads and fire controls pending

SERVICE CONTINUITY

human / paper / phone always available

MAKE: prototype room, yard and passport wall: start with low-risk wayfinding/furniture/offline interface.

TRANSLATE: service room, human desk and care corner; test research indoors before the street.

USE: station porch, repair bench and retirement log; daily use decides keep or relocate.

GROUND-INTERFACE REGISTER FOR THREE AREAS

dimensions are object-layer suggestions; capacity, ownership, fire and utility interfaces pending



ROLE	GROUND SEQUENCE	PROTOTYPE OBJECT	PASSPORT FIELDS	FIRST EVIDENCE
MAKE	porch -> yard -> room	wayfinding / furniture / passport wall	clearance, tools, life, owner	grouped route + structural/access witness
TRANSLATE	street -> service room -> human desk	offline interface / care corner / adaptable partition	version, human capacity, withdrawal, feedback	offline drill + grouped completion time
USE	station pocket -> adoption porch -> repair bench	terminal / furniture / retirement log	expiry, fault, detach, next site	complaint pause + public adoption/retirement record

The three areas are not identical showcases: MAKE proves that parts can be made, TRANSLATE that they can become public service, and USE that daily use can decide keep, repair or exit.

local plans: provisional relationships + design objects; not surveys, redlines or development intensity.

CONCEPT / PROVISIONAL / NO STATUTORY REDLINE

MODEL CARD -> PASSPORT -> FIELD WITNESS -> RESTORE




THREE INDUSTRY PROTOTYPE GATES (CONCEPT CONTROLS, NOT PERFORMANCE PROMISES)

TEST OBJECT	ENTRY EVIDENCE	PASS WITNESS	STOP + HUMAN	RETIREMENT
accessible wayfinding	cleared text: route + sensory review	groups complete target route	misguidance/obstruction: static + human guide	ZONE -> N0: revise or detach
adjustable furniture	passport: structure/clearance/weather review	stable, no pinch, repairable	unstable/pinch/block: ordinary seat + route	isolate, repair or reuse
offline service interface	read-only public info: human desk: paper drill	offline/refusal still closes task	no non-AI route: desk/paper/phone	close interface, keep service: repair/withdraw

FIELD RECORD TEMPLATE / 现场记录样本
one record joins AI edits, physical result, human judgement and exit action

RECORD BLOCK	MUST FILL	WITNESS / OWNER	ON FAILURE
A INPUT	data licence, version, scope, forbidden input	model-card owner (pending)	reject entry; keep ordinary service
B FORM	candidate geometry, material list, detachable joints, tools	space/material/safety reviewers (pending)	mark and isolate; no public ground
C HUMAN	groups, route, human bypass, access/understandability feedback	accessibility/public-service representative (pending)	stop immediately, ZONE -> N0
D DESTINATION	pass/repair/restore/relocate/retire decision + date	operator + independent reviewer (pending)	publish reason, retain repair evidence



LOW-EXPOSURE GROUND: WALK, ASK, EXIT

Low-exposure public ground | mobility + blue-green

低暴露公共地面 | 交通 + 蓝绿

PUBLIC ROUTE / HUMAN ALTERNATIVE

low-exposure route

9,220.740 m

N0/N1 target: no N2/N3 crossing

minimum clearance

219.868 m

conceptual envelope distance

continuity

1.00

geometry reading, field audit pending

public frame

4,380,279.928 sqm

green + public union

FORECOURTS

23,024.999 sqm

PUBLIC FRAME

4,380,279.928 sqm

TOTAL ROAD LENGTH

21,716.922 m

No sensing is mandatory for access, pause and restore ordinary mode when thresholds are met.

v1.5

PUBLIC-GROUND SECTION / PEOPLE + MAINTENANCE

conceptual relationship, clear widths, loads and fire controls pending

30y public frame: shade / drainage / light

N0/N1 low-exposure route + human bypass

3y service room: reconfigurable / desk

90d kit: detach / repair / relocate

existing rail / industrial memory base

PUBLIC RIGHTS + HUMAN EQUIVALENT PATH

response times, capacity and remedy are concept fields pending calibration

RAISE

onsite / paper / phone

HUMAN DESK

log + protect maintainer

PAUSE NODE

AI_SERVICE_ZONE -> N0

ORDINARY MODE

human service continues

PUBLIC REVIEW

repair / restore / retire

ACKNOWLEDGE

concept: staffed desk per shift; target time pending

REMEDY

concept: restore ordinary service first, then repair or detach

EVIDENCE

anonymous group logs for completion time, maintenance load and closure; no personal tracks

PUBLIC-GROUND PROTOCOL / 公共地面协议

GROUND LAYER	WHAT PEOPLE SEE	WHO OWNS IT	ON TRIGGER
N0/N1 continuity	no inference / bypass: human explanation	public service + accessibility team (pending)	break/complaint -> ordinary mode
service-room forecourt	desk, paper form, repair bench, seat	staffed shift + maintainer (pending)	displacement/fault -> clear + restore
90d kit	ID, passport, expiry date	pilot owner + independent reviewer (pending)	red line -> ZONE -> N0 -> detach/relocate

FOUR PHYSICAL STATES OF A PROTOTYPE

stopping is a visible ground-state change, not a backend toggle

0 NOT ON SITE

model card / clearance owner registered

1 1:1 IN USE

physical trial human witness

2 SAFE STOP

AI_SERVICE_ZONE -> N0 human mode continues

3 RESTORE / RELOCATE

ground restored material gets a next site

Every stop: publish reason -> restore ordinary service -> detach kit -> record next destination.

PUBLIC-INTEREST FLOOR

ordinary service first: repair, restore or retire second

1 human desk, paper/phone and accessible bypass remain available

2 anyone may request a pause; reason, maintenance load and next step are logged publicly

3 AI_SERVICE_ZONE returns to N0; kit detaches, ground restores, material gets a next site

4 recompute the full package after official geometry, ownership, capacity and permits

RIGHTS TRIGGER REGISTER / 权利触发登记

TRIGGER	WHO CAN RAISE	IMMEDIATE ACTION	PUBLIC EVIDENCE
safety/privacy/access	any user; staffed maintainer	pause kit, ZONE -> N0	reason, time, human handover
ordinary service displaced	service representative; community	clear space, restore desk/paper	displacement, remedy, restore record
copyright/withdrawal/expiry	rights holder; data steward	take content offline, keep ordinary guide	version, licence, next site


FROM PROJECT IDS TO REVIEWABLE NEXT STEPS

JZ-01 — JZ-06 IMPLEMENTATION REGISTER (PROPOSED FIELDS)

owners, funding, capacity, permits and times await owner/professional confirmation; this is not a commitment

ID / PROJECT	SPACE + FIRST ACTION	ROLE (PENDING)	PERMIT / STOP GATE	EVIDENCE DELIVERABLE
JZ-01	park review edge + access interface low-exposure wayfinding/shade/reversible exhibit	park/owner; accessibility adviser	ownership/heritage/safety; stop on bypass failure	route audit, grouped feedback, P1 review
JZ-02	MAKE prototype yard wayfinding/furniture/passport wall	park operator; structural/safety reviewer	fire/load/flood; isolate on risk	three gates, 90-day fault + repair log
JZ-03	TRANSLATE service room offline desk/care corner/adaptable partition	community operator; staffed-desk owner	ownership/fire/privacy; human on refusal	offline drill, grouped service time
JZ-04	USE adoption porch human desk/repair bench/replaceable furniture	station/retail frontage; maintainer	rail/traffic/fire; complaint can pause	adoption/retirement log, P2 gate
JZ-05	repair + reuse node IDs/tools/detach drill	material/facility operator; repair community	safety/waste/IP; stop if log missing	passport completeness, next-site match
JZ-06	prototype exchange week quarterly exchange/annual review/public fault log	event operator; public-service representative	displacement/noise/equity; ordinary service protected	post-event restore check, P3 condition

P0 -> P3 PHASING GATES



METRICS, SOURCES, UNKNOWN ITEMS

SITE	11.4 km²	provisional; recompute
PUBLIC FRAME	38.38%	concept union
FORECOURT RATIO	0.20%	object-scale, not site rate
NODES / SCENES	12 / 12	card-to-node trace
GATE FIELDS	3 / 3	documentation complete
PENDING	UNKNOWN	service time / equity / load

sources: announcement, agent_taskbook; site-package and source registry; COMMUNITY-DISPLAY-ONLY; unverified fields remain conceptual / benchmark_required / unknown.


EVIDENCE PACKAGE INDEX / 证据包索引

drawings are explanatory; every judgement returns to structured data, sources and gaps

REVIEW OBJECT	DRAWING LOCATION	MACHINE EVIDENCE	DATA LIMIT
three levels / key areas	A0—01/02; A3—02/03	site_boundary / key_areas / phasing	provisional polygons; announced approx. areas
public frame / mobility	A0—04; A3—05	green_space / public_space / roads	centerline not redline; forecourt not site rate
AI scenes / exposure	A0—03/04; A3—01/04/05	constraints nodes + AI_SERVICE_ZONE	registration completeness is not footprint coverage
implementation / rights	A0—04/05; A3—05/06	proposal / compliance / assumptions	roles, funding and timing pending

HOW AN AI CANDIDATE BECOMES REVIEWABLE SPACE

each step records inputs, owner, failure mode and next destination



POST-DELIVERY REVIEW

official polygons -> recompute package -> field capacity/access/fire -> publish faults and repairs -> restore or relocate. Until complete, remain conceptual; do not upgrade to built fact. Suggested funding types are discussion only: public-frame maintenance, community-service pilot and open prototype fund; register an independent reviewer for every item.