

01 EVERYDAY JING-ZHANG | ONE POST, ONE BELL, ONE LOGBOOK

REPAIR ONE EVERYDAY LINE; OPEN 1 ANCHOR + 2 POP-UPS; AI STAYS IN STAFF BACK OFFICE



ONE DESIGN JUDGMENT

ROUTE FIRST, ROOM SECOND. NO NAMED DUTY, PHYSICAL HELP OR HANDOVER EVIDENCE = NO STAFF-TOOL SHIFT.

7 URBAN MOVES
walk to use

6 STAFF TOOLS
draft/flag/candidate

0 AI DECISIONS
no direct control

1+2 PILOT ROOMS
anchor + pop-ups

HAND THE TOOL TO PEOPLE; KEEP RESPONSIBILITY ON SITE

POST named person decides and signs

BELL paper/phone/staff help

LOG stop/repair/reopen handover

FROM CONCEPT TO OPENING: TWO EVIDENCE LINES


SPACE provisional context → survey/rights/heritage → relocate route/rooms → professional acceptance

SHIFT 12 contracts → 140 package checks → real staff drill → public-user veto → open


02

12 SERVICE CELLS | SPACE, SHIFT AND EXIT ON ONE SHEET

3 EVERYDAY DISTRICTS × 4 SERVICE INTERFACES; RESPONSIBILITY INDEX, NOT PARCELS



ONE RELOCATABLE ROOM KIT



VERIFY CONDITION, RIGHTS, HERITAGE, STRUCTURE, FIRE AND ACCESS; THEN RETAIN/ADAPT/MOVE/REMOVE.

EIGHT FIELDS FOR EVERY SERVICE



FOUR SHARED OPENING CONDITIONS

01

ROUTE WORKS

continuous, sheltered, night-legible

MISSING = DO NOT OPEN

02

POST STAFFED

name, relief, phone, roster

MISSING = DO NOT OPEN

03

ASSET REPAIRABLE

asset ID, spares, SLA, reopen

MISSING = DO NOT OPEN

04

TOOL REMOVABLE

paper parity, export, no lock-in

MISSING = DO NOT OPEN

03

THREE EVERYDAY ROOMS | 1 ANCHOR + 2 POP-UPS; PEOPLE BEFORE TOOLS

ONE FOUR-PART KIT, THREE LOCAL TASKS; FINAL SITING FOLLOWS OFFICIAL EVIDENCE



01

ZHONGZHIYUAN | REPAIR GARDEN

SCHEDULED POP-UP

HUMAN ENTRY

SHELTERED PORCH

NAMED POST

COMMON TABLE

PUBLIC / REPAIR SEPARATED

REPAIR/STORAGE

QUIET SERVICE

FIRST DELIVERY

repair cart + cabinet + open tickets

no maintainer/spares/safe zone = closed

MINIMUM DUTY SHIFT

named post + relief + paper/phone + maintainer + handover log

COMPLETE OFFLINE | TOOL REMOVABLE

02

AI ORIGIN | COMMON TABLE

PREFERRED ANCHOR

HUMAN ENTRY

SHELTERED PORCH

NAMED POST

COMMON TABLE

PAPER · PHONE · RECEIPT

REPAIR/STORAGE

QUIET SERVICE

FIRST DELIVERY

paper map + phone + bilingual signs + roster

no staff/forced login/overreach = closed

MINIMUM DUTY SHIFT

named post + relief + paper/phone + maintainer + handover log

COMPLETE OFFLINE | TOOL REMOVABLE

03

DAZHONGSI | DAY-NIGHT LIVING ROOM

SCHEDULED POP-UP

HUMAN ENTRY

SHELTERED PORCH

NAMED POST

COMMON TABLE

DAY | NIGHT

REPAIR/STORAGE

QUIET SERVICE

FIRST DELIVERY

night route + event board + tickets + phone

no night OPEX/broken route = closed

MINIMUM DUTY SHIFT

named post + relief + paper/phone + maintainer + handover log

COMPLETE OFFLINE | TOOL REMOVABLE

OPENING SEQUENCE

OFFICIAL/PROFESSIONAL EVIDENCE → RESITE → OPERATOR & OPEX → REAL STAFF DRILL → 7-USER WALK → ORDINARY SERVICE OPENS → TOOLS REMAIN SHADOW

04

EVERYDAY LINE STRESS SHIFTS | CONTINUOUS SERVICE, NOT CONTINUOUS AUTOMATION

ORDINARY DAY, RAIN-HEAT, NIGHT OUTAGE; FAULTS REVERT OR CLOSE, PEOPLE REOPEN



THREE SHIFTS THAT MUST WORK

01 ORDINARY DAY

route, seat, help, repair, handover

COMPLETE -> HUMAN SIGN-OFF -> HAND OVER OPEN ITEMS

02 RAIN-HEAT STRESS

slip, shade, wait, water, backlog

COMPLETE -> HUMAN SIGN-OFF -> HAND OVER OPEN ITEMS

03 NIGHT OUTAGE

light, paper, phone, duty; tool removed

COMPLETE -> HUMAN SIGN-OFF -> HAND OVER OPEN ITEMS

EIGHT CROSS-ROOM FAULT CARDS | OWNER, REVERSION AND REOPEN EVIDENCE

F01 ROUTE BLOCKED

REVERT/CLOSE -> HUMAN REVIEW -> EVIDENCED REOPEN

F02 POST ABSENT

REVERT/CLOSE -> HUMAN REVIEW -> EVIDENCED REOPEN

F03 SOURCE EXPIRED

REVERT/CLOSE -> HUMAN REVIEW -> EVIDENCED REOPEN

F04 TRANSLATION CONFLICT

REVERT/CLOSE -> HUMAN REVIEW -> EVIDENCED REOPEN

F05 PERSONAL DATA

REVERT/CLOSE -> HUMAN REVIEW -> EVIDENCED REOPEN

F06 NETWORK/TOOL OUT

REVERT/CLOSE -> HUMAN REVIEW -> EVIDENCED REOPEN

F07 REPAIR SLA MISSED

REVERT/CLOSE -> HUMAN REVIEW -> EVIDENCED REOPEN

F08 VENDOR/MODEL CHANGE

REVERT/CLOSE -> HUMAN REVIEW -> EVIDENCED REOPEN

05

REVIEW EVIDENCE BOARD | A VERIFIABLE LANDING FOR ALL SEVEN DIMENSIONS

NOT CONCEPT STACKING: PROSE, METRICS, DRAWINGS, CONTRACTS, REHEARSAL, SOURCES AND EXIT EVIDENCE LINK



20%

BRIEF

3 scopes, positions, functions and tasks mapped

10%

ORIGINALITY

post-bell-logbook + anchor/pop-ups

15%

AI INNOVATION

12 contracts, 4 modes, removable staff tools

20%

FEASIBILITY

7 packages, labour, day one, stop/reopen

10%

PUBLIC VALUE

no login, non-digital parity, user veto

10%

RISK

zero public decisions, Chinese law, 8 faults

15%

EXPRESSION

bilingual figures, PDFs, HTML, machine anchors

EVIDENCE ROUTE

PROSE → METRICS → 5 FIGURES → CONTRACTS → REHEARSAL → SELF-CHECK

REPRODUCIBLE PREOPENING EVIDENCE | 140 / 140 MATCH; 0 FIELD PASSES CLAIMED



36 READY FOR REAL STAFF DRILL | 96 BLOCKED ON MISSING FIELD | 8 REVERT | FIELD SAFETY/ACCESS/ACCEPTANCE STILL PENDING

DELIVERY LEDGER: MONEY, PEOPLE, GATES AND UNKNOWNNS TOGETHER

CNY 0.85–1.95M

7 FIRST-100-DAY PACKAGES

excludes payroll, utilities, rent, statutory fees, heavy works

48 h/week

ILLUSTRATIVE FRONTLINE HOURS

24 + 8 + 8, then 20% handover/training/relief

6 GATES

TOOL RELEASE GATES

200 real shadow items later; failure removes tool

UNKNOWN

FAR / HEIGHT / DEMOLITION

await official controls, survey and building evidence

FUTURITY = CLEAR ROUTES + REPAIRABLE ASSETS + PEOPLE PRESENT + REMOVABLE TOOLS + ACCOUNTABLE HANDOVER; NOT AI CITY CONTROL.

06 DELIVERY ORDER | EVERY STEP CAN STOP BEFORE REAL OPENING

PACKAGE REHEARSAL IS NOT FIELD ACCEPTANCE; STAFF TOOLS WAIT FOR HUMAN BASELINE AND SIX GATES



POST, BELL AND LOGBOOK BIND FOUR TOOL STATES TO SITE RESPONSIBILITY



140 PACKAGE-LEVEL REHEARSAL MATCHES

36 COMPLETE SHIFTS + 96 MISSING-FIELD BLOCKS + 8 FAULT REVERTS

BUT: 0 FIELD PASSES ARE CLAIMED. REAL STAFF, OFFICIAL GEOMETRY, ENGINEERING SAFETY, ACCESSIBILITY AND PUBLIC ACCEPTANCE STILL HAVE TO PASS.

**S01 Continuous Walking and Gap Register**

EVERYDAY SERVICE

BASE: physical route, field walk and staffed issue register

TOOL: cluster de-identified issue text into candidate themes

REVIEW: mobility and accessibility professional

REMOVE: source, location or severity cannot be verified on site

S02 Shade, Seating and Rain-Heat Walk

EVERYDAY SERVICE

BASE: shade, seating, water information and seasonal field inspection

TOOL: organise inspection notes and candidate repair priorities

REVIEW: public-space maintenance lead

REMOVE: tool attempts to replace professional thermal or engineering judgment

S03 Cleared-Archive Search and Guide-Draft Validation

INDUSTRY VALIDATION

BASE: curator-reviewed leaflet, physical signs and human guide

TOOL: retrieve only approved corpus and draft source-linked text

REVIEW: curator and rights owner

REMOVE: missing citation, factual conflict, unknown heritage location or unclear rights

S04 Chinese-English Wayfinding Update

EVERYDAY SERVICE

BASE: fixed bilingual signs and staffed directions

TOOL: draft translation and flag terminology differences

REVIEW: bilingual editor and accessibility reviewer

REMOVE: no line-by-line editor sign-off or layout harms legibility

S05 No-Login Public-Service Common Table

EVERYDAY SERVICE

BASE: staff, paper checklist, telephone and paper receipt

TOOL: draft an internal checklist from public service material

REVIEW: public-service officer

REMOVE: tool decides eligibility, requires login or skips human confirmation

S06 Student and Talent Service Relay

EVERYDAY SERVICE

BASE: staffed first visit, public directory and appointment relay

TOOL: draft a question list from voluntarily provided needs

REVIEW: talent-service and community liaison

REMOVE: inferred sensitive traits, automated ranking or unequal service

S07 Maintenance Triage and Open-Ticket Validation

INDUSTRY VALIDATION

BASE: telephone, on-site registration and human dispatch

TOOL: classify and de-duplicate tickets and suggest a crew

REVIEW: facility maintenance supervisor

REMOVE: emergency downgraded, crew rejects classification or personal data appears

S08 Small-Business Public-Material Search

EVERYDAY SERVICE

BASE: enterprise-service staff and public policy directory

TOOL: retrieve public material and suggest a linked reading order

REVIEW: enterprise-service and legal duty

REMOVE: legal, permit, funding or investment conclusion

S09 Everyday Jing-Zhang Event Board

EVERYDAY SERVICE

BASE: physical calendar, paper programme and staffed desk

TOOL: merge public schedules and draft bilingual summaries

REVIEW: event operator and bilingual editor

REMOVE: unverified time, place, content rights or accessibility information

S10 Lighting and Equipment Log Anomaly Validation

INDUSTRY VALIDATION

BASE: human inspection, existing meters and maintenance log

TOOL: flag anomaly candidates in existing equipment logs only

REVIEW: electrical and mechanical operator

REMOVE: tool directly controls equipment or lacks human field verification

S11 Public-Comment Theme Readback

EVERYDAY SERVICE

BASE: paper, phone and in-person comments with human response

TOOL: suggest themes from de-identified text without claiming majority

REVIEW: community facilitator and recorder

REMOVE: minority views hidden, profiling or no facilitator confirmation

S12 Bilingual Evidence and Version Check

EVERYDAY SERVICE

BASE: author, professional and public-representative sampling

TOOL: flag candidate differences in numbers, units, sources and language

REVIEW: editor and independent reviewer

REMOVE: automatic rewrite of approved content or unlocatable difference

08

REGIONAL EXCHANGE & SMALL-TOOL WORKBENCH | VERIFIED OBJECTS, NOT SLOGANS

5 REGIONAL INTERFACES + 6 STAFF TOOLS + 8 FACTORS + 5 GATES + 4 ANNUAL PROGRAMMES



FIVE REGIONAL INTERFACES

01

BEIWEI COMMUNITY

resident issues/inclusive methods → Common Table → plain response

02

FUTURE SCIENCE CITY

cleared material/tools → proof room → shadow test or reject

03

HUAIROU SCIENCE CITY

instrument maintenance/explanation → Repair Garden → reproducible method

04

BEIJING E-TOWN

repairable components/supply → Dazhongsi → maintainable product or no buy

05

BEIJING–TIANJIN–HEBEI

wayfinding/service/ticket templates → regional interface → local reauthorisation

SIX STAFF TOOLS | DRAFTS, FLAGS OR CANDIDATES ONLY

T1

SEARCH

source-linked candidates

T2

TRANSLATE

editor-review draft

T3

SUMMARISE

staff brief

T4

CLASSIFY

queue/owner candidate

T5

COMPARE

difference flags

T6

CHECK

version/source/unit

EIGHT-FACTOR HANDOVER

LAND

SPACE

INDUSTRY

FUNDING

TALENT

COMPUTE

DATA

SCENARIO

FIVE CONVERSION GATES

ASK

CLEAR

SHADOW

LIMITED ASSIST

RETAIN/MODIFY/REMOVE

FOUR ANNUAL PROGRAMMES

EVERYDAY WALK DAY

OPEN REPAIR TABLE

RAILWAY STORY EVENING

STAFF TOOL OPEN REVIEW

FLOOR: no unapproved personal data; contract and visit counts do not substitute for public value.

09

EVIDENCE BOUNDARY & DELIVERY CLOSURE | KNOWN, UNKNOWN, OWNER

CONTENT CONTINUES DESPITE ORGANISER DATA GAPS; NO FALSE STATUTORY, ENGINEERING, COST OR PERFORMANCE PRECISION



KNOWN

- provisional overall area recomputed
- 12 cells/parts/scenarios and 10 links auditable
- 7 packages, 8 roles, 6 tools, 0 public decisions auditable

PROVISIONAL

- overall/key polygons for content review only
- line, rooms and cells are relocatable
- CNY 0.85–1.95M is pre-feasibility

PENDING

- redlines, ownership, heritage controls, survey
- FAR, height, parking, utilities, demolition, cost
- staffing, long-term OPEX, sign-off and outcomes

SIX RISK-CLOSURE LOOPS

R1 PROVISIONAL MISUSE

visible notes + full recomputation

R2 MAINTENANCE UNDERFUNDED

asset/spares/SLA/OPEX with procurement

R3 NO STAFFING

published hours; no staff, no opening

R4 DIGITAL EXCLUSION

non-AI parity + seven-group opening veto

R5 TOOL FUNCTION CREEP

draft-only + zero decision + remove on fail

R6 RIGHTS/VENDOR LOCK-IN

rights register + open export/deletion proof

LOCAL & GOVERNANCE SOURCES

Beijing Urban Renewal Regulation

Jing-Zhang Heritage Park Phase I

Qinghuayuan Station heritage page

Xueyuan Road public-space project

NIST AI RMF (background)

UK ATRS (background)

These sources support renewal, heritage, public-realm and governance principles; they provide no official project redline, approval or performance.

