


JINGZHANG NIGHT SHIFT

NIGHT OPERATING ATLAS

A north-south spine, six state interfaces and three yards form a pausable operating framework. The heritage park is fully open (Aug 2026, fence-free, around the clock); the spine's carrier is built while positions stay provisional



AI MAY WORK ALL NIGHT. THE CITY SHOULD STILL SLEEP WELL.

01 QUIET NIGHT SPINE
NORTH-SOUTH · WALK CYCLE ACCESS

03 NIGHT TEST YARD / NIGHT SCHOOL YARD / NIGHT CIVIC YARD
TEST · TRANSLATE · SERVE

06 SIX LIGHT GATES
NO PHYSICAL GATE · NO ACCESS CONTROL · NO TRACKING

12 TWELVE RELAY NODES
SCENARIO · OWNER · FALLBACK · RECOVERY

TASKBOOK RELATIONS / PROPOSED INTERFACES

THREE ZONES + TWO WINGS: TEST · TRANSLATE · AI-NATIVE SERVICE
REGIONAL: BEIWEI · FUTURE SCIENCE CITY · HUAIROU · BDA · JING-JIN-JI
GLOBAL: FOLLOW-THE-SUN RELAY, SUBJECT TO PARTNER CONFIRMATION

Source: submission GeoJSON, metrics.json and task matrices. All locations and ratios use repository provisional constraints.

JINGZHANG NIGHT SHIFT

24-HOUR SPACE AND OPERATING OVERLAY

Define when activity runs before deciding where; review units are not a rezoning proposal

09:00–18:00

DAY BASELINE

NORMAL DAY SERVICES; NIGHT OVERLAY OFF

18:00–22:00

SHARED NIGHT

LEARNING, CULTURE AND EVENING SERVICE

22:00–06:00

QUIET NIGHT


INDOOR TESTS; OUTDOOR ACCESS, REST AND ESSENTIAL SERVICE

06:00–09:00

HANDOVER MORNING


INCIDENT, REPAIR, PAUSE AND RESPONSIBILITY HANDOVER

FOUR OPERATING REVIEW UNITS · NOT STATUTORY LAND USE



PROVISIONAL GEOMETRY · NOT AN OFFICIAL REDLINE · NOT FOR CONSTRUCTION

THE SIX-STATE PROTOCOL IS NOT LINEAR



ADMITTED, LIVE OR QUIET MAY PAUSE WHEN RESPONSIBILITY, BASELINE OR SAFETY GATES FAIL. AFTER REVIEW, PAUSED RETURNS TO PROPOSED OR CLOSES THROUGH HANDOVER.

THREE POSITIONS × FIVE FUNCTIONS

CENTENNIAL CULTURE: TIMETABLE, SIGNAL, HANDOVER AND RIGHTS-CLEARED STORY
URBAN AI LIFE: CIVIC YARD, STAFFED FALLBACK AND SAFE RETURN
AI INTEGRATION: ISOLATED TEST, NEAR-CAMPUS TRANSLATION AND LIMITED ADOPTION

FULL-STACK INNOVATION · GLOBAL ECOSYSTEM · AI+ SCENARIOS · ACTIVE CITY · AI GOVERNANCE


Source: submission GeoJSON, metrics.json and task matrices. All locations and ratios use repository provisional constraints.

JINGZHANG NIGHT SHIFT

THREE YARDS AND THE FLAGSHIP PROTOTYPE


Spatial components, responsible roles, stop actions and recovery evidence share one handover drawing

01 / NIGHT TEST YARD



INDOOR: MODEL + ENERGY TEST
OUTDOOR: CONTROLLED LOW-SPEED BAY
STOP: ISOLATION, HEAT/NOISE OR SAFETY FAILS


02 / NIGHT SCHOOL YARD



TRANSLATION · OPEN SCHOOL · STAFFED TAKEOVER
NO-PHONE ACCESS · PRINTED MATERIAL
REFER PROFESSIONAL DECISIONS TO QUALIFIED STAFF

03 / NIGHT CIVIC YARD / FLAGSHIP

FLAGSHIP JOURNEY: NIGHT CIVIC YARD → SLEEP-FRIENDLY LIGHT GATE → SHIFT BELL



NON-AI FALLBACK

COUNTER · MAP · PHONE

PAUSE

NO OWNER · MISDIRECTION · BLOCKED ACCESS

RECOVERY EVIDENCE

COUNTERSIGNED HANDOVER · RESTORED STATE · INCIDENT NOTE

NO PHYSICAL GATE · NO ACCESS CONTROL · NO TRACKING


Source: submission GeoJSON, metrics.json and task matrices. All locations and ratios use repository provisional constraints.

JINGZHANG NIGHT SHIFT

NIGHT ROUTE SECTION AND BLUE-GREEN SYSTEM

The continuous safety baseline does not depend on smart control; the low-light buffer excludes dynamic media

FLAGSHIP SECTION / NOT AN ENGINEERING SCALE



01 DYNAMIC CONTROL CANNOT REDUCE BASELINE LIGHT

02 ACCESSIBLE CONTINUITY PRECEDES TEST WINDOWS

03 NO DYNAMIC MEDIA IN THE LOW-LIGHT BUFFER

04 EXTENDED NIGHT WORK REQUIRES SAFE RETURN

Source: submission GeoJSON, metrics.json and task matrices. All locations and ratios use repository provisional constraints.

JINGZHANG NIGHT SHIFT

METRICS, RESPONSIBILITY AND RELEASE GATES

Known values are recalculable; unknowns require measurement methods and stop gates

12

SCENARIO NODES

06

SPINE INTERSECTIONS

03

NIGHT YARDS

13

REPLAY CHECKS PASS

00

PHASE-1 NEW BUILD

06

PERSONAS


04

TEST SCENARIOS

1.0

READINESS COVERAGE

EVIDENCE AND RELEASE CHAIN



GEOMETRY AND COUNTS ARE RECALCULABLE; 13 REPLAY CHECKS ARE HASH-ANCHORED AND BYTE-REPRODUCIBLE. OFFICIAL POLYGONS TRIGGER A FULL REBUILD; STRUCTURED EVIDENCE AND HIGHER AUTHORITY GOVERN CONFLICTS.

FIELD VERIFICATION PENDING

NIGHT NOISE / TIME-BAND RECEPTOR SURVEY

ILLUMINANCE + GLARE / SEGMENT SURVEY

SLEEP DISTURBANCE / ATTRIBUTABLE SESSION

HUMAN TAKEOVER / 100% PRE-OPENING DRILLS

PAID REST + SAFE RETURN / 100% COVERAGE

NINE PROJECT PACKAGES / EACH REQUIRES A KPI

01	OFFICIAL BASELINE	LEAD · PRECONDITION · PERMIT · KPI · EXIT
02	SPINE WALK AUDIT	LEAD · PRECONDITION · PERMIT · KPI · EXIT
03	ONE LIGHT-GATE PILOT	LEAD · PRECONDITION · PERMIT · KPI · EXIT
04	INDOOR TEST PROTOTYPE	LEAD · PRECONDITION · PERMIT · KPI · EXIT
05	SCHOOL SHARED FLOOR	LEAD · PRECONDITION · PERMIT · KPI · EXIT
06	CIVIC SERVICE WINDOW	LEAD · PRECONDITION · PERMIT · KPI · EXIT
07	THREE-LANDMARK DESIGN	LEAD · PRECONDITION · PERMIT · KPI · EXIT
08	NIGHT WORK AGREEMENT	LEAD · PRECONDITION · PERMIT · KPI · EXIT
09	PUBLIC EVIDENCE LEDGER	LEAD · PRECONDITION · PERMIT · KPI · EXIT

Source: submission GeoJSON, metrics.json, task matrices and night_protocol_evidence.json. All locations and ratios use repository provisional constraints.