


PARALLAX JING- ZHANG

京张视差


ONE CITY. MORE THAN ONE ANSWER.

Place model judgement beside lived experience, so the city can compare before it commits.



ONE CORRIDOR, FIVE CROSS-CHECKS

The structure is not a final blueprint. It is a comparison instrument unfolded along the railway.



11.41 km²

CONCEPTUAL DESIGN EXTENT

3

PLURAL-FUTURES YARDS

5

COMPARISON WINDOWS

12

SCENARIO CARDS




Geometry is derived from the submitted GeoJSON. Use and boundary remain conceptual and replaceable.

TWO LINES ARE TWO FORMS OF EVIDENCE

The model line records system judgement; the lived line records bodily passage; windows let each correct the other.


A MODEL LINE



350 m

CONCEPTUAL OFFSET


B WINDOW



SYSTEM OUTPUT / FAILURE ENVELOPE

CROSS-CHECK / PUBLIC TEST

C LIVED LINE




NOT A ROAD ALIGNMENT

It is a public design protocol that places different evidence on one section.

THREE YARDS, THREE SPATIAL GRAMMARS


Each yard keeps a baseline, a proposal and an exit route. Innovation is never assumed permanent.

01 MODEL DIVERGENCE YARD




Compare output, latency, energy and human review

02 PUBLIC PARALLAX FORUM



Researchers, operators, professionals and residents share the floor

03 POST-ADOPTION MARKET




Compare promises, lived burden, benefits and exit

FIVE WINDOWS. FIVE DIFFERENT CHECKS.

Five comparison windows test accessibility, accountability, bodily comfort, risk boundaries, and post-adoption performance.

01 EQUIVALENT PATH


Can wheelchair users, carers and people without phones arrive equally?



OUTPUT: DETOUR / STEPS / HELP POINTS

02 HUMAN REVIEW


Can a contested output reach a named person and return a decision?



OUTPUT: REVIEW TIME / OWNER / APPEAL RESULT

03 SHADE + SLOPE


Does sensor assessment agree with bodily heat and pause?



OUTPUT: HEAT / SLOPE / PAUSE LOCATION

04 STOP TRIGGER


Which harm signal stops expansion immediately?



OUTPUT: TRIGGER / PAUSE TIME / RESTART RULE

05 POST-ADOPTION REVIEW

How far do long-term outcomes diverge from launch promises?




OUTPUT: PROMISE GAP / BENEFICIARY / EXIT

RESULTS ENTER PUBLIC REVIEW AND INFORM ADJUSTMENT, SUSPENSION, OR EXIT.

TRACEABLE EVIDENCE. REVERSIBLE DESIGN.

Precision comes from the relation between source, assumption, geometry and review - not extra decimal places.



0-18 MONTHS

REVERSIBLE WINDOWS

18-48 MONTHS

THREE YARDS

4+ YEARS

EXPAND / ADJUST / REMOVE



KNOWN / RECOMPUTABLE

11.41 km² / 10.1% / 3-5-12



UNKNOWN / LEFT OPEN

FAR / HEIGHT / OFFICIAL REDLINES



REVISABLE / EXITABLE

BASELINE / PROPOSAL / ALTERNATIVE