

JING-ZHANG SAFE DOCKS


After-shift infrastructure for urban AI

Design where urban AI goes when it is not working: park, charge, inspect, quarantine, hand over to people, and retire responsibly.

DOCK / CHARGE / CHECK / HOLD / HANDOVER / RETIRE

SAFE DOCKS / JING-ZHANG

Design where urban AI goes when it is not working



THE MISSING URBAN SECTION

Before deployment robots need tests; after every shift they still need parking, charging, inspection, fault quarantine, human handover and retirement transfer.

1 + 3 + 6


one service spine · three dockyards · six dock pockets

-   / DOCK
-   / CHARGE
-   / CHECK
-   / HOLD
-   / HANDOVER
-   / RETIRE

Provisional rough geometry for concept discussion only; not an official redline, route or engineering conclusion.

SAFE DOCKS / JING-ZHANG

Design where urban AI goes when it is not working



THE MISSING URBAN SECTION

Before deployment robots need tests; after every shift they still need parking, charging, inspection, fault quarantine, human handover and retirement transfer.

1 + 3 + 6


one service spine · three dockyards · six dock pockets

-    / DOCK
-    / CHARGE
-    / CHECK
-    / HOLD
-    / HANDOVER
-    / RETIRE

Provisional rough geometry for concept discussion only; not an official redline, route or engineering conclusion.

LIFESPAN LAYERS, NOT A DEVICE CITY

A long-life public ground hosts short-life device cycles



Land-use colors are conceptual roles, not approved designations; redraw after official controls arrive.

30+ YEARS / PUBLIC FRAME

walking, access, blue-green, fire and staffed service first

3–10 YEARS / DOCKYARDS

reversible fit-out, inspection, quarantine, logistics and training

90 DAYS / SERVICE TRIAL

bounded domain, version, accountable person and exit rule

EVERY SHIFT / DEVICE STATE

dock, charge, fault, human takeover and next destination

FOUR CONCEPTUAL ROLES

1. full-stack R&D and safety validation
2. heritage park and public slow mobility
3. interface services and lifecycle industry
4. community life and everyday handover

THREE DOCKYARDS, THREE TESTS

From system safety to multi-fleet coordination to shift handover and retirement

01 NORTH / ZHONGZHIYUAN



system inspection
battery / interface safety
fault quarantine

T-01 SAFE-DOCK INSPECTION

02 CENTRAL / AI ORIGIN



multi-vendor interface
orchestration
staffed takeover

T-02 INTEROPERABILITY

03 SOUTH / DAZHONGSI



shift handover
refuse / escalate / appeal
retirement referral


T-03 SHIFT-HANDOVER TEST

SHARED FLOOR: PUBLIC PATH FIRST / QUARANTINE BEFORE DIAGNOSIS / HUMAN RELEASE / QUALIFIED DESTINATION

T-03 excludes personal e-bike charging contracts; it tests shift responsibility for multi-operator devices.

TWO LINES: PUBLIC SPINE + SERVICE COMPANION

Robots must not externalise their infrastructure cost onto pedestrians



01 PEOPLE FIRST

Accessible clear paths, transit interchange and ordinary staying space remain unobstructed.

02 DEVICES USE THE COMPANION

Low-speed service, loading and recovery use managed windows; real routes await traffic review.

03 FAIL NEAR, EXIT SAFELY

Disconnected or abnormal devices enter a staffed recovery point rather than waiting on the path.

04 NO DOCKING IN ECO CORE

Charging, parking, cleaning and quarantine stay out of core green, water and heritage controls.

8.85 km □□□□ / conceptual service spine

RECOMPUTE WHAT IS KNOWN. DO NOT INVENT THE RES

Separate spatial evidence, operational fields and professional unknowns

11.413

km² provisional recomputation

3

conceptual dockyards

6

reversible dock pockets

12

lifecycle scenario cards

3

industry tests

7

user and worker groups

MUST BE SUPPLIED BY PROFESSIONAL TEAMS

- / official polygons
- / road, rail, heritage & water controls
- / fleet inventory & fault baseline
- / ownership & surveyed buildings
- / charging load & fire compartments
- / operator, insurance & emergency plan

geometry → metrics → figures → reports → self-check