

A TASK IS USABLE ONLY WHEN IT GETS DONE

Read the route. Find a person. Leave with a paper result that keeps the task moving. AI may help; it may not remove the way out.

01 ASK FIRST

02 HUMAN TAKEOVER

03 PUBLIC CHANGE LOG



North concourse of Line 13 Dazhongsi Station, everyday transit and staffed service interface reference
© Jing-Zhang Works 2024. All rights reserved. Design, content, and/or image not to be used without permission.

SIXTEEN PAGES, SEVEN DECISIONS

Every dimension pairs a claim with locatable evidence and a boundary it cannot cross. The booklet stands on its own before the full proposal is read.

01	BRIEF FIT	04 / 06 / 13	three scales + two service chains
02	ORIGINALITY	01 / 08	Works Bay 1:1 trial assembly
03	AI INNOVATION	02 / 03 / 12	human first; omissions block
04	IMPLEMENTATION	02 / 08 / 15	states, sign-off, stop, restore
05	PUBLIC INTEREST	10 / 11 / 13	seven people complete a task
06	RISK + ETHICS	03 / 12 / 16	minimum data + manual equivalence
07	EXPRESSION	ALL / JSON	pairwise bilingual audit; boundary on-page

Fourteen Chinese-English pairs received an author semantic audit; independent translation review and public comprehension testing remain incomplete.

NINETY CHECKS BLOCK ERRORS BEFORE THE DOORS OPEN

This is an offline synthetic rule check, not a field result.
Complete contracts reach field review only; omissions and faults must block AI opening.

12	COMPLETE CONTRACTS	READY_FOR_FIELD_REVIEW ONLY
72	ONE-FIELD OMISSIONS	ALL_BLOCK_BEFORE_FIELD_REVIEW
6	DAY-ONE FAULT CARDS	ALL_BLOCK_AI_OPENING
90/90	EXPECTED DECISIONS MATCH	DETERMINISTIC_LOCAL_RUN
0	FIELD RESULTS	NO_ROUTE, STAFF, DEVICE, OR SERVICE PROOF

The rules block these synthetic errors. Real routes, named staff, and independent review must still answer whether the service works on site.

THREE SCALES, EACH ENDING IN A HUMAN STEP

Research connects industry and regional resources; overall design organizes walking, public space, and service; key areas turn decisions into reversible prototypes.

RESEARCH
Industry and regional loops

KEY AREAS
Reversible spatial operations


OVERALL
Land, mobility, public service

RETURN
Problems return to R&D and maintenance

JING-ZHANG WORKS

HOW ONE TASK GETS DONE

A problem moves through Prototype, Learning, and Everyday Works; failure returns through the second service chain




TWO SERVICE CHAINS

LAB TO STREET



PROBLEM TO CHANGE



ANY FAILED STEP REACHES A PERSON AND PAPER

LEARN METHODS FROM SIX CASES, NOT THEIR LOOK

Shared platforms, continuous feedback, agile pilots, resident validation, liveability metrics, and evaluation before scale are rewritten as Jing-Zhang adoption rules. No case imagery or brand asset is copied.



Qinghe Railway Station West Square; arrival, crossing, and station-city interface reference
PHOTO-09 · N509FZ · CC BY-SA 4.0 · External context reference; not field evidence



Accessible ramp at Tuqiao Station; a continuous-ramp reference from another Beijing location
PHOTO-14 · N509FZ · CC BY-SA 4.0 · External context reference; not field evidence



Guidance sign in Beijing Railway Station; multilingual and continuous-wayfinding reference
PHOTO-15 · Siyuwj · CC BY-SA 3.0 · External context reference; not field evidence

SHARED
Punggol


AGILE
Kalasatama and Paris

REAL USE
Woven City and Magok

PUBLIC RIGHT
Barcelona liveability

THREE WORKS, TWO CHAINS THAT CAN TURN BACK

Lab to Street controls release. Problem to Change controls maintenance, suspension, and retirement. Technology must be able to return when it fails.



PROTOTYPE
Controlled test before street

LEARNING
Lower service barriers

EVERYDAY
Face commute and daily life

WINGS
Tech service and scenarios



Locomotive display in Jingzhang Railway Park; industrial-culture and test-space context
PHOTO-06 · N509FZ · CC BY-SA 4.0 · External context reference; not field evidence



Student reading room at the University of Science and Technology Beijing; shared-learning and night-study reference
PHOTO-16 · Ccyber5 · Public domain dedication by the copyright holder · External context reference; not field evidence



North concourse of Line 13 Dazhongsi Station; everyday transit and staffed-service interface reference
PHOTO-11 · N509FZ · CC BY-SA 4.0 · External context reference; not field evidence

PROTOTYPE WORKS: CONTAIN FAILURE FIRST

An observation foyer, accessible test lane, isolated test pocket, physical stop, and failure review make a controlled section. A robot that fails here never reaches the public street.

COMPONENT C04 accessible test lane	OWNER Test lead and site safety
RESOURCE M-class movable kit	HARD STOP Branch approach or failed E-stop

JINGZHANG WORKS

THREE WORKS, THREE SPATIAL PROTOTYPES

One service rule becomes controlled testing, public learning, and everyday service space

01 PROTOTYPE WORKS

OBSERVE ACCESS LANE TEST POCKET STOP + REVIEW

MOVABLE PROTOTYPE: 0100 TO 0105

02 LEARNING WORKS

ARRIVE ASK FIRST LEARNING TABLE HUMAN CHECK

MOVABLE PROTOTYPE: 0106 TO 0110

03 EVERYDAY WORKS

SHARED ENTRY QUIET REST TAKEOVER CHANGE LOG

MOVABLE PROTOTYPE: 0111 TO 0115

PROVISIONAL GEOMETRY · 0100-0105 DISPLAY · 0106-0110 AREA CHECK

01-05

Locomotive display in Jingzhang Railway Park; industrial-culture and test-space context
PHOTO-06 · N599FZ · CC-BY-SA 4.0 · External context reference; not field evidence

PROVISIONAL GEOMETRY · FIELD PERFORMANCE UNKNOWN

official_boundary=false · concept only


BUILD THE WAY OUT INTO THE ROOM

6.0 × 4.8 metres is a trial-assembly dimension, not a site survey or compliance finding. No public installation before site, fire, egress, accessibility, and operating approvals.

JING-ZHANG WORKS · 1:1 TRIAL ASSEMBLY

WORKS BAY

A public-service trial room that can answer, hand over, print a result, and close immediately when the service fails



FOUR OPERATING STATES

01	MANUAL OPEN works without AI
02	ASSISTED OPEN AI advises only
03	MANUAL-ONLY DEGRADED equivalent route remains
04	CLOSED FOR RECOVERY stop, delete, restore

28.8 m² TRIAL DIMENSION · NOT A SITE MEASUREMENT OR COMPLIANCE FINDING

6 SPATIAL MOVES 4 OPERATING STATES 5 HUMAN SIGN-OFFS 0 FIELD RESULTS

DESIGN PACKAGE · NOT SITED · NOT AUTHORISED · NOT RUN

EVERYDAY WORKS: SURVIVE AN ORDINARY EVENING

A shaded entry, quiet rest, human takeover, and public change record form an everyday section. Dazhongsi siting remains unverified, so every component stays movable.

COMPONENT
C02 Takeover + C03 Change Log

OWNER
Safety lead and service owner

RESOURCE
S/M movable kit

HARD STOP
Crowd, error, or blocked exit



Accessible lift at Dazhongsi Station Exit E; step-free arrival reference
PHOTO-12 · N509FZ · CC BY-SA 4.0 · External context reference; not field evidence

North concourse of Line 13 Dazhongsi Station; everyday transit and staffed-service interface reference
PHOTO-05 · N0007Z · CC BY-SA 4.0 · External context reference; not field evidence

NOT PERSONAS: EIGHT MOMENTS WHERE A TASK BREAKS

No phone, wheelchair, low vision, care work, neighbourhood life, study, testing, and visiting from abroad each map to a complete, walkable task—not an abstract avatar.



Accessible elevator at Dajiaoting Station; a service-facility reference from another Beijing location
PHOTO-13 · Wcr1993 · CC BY-SA 4.0 · External context reference; not field evidence



Accessible ramp at Tuqiao Station; a continuous-ramp reference from another Beijing location
PHOTO-14 · N509FZ · CC BY-SA 4.0 · External context reference; not field evidence



Guidance sign in Beijing Railway Station; multilingual and continuous-wayfinding reference
PHOTO-15 · Siyuwj · CC BY-SA 3.0 · External context reference; not field evidence



Student reading room at the University of Science and Technology Beijing; shared-learning and night-study reference
PHOTO-16 · Ccyber5 · Public domain dedication by the copyright holder · External context reference; not field evidence

EIGHT PUBLIC TASKS, EACH WITH A NO-APP ROUTE

Routes, language, shade, night study, older-adult service, sensory access, jobs, and crowd passage share one floor: a person can find staff and leave with paper.



Qinghe Railway Station West Square; arrival, crossing, and station-city interface reference
PHOTO-09 · N509FZ · CC BY-SA 4.0 · External context reference; not field evidence



South underground corridor of Qinghe Railway Station; continuous wayfinding and walking-interface reference
PHOTO-10 · N509FZ · CC BY-SA 4.0 · External context reference; not field evidence



Accessible lift at Dazhongsi Station Exit E; step-free arrival reference
PHOTO-12 · N509FZ · CC BY-SA 4.0 · External context reference; not field evidence

MOBILITY
Arrival, shade, crowd

SERVICE
Older, language, sensory access

GROWTH
Night study, jobs, events

COMMON RULE
Same task without an app

FOUR INDUSTRY TESTS THAT FIRST LEARN TO STOP

Robots, closed delivery, privacy sensing, and digital twins stay controlled. Boundary breach, human proximity, unclear data purpose, or failed command triggers a hard stop.

ROBOT
Parallel access and recovery
DELIVERY
Closed-zone speed and takeover
SENSOR
Aggregate and delete

TWIN
Synthetic data and human command

Locomotive display in Jingzhang Railway Park; industrial-culture and test-space context
PHOTO-06 · N509FZ · CC-BY-SA 4.0 · External context reference; not field evidence


PROVISIONAL GEOMETRY · FIELD PERFORMANCE UNKNOWN

South portal of the Badaling tunnel, 1909 or earlier; engineering-history context
PHOTO-02 · 1876-1915 · Public domain in China · External context reference; not field evidence

official_boundary=false · concept only

ONE ROUTE COUNTS FROM ARRIVAL TO EXIT

Arrival, crossing, entry, stay, takeover, and exit form one service. One unverified segment blocks the route; a polished fragment never cancels a broken middle.



South underground corridor of Qinghe Railway Station; continuous wayfinding and walking-interface reference
PHOTO-10 · N509FZ · CC BY-SA 4.0 · External context reference; not field evidence

01
ARRIVE

02
CROSS

03
ENTER

04
STAY

05
TAKEOVER

06
EXIT

LAND EXPLAINS RELATIONSHIPS; BUILDINGS KEEP THEIR UNKNOWN

Six concept zones check topology and task relationships inside the provisional frame. FAR, height, ownership, structural safety, and building action wait for professional evidence.

JING-ZHANG WORKS

PROGRAMME FOLLOWS PUBLIC TASKS

Six concept zones cover the provisional frame; statutory use and intensity stay unknown

Research and development testing

Qinghe and continuous green space

Learning and innovation services

Industry and public services

Community and cultural services

Culture and civic welcome

EIGHT-RESOURCE ORDER

01LAND

02SPACE

03INDUSTRY

04FUNDING

05TALENT

06COMPUTE

07DATA

08SCENARIOS


A resource is unsecured until authorization, quantity, term, and exit are recorded.

PROVISIONAL GEOMETRY · EPSG:4326 DISPLAY / EPSG:4548 AREA CHECK

01—05



Old Qinghuayuan Station after renovation; adaptive-reuse reference
PHOTO-04 · N509FZ · CC BY-SA 4.0 · External context reference; not field evidence



North entrance of Old Qinghuayuan Station Park; railway heritage entering daily public space
PHOTO-05 · N509FZ · CC BY-SA 4.0 · External context reference; not field evidence

LAND	RESOURCES	KNOWN	UNKNOWN
Six-zone topology coverage 1.0	Eight-item adoption order	Concept layers and footprints	Statutory use, FAR, height, building action

ONE PAPER HANDS THE NEXT STEP TO A PERSON

A bilingual blank template, not a real service result. AI drafts only from dated public sources; staff verify and sign every critical fact.

JING-ZHANG WORKS · U05-A · BLANK HANDOVER

PAPER RESULT RECEIPT

HAND PUBLIC INFORMATION TO THE NEXT OFFLINE ACTION; KEEP HUMAN DECISIONS WITH PEOPLE

01	TASK TO COMPLETE
02	PUBLIC SOURCE + PUBLICATION DATE
03	MATERIALS TO PREPARE
04	NEXT OFFLINE STEP
05	WHEN THIS PAPER MUST BE RECHECKED
06	HUMAN VERIFIER + TIME
07	ISSUE ID

AI MAY

- 1 extract candidate public fields
- 2 draft plain language + bilingual text
- 3 flag missing source or expiry


AI MUST NOT

- ✗ decide eligibility
- ✗ invent a source
- ✗ replace human sign-off
- ✗ retain a personal profile

NO ISSUE IF SOURCE, EXPIRY, OFFLINE STEP, OR HUMAN SIGN-OFF IS MISSING

BLANK TEMPLATE · NO REAL ANSWER · NO PERSON · NO SIGNATURE · NO TRANSACTION

15 / 16



North concourse of Line 13 Dazhongsi Station; everyday transit and staffed-service interface reference
PHOTO-11 · N509FZ · CC BY-SA 4.0 · External context reference; not field evidence



Guidance sign in Beijing Railway Station; multilingual and continuous-wayfinding reference

MISSING ONE OF FOUR MEANS NO ISSUE

12/12 RULES COMPLETE, 0/12 FIELD TASKS COMPLETE

Structural completeness does not mean the city works. Only a replay by a real user, operator, and qualified reviewer can turn unknown into a measured value.



Qinglongqiao Railway Station in 1909; Jing-Zhang historical context
PHOTO-01 · Public domain in China · External context reference; not field evidence

12/12
STRUCTURAL CONTRACTS READY

0/12
AUTHENTIC FIELD TASKS COMPLETE

Zhongguancun Plaza and street at dusk; public-life context in the innovation district
PHOTO-08 · Charlie fong · Public domain dedication by the copyright holder · External context reference; not field evidence