


AI ON = AI OFF

All ten nodes must let a task be completed with AI on and with AI off; where they cannot, work stops at the gate and does not advance.



● AI ON

Navigation, announcements and live status are available; the service runs through digital channels.


● AI OFF

The same nodes are carried by fixed signage, printed information and staffed service. The geometry does not change and neither does the task.

CONCEPT • PROVISIONAL GEOMETRY • NOT A STATUTORY REDLINE • NOT FIELD PERFORMANCE

Interactive dual state and node-by-node differences: <visual/index.html> • static fallback <visual/assets/scene-fallback.en.png>

Conceptual land use and shared baseline



FUNCTIONAL STRUCTURE / Public street context + concept layers

ONE BASELINE · TWO PATHS · THREE INTERFACES

Tasks remain possible with AI off; direct multimodal and quiet routes run in parallel; three interfaces link parks, communities and stations.

FOUR CONCEPTUAL FUNCTIONS / 四类概念结构

01

Universal interface R&D + validation

Links research, prototyping, controlled tests and human takeover.

02

Accessible park + quiet open space

Carries the continuous public baseline and quiet alternative.

03




Inclusive AI services + adoption

Tests procurement, maintenance, correction and exit.

04

Independent-living co-design + community

Feeds real public tasks back into products and space.



Not zoning: no claim about title, statutory use or development capacity.

© OpenStreetMap contributors, ODbL · background_only · 2026-08-10 · geometry: land_use.geojson + roads.geojson · public context for orientation only; provisional boundaries and concept centrelines are not engineering or approval data.

03 / LAND USE + STRUCTURE

Four conceptual functions share one baseline

Functional relationships test whether R&D, public space, adoption and community service support each other. They are not existing land use, zoning, title or development-capacity conclusions.

- Universal interface R&D + validation
- Accessible park + quiet open space
- Inclusive AI services + adoption
- Independent-living co-design + community

SHARED DENOMINATOR AND DELIBERATE OVERLAP

Shared denominator site_area_sqm	11,412,825.386 sqm	100%
Green envelope green_space	2,432,035.047 sqm	21.3097%
Public-space envelope public_space	2,074,716.512 sqm	18.1788%
Deliberate overlap · spine greenway	452,986.656 sqm	3.9691%

Both ratios use the same denominator and the envelopes deliberately overlap by 452,986.656 sqm — they must not be added.

KEY READINGS ON THIS BOARD

21.3%

Provisional green ratio

18.2%

Provisional public-space ratio

452,986.656 sqm

Deliberate envelope overlap

4

Conceptual functions

6

Renewal work packages

Four conceptual functions share one baseline; the land-use drawing tests functional relationships and never replaces statutory classification, title or capacity conclusions.

Three areas: validate — co-design — adopt

EVERY SENSE JING-ZHANG · URBAN DESIGN ATLAS

03 / KEY AREAS

Ten concept nodes · public and back-of-house flows

CONCEPT · PROVISIONAL GEOMETRY

OPERATING DIAGRAM / LEGEND

Direct multimodal line

Low-stimulus alternative

Public flow

Service flow

Back of house

Operating node

01

Zhongzhiyuan Universal Interface Lab

Continuous arrival, emergency stop and human handover

VERIFY / 验证

GROUND-FLOOR OPERATING DIAGRAM

Equivalent paths within one field of view

QUIET BAY LOW-STIM TACTILE DIRECT STAFFED

STOP

Stop if emergency stop or handover fails

RESUME

Closed test + fault bypass + maintenance card

DAILY MODE ⇄ TEST MODE (REVERSIBLE)

02

AI Origin Independent-Living Co-Design Lab

Quiet alternative, easy-read flow and error recovery

CO-DESIGN / 共创

GROUND-FLOOR OPERATING DIAGRAM

Equivalent paths within one field of view

QUIET BAY LOW-STIM TACTILE DIRECT STAFFED

STOP

Stop if accommodation or withdrawal is missing

RESUME

Participant review + reversible correction record

DAILY MODE ⇄ TEST MODE (REVERSIBLE)

03

Dazhongsi Inclusive Adoption Market

No-account service, payment alternative and event exit

ADOPT / 采用

GROUND-FLOOR OPERATING DIAGRAM

Equivalent paths within one field of view

QUIET BAY LOW-STIM TACTILE DIRECT STAFFED

STOP

Stop if staffed service, appeal or quiet exit fails

RESUME

Equivalent route + disposal record + G3 review

DAILY MODE ⇄ TEST MODE (REVERSIBLE)

Concept proposal · provisional boundary · not a statutory plan · not an engineering alignment.

Key-area boundaries, ground-floor operating diagrams and every line are provisional working geometry — not official redlines, title boundaries or a statutory basis. The diagrams are flow schematics, not floor plans, and carry no scale. Nodes: SCENARIO_NODE. The three areas are located on site-overview and on the reachability plate.

PUBLIC / PROVISIONAL / CONCEPT

04 / THREE KEY AREAS

The three key areas are not three identical campuses

Zhongzhiyuan hosts controlled validation; AI Origin Community hosts voluntary co-design and independent-task tests; Dazhongsi tests procurement, maintenance, correction and exit. Every key-area boundary is provisional.

01 ZHONGZHIYUAN
UNIVERSAL INTERFACE LAB
Validation gate · visible status · human takeover

02 AI ORIGIN COMMUNITY
INDEPENDENT-LIVING CO-DESIGN LAB
Quiet alternative · easy-read lobby · voluntary exit

03 DAZHONGSI
INCLUSIVE ADOPTION MARKET
Multichannel commerce · payment alternative · maintenance entry

STOP + RESUME

STOP

Emergency stop or human takeover fails · reasonable accommodation or withdrawal path missing · staffed service, appeal or quiet exit fails — any one stops the work.

RESUME

Closed testing + fault detour + maintenance card · participant review + reversible correction record · equivalent path + disposal record + G3 independent review.

KEY READINGS ON THIS BOARD

3

Key areas

10

Operating nodes

4

Evidence gates

6

User personas

3

Cultural / accountability landmarks

Each key area states its spatial actions, operating gates and external dependencies; the three are complementary, not identical, and every boundary is provisional.

CONCEPT PROPOSAL / NOT A STATUTORY PLAN / NOT AN ENGINEERING ALIGNMENT

PUBLIC BACKGROUND

PROVISIONAL

CONCEPT PROPOSAL

Continuous access and AI-switch equivalence

EVERY SENSE JING-ZHANG · URBAN DESIGN ATLAS




AI off halves the reachable domain: the gap is an audit target, not a compliance claim

DUAL-STATE DOMAINS AI-on domain R = 300 m AI-off domain R = 150 m (overlap) Gap ai_off_service_equivalence_gap Node access stub (computed)

SLOW MOBILITY Universal Access Baseline Low-Stimulation Quiet Route Cross interfaces

BASE LAYERS Blue-green Public Mass Key areas

NODE GATES G0 G1 G2 G3



01 / DUAL STATE

One network, two service domains

493,390 m² AI-on union → 255,768 m² AI-off union

provisional geometry · not a statutory area

Wayfinding hands over along the network; with AI off only the totem and the help point remain.

Caliber: R_on = 300 m · R_off = 150 m · band half-width w = 40 m, all network distances; the AI-on union covers 4.32% of the scope.

02 / GAP

The gap is an audit target, not an achievement

237,622 m² Gap union | 48.16 % Gap share of AI-on

provisional geometry · not a statutory area or performance figure

Coral marks public space reached only while AI is on: audit it, close it, re-measure it.

Domains overlap, so the union is smaller than the per-node sum

03 / FIRST BREAKS

First audit breaks: the three largest gaps

#	Node	Gate	Gap area m²	of AI-on
1	OP-04	G0	48,000	55.9%
2	OP-02	G1	48,000	55.9%
3	OP-03	G2	43,959	60.2%

The three breaks are marked coral above; the full ranking is in the ledger.

provisional geometry · not a statutory area

04 / KEPT UNKNOWN

The equivalence metric stays unknown

metrics.json registers ai_off_service_equivalence_gap as status=unknown, pending paired task testing. This sheet states only its audit-target geometry.

Full caliber, ranked ledger and accountable body: mobility-bluegreen-audit.en.png

All ten nodes declare an AI-off route and a handover role (document completeness, not built evidence).

Not an engineering alignment and not a coverage commitment: the domains are an indicative caliber computed here, pending calibration by an authorised team.

Data: geometry/roads 5 · green_space 6 · public_space 10 · key_areas 3 · buildings 4 · site_boundary · constraints.geojson (EPSG:4548, metres) · SCENARIO_NODE 10 · caliber and ledger in the companion figure · each panel carries its own bar, an indicative scale, not for measurement.
EVERY SENSE JING-ZHANG / 05

05 / MOBILITY + BLUE-GREEN

Basic service remains equivalent with AI on or off

The direct multimodal path and quiet alternative run in parallel. With AI off, offline or declined, fixed signs, paper and easy-read information, staffed help and an account-free path remain available. Centrelines express conceptual relationships only.

AI ON: multimodal wayfinding · visible status · human takeover

AI OFF: tactile / visual / easy-read · fixed signs · staffed point

STAGE ZERO: FOUR EVIDENCE GATES

G0	Material and permission Verify official material, permissions and task scripts
G1	Reversible prototype Removable, revertible on-site prototype
G2	Closed paired testing AI-on and AI-off compared in pairs
G3	Independent review Third-party review and a public receipt

AI ON = AI OFF: when the network or power is down or consent is declined, cast lettering, braille, tactile relief and fixed graphics remain readable; historical content does not disappear when the system is off.

KEY READINGS ON THIS BOARD

12

Scenario cards

1.00

Human-handoff coverage

1.00

AI-off exit-path coverage

2

Equivalent paths

8

Risk items

All ten nodes must let a task be completed with AI on and with AI off; where they cannot, work stops at the gate and does not advance.

CONCEPT PROPOSAL / NOT A STATUTORY PLAN / NOT AN ENGINEERING ALIGNMENT

PUBLIC BACKGROUND

PROVISIONAL

CONCEPT PROPOSAL

Brand, culture and international communication

EVERY SENSE JING-ZHANG / 万感京张

Brand system: common gauge translated into universal design

PARALLEL SENSORY LINES + OPEN NODES · LOGO / PALETTE / TYPE / GRAMMAR · AI ON = AI OFF

01 / Identity and mark construction LOGO / TWO GROUNDS / GEOMETRY

ON DARK #10383d



万感京张
EVERY SENSE JING-ZHANG

ON PAPER #f2efe7




万感京张
EVERY SENSE JING-ZHANG

MARK CONSTRUCTION

- Parallel sensory lines** Two solid rails carry the continuous spine for sight and sound; two dotted lines carry tactile paving and the low-stimulus alternative. Four channels run in parallel, none subordinate.
- Open node** The ring keeps openings left and right: a service can be entered and can be left. The node never closes, and never locks in one kind of body or one kind of device.
- Origin** The centre point is Every Sense Origin — where human help, human takeover and the right to stop land. Always visible, always reachable.

All four gaps sit on one construction circle. A common gauge lets different trains share one network; universal design lets different bodies share one city.



02 / Palette and colour semantics SIX COLOURS / CONTRAST RULES

Deep Teal 深青

#10383d

11.0:1
Body text

Urban base and the public baseline; dark ground, and body text on paper.

Rail Teal 永鸭青

#177c78

4.4:1
Body text

The continuous spine and the AI ON path; primary signage and section numbers.

Coral 珊瑚

#d76459

3.1:1
Large text only

Right to stop, emergency stop, human takeover and help; risk and failure notices.

Node Purple 紫

#6b5b95

5.1:1
Body text

The ten independent-completion nodes OP-01—OP-10; tactile dot grids and braille layers.

Assumption Gold 金

#d6a13b

2.0:1
Graphics only

Unverified assumptions and the Jing-Zhang cultural layer; refill triggers and heritage interpretation.

Paper 米白

#f2efe7

11.0:1
Text on dark

Fixed signage, paper procedures and no-account receipts once AI is off.

Contrast recomputed under WCAG 2.1 against paper #f2efe7; the paper row is measured against deep teal #10383d. Deep teal, rail teal and node purple are cleared for body text; coral only above 24px bold or as graphics; gold as graphics and fills only. Text on dark ground uses paper or light teal, never the unlightened primary.

03 / Type strategy SERIF / SANS / MONO


Display / Serif
Georgia · Songti SC · Source Han Serif SC
万感京张 Every Sense
Section titles, the three landmark names and exhibition display. Carries the printing character of the Jing-Zhang era.

Text / Sans
Source Han Sans SC · Helvetica Neue · Arial
One city, many senses
Body copy, signage and easy-read text. Open apertures, stable CJK-Latin mixing, legible at distance.

Data / Mono
SF Mono · Menlo · Consolas
11.41 km² OP-01
Metrics, node identifiers and scenario codes. Fixed width keeps tables aligned and characters checkable one by one.


Font licensing is being verified face by face; any face whose commercial-use clearance is incomplete does not enter publicly released material. No corporate marks or portraits are used. Minimum signage size, leading and viewing distance are to be set after an on-site audit.

04 / Grammar in use SIGNAGE / PAVING / COLLATERAL / INTERFACE



Wayfinding SIGNAGE

The main panel carries the mark and bilingual name, a low panel adds tactile and braille layers, and the coral help post stays in view.




Tactile paving GROUND

Parallel sensory lines become paving bands; the open node becomes a dot-grid circle that can be walked around, with the help post at its centre.



Event collateral PRINT

Posters flood-hill the parallel lines, booklets keep the stop notice, and tickets stay usable without an account through mono codes and a tactile strip.



Interface SCREEN

Both channel states stay visible, stop ranks equal to human handover, and the paper version is the same grammar in an equivalent form.

One city. Many ways to sense it. 一座城市，多种感知，共同行走

INTERNATIONAL LINE / 国际传播句

Concept proposal · provisional boundaries · not statutory planning · not engineering alignments

PUBLIC / PROVISIONAL / CONCEPT

06 / BRAND · CULTURE · GLOBAL

One line grammar carries brand, culture and outward communication

The brand grammar abstracts the Jing-Zhang railway's "one standard gauge" into parallel sensing lines and an open node: one gauge lets different trains share a network, universal design lets different bodies share a city. Cultural work first builds a traceable resource inventory, then chooses carriers, and only then reaches symbols and wayfinding.

One city. Many ways to sense it.

一座城市，多种感知，共同行走

Spine narrative line

SPINE NARRATIVE

Three landmarks

THREE LANDMARKS

Node micro-stories

NODE MICRO-STORIES

AUDIENCE LAYERS

International professionals

Test methodology, protocols and failure samples in the open

International public

Paired AI-on / AI-off comparisons that show service equivalence

Residents along the corridor

Easy-read Chinese, sign language and captions

Developer community

Open problem library and scenario test procedures

KEY READINGS ON THIS BOARD

3

Cultural narrative tiers

3

Cultural landmarks

10

Node micro-stories

6

Colour semantics

4

Application domains

Brand, culture and outward communication share one line grammar; with network, power or consent withdrawn, historical content and public commitments stay readable.

CONCEPT PROPOSAL / NOT A STATUTORY PLAN / NOT AN ENGINEERING ALIGNMENT

PUBLIC BACKGROUND

PROVISIONAL

CONCEPT PROPOSAL

Metric recalculation and evidence chain

EVERY SENSE JING-ZHANG · URBAN DESIGN ATLAS

06 / METRICS & EVIDENCE

Metrics are not a vision: recalculate what can be, keep the rest unknown

PROVISIONAL PUBLIC MATERIAL · NOT A STATUTORY METRIC

01 / MEASURED

Five recalculated metrics

Display rounding matches the proposal front page and metrics.json; full values and formulas are in the audit companion plate.

11.41 km²

Provisional design scope

site_area_sqm

373,402 m²

Conceptual building footprint

building_footprint

21.3 %

Provisional green ratio

green_ratio

18.2 %

Provisional public-space ratio

public_space_ratio

3 areas

Key detailed-design areas

key_area_count

02 / COUNTED

Ten structural counts

The proposal's own structural objects; each can be re-counted inside the package.

12

Scenario cards

S01–S12

10

Operating nodes

SCENARIO_NODE

6

Work packages

JZ-01–JZ-06

6

User personas

proposal.md

4

Evidence gates

G0–G3

3

Landmarks

landmark_id

8

Risk items

R-01–R-08

6

Intl. cases

CASE-*

1.00

Handover coverage

10 / 10 nodes

1.00

AI-off exit paths

10 / 10 nodes

03 / KEPT UNKNOWN

Twelve metrics kept unknown

NOT AUTHORIZED4

floor_area_ratio
Official boundary + key-area polygons
Statutory: height · density · setback · use
Engineering: road lines · stations · utilities

NOT FIELD-RUN8

Independent task completion
Multi-channel info coverage
AI-off equivalence gap
Forced abandonment rate
Human handover success
Human handover response time
Sensory load exceedance
Co-design role coverage

04 / ONE DENOMINATOR

Shared denominator site_area_sqm100%
Green envelope green_space21.3%
Public-space envelope public_space18.2%

Both ratios share one denominator and deliberately overlap — they must not be added.

Unknown ≠ 0. Unknown for two reasons only: not authorized · not field-run

Full source → operation → class ledger and the full recalculated values:
Metrics Evidence Audit Ledger companion plate.

Provisional working geometry, not a statutory metric: not an official redline, title boundary or statutory control.

metrics.json · geometry/*.geojson · EPSG:4548

EVERY SENSE JING-ZHANG / 06

KEY READINGS ON THIS BOARD

5

Recalculated geometry metrics

10

Structural count metrics

8

Metrics pending field test

32

Registered sources

9

Standards and codes

Recalculated metrics show in-package consistency, not statutory figures; unknown ≠ 0, and missing data stays blank with a stated collection condition.

07 / METRICS + EVIDENCE

Recalculated metrics show in-package consistency, not statutory figures

Scope area, building footprint, green ratio and public-space ratio derive from the submitted provisional geometry; the green and public-space envelopes share one denominator and deliberately overlap by 452,986.656 sqm, so the two ratios must not be added. Ten structural counts count the proposal's own objects and can be re-counted inside the package. Inclusion performance must come from real participants, reasonable accommodation and outcome testing; all of it is still to be tested.

11.41 km²

Provisional overall scope

373,402 m²

Conceptual building footprint

21.3%

Provisional green ratio

18.2%

Provisional public-space ratio

TO BE FIELD-TESTED

- Unaccompanied independent task completion
- Two-channel information redundancy
- AI-switch service equivalence gap
- Forced abandonment rate

TEN STRUCTURAL COUNTS

12	Scenario cards	10	Operating nodes
6	Work packages	6	Personas
4	Evidence gates	3	Cultural landmarks
8	Risk items	6	International cases
1.00	Human-handoff coverage	1.00	Exit-path coverage

© OpenStreetMap contributors, ODbL · background_only · public background / provisional constraint / concept proposal

BOARD 06 / 06