


Board 1: Concept and overall structure

Centennial Jing-Zhang AI Balanced Belt | Jing-Zhang Symbiotic Spine Belt (京张智脉共生带) | Participant: tzlwn1

This is a conceptual proposal and reference scheme. Every area and ratio is recomputed from this submission's geometry/ layers in EPSG:4548 and can be checked independently, but the boundary is a provisional corridor generated by the participant from public data, not a statutory redline. Areas and ratios are marked low confidence and reported only at an "approximately" magnitude. The package must be recomputed in full once official regulatory and ownership conditions are released.

Evidence chain and overall spatial structure



Land-use partition and seamless coverage check



Concept

Jing-Zhang Symbiotic Spine Belt: the heritage park as public-space armature, giving one belt, three cores, located scenarios and a blue-green slow-mobility loop.

Scale premise

The corridor is about 9.7 km by 1.3 km, an aspect ratio near 7.5:1. A uniform master plan fails at this scale, so the strategy is sectioned along the line and carried at the nodes, with drawings in three side-by-side sections.

Land-use result

81 parcels close over the corridor with no gaps or overlaps, verified by the repository spatial-review script. Bands across, sections along; the spine takes 16 per cent of the width and runs the whole length.

Deliberately open


Floor area ratio, height, density, setbacks and road boundary lines stay pending: without approved control conditions any figure is false precision. Reserved land sits on the eastern edge where the data gap is largest.

Board 2: Key areas and composite systems


Centennial Jing-Zhang AI Balanced Belt | Jing-Zhang Symbiotic Spine Belt (京张智脉共生带) | Participant: tzlwn1

This is a conceptual proposal and reference scheme. Every area and ratio is recomputed from this submission's geometry/ layers in EPSG:4548 and can be checked independently, but the boundary is a provisional corridor generated by the participant from public data, not a statutory redline. Areas and ratios are marked low confidence and reported only at an "approximately" magnitude. The package must be recomputed in full once official regulatory and ownership conditions are released.

Detailed design plans for the three key areas



Mobility, slow travel and blue-green public space



Zhongzhiyuan (north)

Garden-type full-stack innovation district: Qinghe frontage strengthened, evaluation made visitable, sports land carrying researcher exchange, freight separated from external traffic; five research clusters.

Origin Community (middle)

Campus-adjacent conversion and talent community: three pedestrian links stitching campus, park and neighbourhood, an open-source publishing plaza, an education-conversion-housing sequence; four clusters.

Dazhongsi (south)

Urban intelligent-economy and exchange district: station-city integration with four-quadrant connection, a station plaza for debuts and roadshows, cultural land linking the heritage resource; four clusters.

Mobility and blue-green

One continuous slow-mobility spine plus seven east-west connectors and two cycleways, thirteen line features. Spine-connector intersections are the stitching priorities, carried as JZ-01. Green ratio about 21 per cent.

Board 3: Scenario operation, metrics and delivery

Centennial Jing-Zhang AI Balanced Belt | Jing-Zhang Symbiotic Spine Belt (京张智脉共生带) | Participant: tzlwn1

This is a conceptual proposal and reference scheme. Every area and ratio is recomputed from this submission's geometry/ layers in EPSG:4548 and can be checked independently, but the boundary is a provisional corridor generated by the participant from public data, not a statutory redline. Areas and ratios are marked low confidence and reported only at an "approximately" magnitude. The package must be recomputed in full once official regulatory and ownership conditions are released.

Scenario, space and operation mapping

Scenario, space and operation map: where the 10 AI scenario cards land and who runs them

Provisional geometry, not an official redline

Every scenario card matches one located node in geometry/public_space.geojson

ID	Scenario	Space carrier (checkable)	Proposed operator	Data and privacy boundary
01	Open-source publishing hall	AI Origin, open-source plaza	Open-source foundation + campus TTO	Aggregate counts only, no personal traces
02	Safety governance sandbox	Zhongzhiyuan, standards plaza	Standards body + third-party evaluator	Test data kept closed, conclusions signed by humans
03	Edge compute waypoint	Middle section, research frontage	Compute operator + local power utility	Published quota, separate authorisation per use
04	Slow-mobility navigation point	Spine, at connector crossings	Park manager + transport authority	Low-intrusion sensing, no face recognition
05	Dazhongsi roadshow lounge	Dazhongsi, station commercial frontage	Park operator + chamber of commerce	Every corporate mark cleared item by item
06	Qinghe low-carbon corridor	Zhongzhiyuan, Qinghe buffer green	Water, landscape and park bodies	Water-related works pending flood conditions
07	Campus conversion street	AI Origin, conversion research land	Campus asset company + incubator	Research data requires campus authorisation
08	Data-element salon	Dazhongsi, cultural land frontage	Data exchange body + compliance adviser	Only authorised, auditable cases shown
09	AI life-service street	Middle section, community service land	Sub-district office + community centre	Human counter and low-tech channel retained
10	Global AI week node	Spine, central park node	Event host + park manager	Permit for temporary use, restored afterwards

Boundary statement: the operator column is a division of labour this scheme proposes; it does not mean any organisation has agreed to take it on. Every scenario keeps human review and a suspension path, and none of them substitutes for planning approval.

Source: geometry/ layers in this submission, recomputed in EPSG:4548

Metric recomputation and evidence chain

Metric recomputation and evidence chain

Provisional geometry, not an official redline

Each metric states its formula, source layers, confidence and reporting precision

Metric	Recomputed	Reported as	Confidence	Formula and source layers
site_area_sqm	11,412,843.314	约 11.4 平方公里	low	polygon_area(provisional_site_boundary) <- geometry/site_boundary.geojson
building_footprint_area_sqm	133,470.741	约 13 公顷示意图基底	low	area(union(building_footprints)) <- geometry/buildings.geojson
green_ratio	0.213	约 21%	low	green_space_area_sqm / site_area_sqm <- geometry/green_space.geojson, geometry/site_boundary.geojson
public_space_ratio	0.050	约 5%	low	public_space_area_sqm / site_area_sqm <- geometry/public_space.geojson, geometry/site_boundary.geojson
floor_area_ratio	unknown	-	unknown	total_floor_area_sqm / official_site_area_sqm <- brief/site-package/ranges/planning_limits.json
key_area_count	3	3	high	count(key_detailed_design_areas) <- geometry/key_areas.geojson
land_use_parcel_count	81	81	medium	count(land_use_parcel) <- geometry/land_use.geojson
scenario_node_count	10	10	medium	count(features with scenario_id) <- geometry/public_space.geojson
renewal_project_count	6	6	medium	count(JZ renewal projects) <- compliance_matrix.json

How to read: every spatial metric is recomputed from this submission's geometry/ layers in EPSG:4548 and matches the repository spatial-review script. Because the boundary is a provisional corridor, areas and ratios are marked low confidence and reported only as 'approx. X sq km' or 'approx. X%'; the six-decimal figures exist for machine checking and do not claim survey precision. Metrics such as floor area ratio that need official control conditions stay unknown rather than being filled with a guess.

Source: geometry/ layers in this submission, recomputed in EPSG:4548

Implementation roadmap and phasing basis

Implementation roadmap: phasing, lead bodies and preconditions for six projects

Provisional geometry, not an official redline

The starting phase follows how reversible a project is, not how fast we would like it

Near term: reversible pilots

JZ-01

Stitching the heritage park slow-mobility breaks

Proposed lead

Park manager leads

Precondition

Road boundary and under-bridge review

JZ-03

AI Origin campus conversion street

Proposed lead

Campus asset company leads

Precondition

Campus edge and ground-floor ownership

JZ-06

Global AI week public route

Proposed lead

Event host

Precondition

Public space permit and rights clearance

Mid term: urban renewal

JZ-02

Zhongzhiyuan Qinghe innovation frontage

Proposed lead

Water authority with park

Precondition

Blue line, ecology and flood conditions

JZ-04

Dazhongsi four-quadrant pedestrian connection

Proposed lead

Rail company with district

Precondition

Station design and utility lines

Long term: governance framework

JZ-05

AI public service and edge compute nodes

Proposed lead

Compute operator with sub-district

Precondition

Energy, safety evaluation and operator

Phasing rule: only reversible, suspendable actions that do not touch statutory approval sit in the near term. Anything involving ownership, statutory control, rail or utilities is deferred, with the precondition stated. Full lead bodies, time windows, resource levels, approval interfaces, milestones, acceptance measures and exit conditions are in the implementation table in the report.

Source: geometry/ layers in this submission, recomputed in EPSG:4548

Located scenarios

All ten scenarios carry coordinates and can be checked by scenario_id in the public-space layer. Three industry test cards state admission, safety evaluation, exit conditions and a proposed operator.

Human baseline

Eight personas include older people, disabled people and carers, children, and people with low digital skills or night shifts. Seatable edges and shade every 300 m along the spine; every service point keeps a staffed kiosk and physical signage.

Precision discipline

Spatial metrics are recomputed from geometry in EPSG:4548. Because the boundary is provisional, confidence is low and outward reporting stays at about 11.4 km², about 21 per cent and about 5 per cent.

Delivery order

JZ-01 to JZ-06 each state lead, precondition, window, resources, approval interface, milestone, acceptance and exit. Reversible actions come first; anything needing ownership, statutory, rail or utility conditions is deferred.

A0 boards • tzlwn1 • Noto Sans SC (SIL OFL 1.1)

Page 3