




TOKEN BLOCK

京张令牌 · 百年京张AI创新带


A line that once carried goods now runs: an urban AI open test main line along the Jing-Zhang heritage park, three stations and two switches, organising industry, public space and governance.

Coordinated research area	43.6 km²
Overall design area (announced)	11.4 km²
Overall design area (recomputed)	11.41 km²
Key areas (announced area)	368.4 ha
Key area count	3
Green ratio (recomputed)	21.5%
Public space ratio (recomputed)	18.0%

3 stations · 2 switches · S→N 三站两岔 · 自南向北



International urban design call · open-source agent entry
Submission by GitHub @xiaowuzicode · starixs · Token Block
A3 booklet 19 pp · A0 boards 7 · drawn by script from GeoJSON & metrics.json



Contents & drawings

目录与图纸索引

01	Cover
	封面
02	Contents & drawings
	目录与图纸索引
03	Agent & method statement
	智能体与方法声明
04	Design basis & source list
	设计依据与资料清单
05	3 scopes & boundary status
	三层范围与边界状态
06	Existing reading, issues
	现状解读与问题清单
07	Coordinated research area: industry & future city
	统筹研究范围：产业生态与未来城市
08	Spatial structure
	总体空间结构
09	Land use & urban renewal
	用地布局与城市更新
10	Roads, rail, slow mobility, utilities
	交通、轨道、慢行与市政支撑

11	Jing-Zhang heritage park & blue-green public space
	京张遗址公园活力带与蓝绿公共空间
12	Zhongzhiyuan AI Acceleration Area: detailed design
	众智园AI自主创新加速区：详细设计
13	Beijing AI Origin Community: detailed design
	北京AI原点社区：详细设计
14	Dazhongsi AI Industry Cluster: detailed design
	大钟寺AI产业聚集区：详细设计
15	Urban character, narrative
	城市风貌与文化叙事
16	Renewal project list, policy, phasing
	更新项目清单、实施政策与分期
17	AI+ scenarios, data, human review
	AI+场景、数据治理与人工复核
18	Metrics, areas recomputed, compliance
	指标体系、面积复算与合规矩阵
19	Risk, copyright, missing data
	风险、版权与缺资料清单

A0 board index		A0 board index
B1	Design structure	总体设计结构
B2	Land use & urban renewal	用地布局与城市更新
B3	Roads, rail, slow mobility, utilities	交通、轨道、慢行与市政支撑
B4	Jing-Zhang heritage park & blue-green public space	京张遗址公园活力带与蓝绿公共空间
B5	Detailed design, 3 key areas	三大重点片区详细设计
B6	AI scenarios, build & run	AI场景、实施与运营
B7	Recomputation & compliance	指标复算与合规响应

How to read	How to read
- Solid line = Jing-Zhang heritage park slow-mobility spine; it breaks to dashed at the three key areas — “the line opens at the stations”. - Provisional rough boundary: low-contrast dashed only, never the subject, never an official redline or exact-area basis. - Wherever FAR, height, density, road redline or road area arise, drawings say only “pending approved regulatory conditions”. - All areas, ratios and counts are read and recomputed from metrics.json at runtime; no hand-typed number on a drawing.	

Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.

Agent & method statement

智能体与方法声明

Pipeline

Generation pipeline

01

Read the notice and brief

读取公告与任务书

02

Limits of registered data

登记资料可用边界

03

Lock provisional boundary

锁定临时粗略边界

04

Design layers

生成设计图层

05

Area/length recomputed

面积与长度复算

06

Compliance & depth matrix

合规与深度矩阵映射

07

Plotting & self-check

矢量出图与自检

Self-check result (self_check.json)

DETERMINISTIC_VALIDATION · pass

deterministic_validation: PASS

blocking

SPATIAL_REVIEW · pass

spatial_review: PASS

blocking

VISUAL_PACKAGING · pass

visual_review: PASS

blocking

PROFESSIONAL_EVIDENCE · pass

professional_review: PASS

blocking

Statement & red lines

Authorship & hard limits

agent_id

xiaowuzicode

agent_name

starixs · Token Block

role

ai_agent_submission_author

generated_with

scripts/scaffold_ai_submission.py + participant-side re-runnable generators for geometry, metrics, figures, drawings and the offline visual page

Four hard rules for these drawings

Boundary honesty: the submitted boundary is the repository provisional rough boundary, not an official redline; always drawn low-contrast dashed and annotated, with all metrics recomputed once official polygons are released.

Metric honesty: FAR, building height, building density, road redline width and road area are missing from public sources; drawings always read "pending approved regulatory conditions" and never a guessed value.

Every spatial move is a conceptual suggestion / reference scheme for professional teams to develop further, not statutory planning, government approval, confirmed implementation or investment commitment.

Data traceability: every area, ratio, count and scope figure on the drawings is read at plot time from metrics.json and compliance_matrix.json, never hardcoded in the script.

Assumptions pending confirmation (11 items)

A-CONTROLS-001

pending_professional_confirmation

A-BOUNDARY-001

pending_official_data

A-CONSTRAINT-LAYERS-001

intentionally_unauthored

A-INTENSITY-001

pending_official_data

A-ROAD-AREA-001

pending_official_data

A-EXISTING-BUILDINGS-001

pending_official_data

A-PARTITION-RESIDUAL-001

accepted_tolerance

A-CASE-STUDIES-001

qualitative_reference_only

A-SCENARIO-STATUS-001

conceptual_proposal

A-MISSING-DATA-001

pending_official_data

A-RAIL-HISTORY-001

qualitative_reference_only

Task coverage

Official requirements

17

Agent tasks agent.1–agent.6

6

Tasks with a drawing

23

Tasks with a GeoJSON layer

23

Tasks with recomputed metrics

23

Standard response standard_matrix

6

Design depth entries design_depth_matrix

15

AI scenario card ai_scenario_card_count

12

Pilgrimage landmark pilgrimage_landmark_count

4

Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.

Design basis & source list

设计依据与资料清单

Source register	sources.json
SITE-PACKAGE brief/site-package/ Project brief, enums, allowed design space, ranges, and schemas.	official_public
SOURCE-REGISTRY data/source_registry.json Public/cleared/provisional source usability registry; distinguishes formal-ready, background-only, provisional-only, and needs-review materials.	repository_public_registry
PROCESSED-FACT-PACK data/processed/agent_fact_pack.md Agent-readable navigation layer for scopes, required tasks, source-use boundaries, and missing-data checklist; not a new authority source.	repository_processed_reference
BOUNDARY-SOURCE brief/site-package/geometry/provisional_boundaries.geojson Submitted site boundary geometry source (provisional).	agent_inferred_from_public_data
KEY-AREA-SOURCE brief/site-package/geometry/provisional_boundaries.geojson Three required detailed-design key area boundaries (provisional).	agent_inferred_from_public_data
OFFICIAL-ANNOUNCEMENT — Official announcement tasks, scope levels, key areas, language, and deliverable context.	official_public
AGENT-TASKBOOK brief/site-package/agent_taskbook.json Agent-facing open-call principles, six required agent tasks, scenario/branding/operation requirements, and boundary clause.	user_provided_cleared

Standards & codes	standard_matrix.json
PROJECT-OFFICIAL-ANNOUNCEMENT Answers all required announcement tasks 1.3/1.4/1.5 and the three scope levels	Project brief · addressed
PROJECT-AGENT-OPEN-CALL-TASKBOOK Answers the ten co-creation principles, six agent tasks and the boundary clause	Agent open call · addressed
MOHURD-URBAN-DESIGN-MEASURES Coordinate building layout, landscape character, public space and identity	Urban design · addressed
MOHURD-CONTROL-DETAILED-PLANNING Reach regulatory-plan urban-design depth and name the source of every control	Regulatory depth · addressed
MNR-LAND-USE-CLASSIFICATION-GUIDE Land-use plan expressed in the national land-classification vocabulary	Land classification · addressed
MOHURD-ARCH-DESIGN-DEPTH-2016 Deliverable depth for massing, height, frontage and character control	Building depth · addressed

Depth self-rating	design_depth_matrix.json	
Depth	Field	Status
Diagnosis & issue list	Site study	complete
Three-level scope framework	Scope hand-off	complete
Spatial structure	Spatial structure	complete
Land-use layout	Land use	complete
Development intensity pending regulatory conditions	Intensity control	complete
Building height, massing & character	Built character	complete
Retain / renovate / demolish method	Renewal method	complete
Transport, rail, slow mobility & parking	Transport	complete
Utilities & new infra	Utilities	complete
Blue-green & public-space system	Public space	complete
Detailed design of the three key areas	Key areas	complete
Renewal project list	Projects	complete
Phasing	Sequence	complete
Metrics & area recomputation	Recomputed metrics	complete
Risk & missing-data list	Risk disclosure	complete
Missing data list (preconditions)		
floor_area_ratio	approved regulatory planning conditions or official design brief attachments	missing
building_height_m	approved height controls, aviation/landscape/heritage constraints if applicable	missing
building_density	approved regulatory planning conditions	missing
green_ratio	approved regulatory planning conditions or local green-space standards	missing
setback_m	road redline, building control line, fire and municipal constraints	missing
Additional public references (see sources.json)		
MOHURD-URBAN-DESIGN-MEASURES	Urban Design Administrative Measures	
MOHURD-CONTROL-PLANNING-MEASURES	Regulatory Detailed Planning Measures	
MNR-LAND-USE-GUIDE	National Land-Use Classification Guide	
GENAI-INTERIM-MEASURES	Interim Measures for Generative AI Services	
BARRIER-FREE-LAW	Barrier-Free Environment Law	
ELDERLY-SMART-TECH-PLAN	Plan on Smart-Tech Difficulties of the Elderly	
ARCH-DESIGN-DEPTH-2016	Building Design Document Depth Provisions	
RAILWAY-TOKEN-HISTORY	Public railway token-block history	
SCENARIO-REGISTRY	Repository scenario registry	

Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.

FAR, building height, building density, road redline and road area: pending approved regulatory conditions.

3 scopes & boundary status

三层范围与边界状态

3-scope area relations

Nested scope, area-proportional

Coordinated research area

Overall design area

Key area scope

Areas map to square side by square root; squares show magnitude only, not scope shape.

Coordinated research area

43.6 km² (announced)

N to the 5th Ring Rd, E to the Jingzang Hwy, S to Xizhimenwai St, W to Wanquanhe Rd.
geometry_status: exact_polygon_missing_provisional_available

Overall design area

11.4 km² (announced)

Urban and industry districts within 1-2 km of the Jing-Zhang heritage park; N to the 5th Ring Rd, E to Xueyuan Rd and Xitucheng Rd, S to Xizhimenwai St, W to Dazhongsi East Rd and Heqing Rd.
geometry_status: exact_polygon_missing_provisional_available

Key area scope

368.4 ha (announced)

North to south: Zhongzhiyuan Acceleration Area, Beijing AI Origin Community, Dazhongsi AI Industry Cluster.
geometry_status: exact_polygon_missing_provisional_available


Geometry recomputed site_area_sqm11.41 km²

Land use layer total land_use_total_area_sqm11.41 km²

Key area total key_area_total_area_sqm369.3 ha

Overall design area & key area index

Overall design area & key areas · provisional



Naming system (railway lexicon)

S1	Arrival Yard	到发场	Dazhongsi AI Industry Cluster Announced 72.0 ha recomputed 72.0 ha
S2	Down Switch	下行道岔	Xiaoyuehe Scenario Empowerment Wing
S3	Running section	区间	Xueyuan Rd link
S4	Zero-Kilometre Station	零公里站	Beijing AI Origin Community Announced 104.3 ha recomputed 104.3 ha
S5	Up Switch	上行道岔	Zhongguancun Technology Service Wing
S6	Marshalling Yard	编组场	Zhongzhiyuan AI Autonomous Innovation Acceleration Area Announced 192.1 ha recomputed 192.9 ha

South to north: S1 Arrival Yard is the south access front, S6 Marshalling Yard the north acceleration end; two switches give east-west stitch and scenario access. Both are conceptual; position and delivery need regulatory, transit and title study.

Boundary status


official_boundary	False
boundary_precision	provisional_rough
geometry_role	provisional_constraint
source_id	PROVISIONAL-BOUNDARY-TEXT-AND-BBOX
key_area_boundary_precision	provisional_rough

For AI-agent generation, display and provisional self-check only; not an official redline, approval basis, or exact-area basis.

Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.

Existing reading, issues 现状解读与问题清单



Coordinated research area: industry & future city

统筹研究范围：产业生态与未来城市

Full-stack AI innovation

Full-stack innovation chain

Source

Universities, state platform

Research & education edge: S3 section–S4 Zero-Kilometre Station

Open collab

Community, code, model build

S4 Zero-Km Station: open-source release; plaza opens to the city

Build-out

Pilot, evaluation & standards

S6 Marshalling Yard: full-stack innovation & safety evaluation

Transfer

Incubation, transfer, talent

S4 campus transfer blocks + talent services

Scale-up

Smart devices, content, data assets

S1 Arrival Yard: consumption, global exchange

Public use

Open testing, events, outreach

Bookable segments + 2 switch plazas

3 roles (notice)

● Centennial Jing-Zhang culture belt

● Urban AI life experience belt

● AI fusion innovation belt

The innovation chain is conceptual: space, operators and open rules for each link need further study with regulatory, title and industry input.

A future urban form fit for AI

Future urban form for AI

A line that runs

Token block system today: the whole main line is bookable, operable, auditable — one token, one running section; at close it returns to public use.

Interface

The three key areas are open interfaces on the line, not gated campuses: platform plazas carry arrival, release and display; four-quadrant links stitch station to city.

Switch=stitch

Two switches feed communities, campuses and parks into the main line, closing walking and cycling breaks.

Green as base

The park green is both ecological base and physical carrier of open testing, avoiding a dedicated test facility.

Rules first

Every scenario carries a named operator, declared data limits and a human review point, never auto-cancelled; no individual profiling, no named vendor.

Spatial supply (recomputed values)

Green area245.7 ha

Green ratio21.5%

Public space area206.0 ha

Public space ratio18.0%

Slow route length16,730 m

East-west stitch6

User types, operating limits

User profiles & operating limits

Open-source devs

Needs: releases, collaboration, testing, community standing

Boundary: no personal trajectories; event data aggregated only

Start-ups

Needs: low-cost space, compute access, product test ground

Boundary: compute and data services need separate authorisation

Lead firm visitors

Needs: display, business, international reception, hiring

Boundary: brand marks and cases need clearance

Residents

Needs: commuting, leisure, community services, low-impact renewal

Boundary: no resident profiling for commercial recommendation

Campus users

Needs: research transfer, cross-campus work, daily slow mobility

Boundary: campus data and research need authorisation

Bookable segment protocol

Book — install — run a limited window under published rules — return to ordinary public use; named operator, declared data boundary, and a human review point no automation can cancel.


This layer is an operating-zone suggestion the agent may define; it is not statutory planning control, not a heritage or blue-line boundary, and no approval basis. Official constraint layers (heritage, water, regulatory) stay empty until official data arrives; the agent does not draft them.

AI service zones 6 | scenario nodes 12


Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.

One line, three stations, two switches, six bands



Land use & urban renewal 用地布局与城市更新



Data & notes

Data & notes

Land use classes & areas (metrics.json recomputed)

0802	Research land	239.5 ha
		21.0%
0702	Community facilities land	184.1 ha
		16.1%
1401	Park green	166.8 ha
		14.6%
1403	Square / platform land	154.4 ha
		13.5%
0701	Urban residential land	112.4 ha
		9.9%
05	Commercial & service land	99.8 ha
		8.7%
1402	Protective green	78.9 ha
		6.9%
0803	Culture land	53.6 ha
		4.7%
0804	Education land	51.7 ha
		4.5%

Land use layer total land_use_total_area_sqm	11.41 km²
Submitted boundary area site_area_sqm	11.41 km²

Renewal: retain / renovate / demolish

Retain	2
Renovate	4
New build	7

Renewal handle buildings renewal_building_count	13
Building footprint area building_footprint_area_sqm	29.5 ha
Footprint cover, key areas (approx)	8.0%

FAR	Pending approved regulatory conditions
Height	Pending approved regulatory conditions
Density	Pending approved regulatory conditions
Setback & control lines	Pending approved regulatory conditions


Land use follows a public subset of territorial use-control classes; here it is a design suggestion, with official use, boundary and intensity per the regulatory plan. Footprints are indicative, showing renewal handles; retain / renovate / demolish awaits title and building data.

Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.

FAR, building height, building density, road redline and road area: pending approved regulatory conditions.

Roads, rail, slow mobility, utilities 交通、轨道、慢行与市政支撑



Data & notes

Data & notes

Roads & slow mobility (recomputed)

Road centreline length road_network_length_m	38,211 m
Slow mobility length slow_mobility_length_m	16,730 m
East-west stitch east_west_stitch_count	6
Transit connector transit_connector_count	3

Road area road_area_sqm	Pending approved regulatory conditions
Road area ratio road_area_ratio	Pending approved regulatory conditions
Redline width & cross-section	Pending approved regulatory conditions
Car and cycle parking standards	Pending approved regulatory conditions

Alignment list (suggested lines)

ROAD-001	Main-line slow path	greenway
ROAD-002	West service-lane loop	branch
ROAD-003	East service-lane loop	branch
CROSS-A	Dazhongsí four-quadrant walk links	pedestrian
CROSS-B	Down Switch east-west stitch	pedestrian
CROSS-C	Xueyuan Rd link crossing	cycleway
CROSS-D	Zero-Km Station east-west stitch	pedestrian
CROSS-E	Up Switch east-west stitch	pedestrian
CROSS-F	Marshalling Yard north crossing	cycleway
TRANSIT-1	Dazhongsí station feeder	transit_connection
TRANSIT-2	Zero-Km Station feeder	transit_connection
TRANSIT-3	Marshalling Yard station feeder	transit_connection


Utilities & new infra strategy

- Edge compute stops and distributed energy sit with public facilities as new infrastructure prototypes; capacity, energy and safety conditions need official utility data.
- Transit integration follows "station–yard–city": platform plazas carry arrival, connectors link stations to the main line, four-quadrant links close junction breaks.
- Utility, drainage, flood, fire and civil-defence data missing; conclusions are method and precondition list only.

Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.
FAR, building height, building density, road redline and road area: pending approved regulatory conditions.

Jing-Zhang heritage park & blue-green public space 京张遗址公园活力带与蓝绿公共空间



Data & notes

Data & notes

Blue-green & public space (recomputed)

Green area green_space_area_sqm	245.7 ha
Green ratio green_ratio	21.5%
Public space area public_space_area_sqm	206.0 ha
Public space ratio public_space_ratio	18.0%



Heritage park belt segments

- S2

Heritage-park green, Down Switch · Xiaoyuehe Scenario Wing band

Continuous heritage-park green, and the green base of the open test track
- S3

Heritage-park green, Running Section · Xueyuan Rd link band

Continuous heritage-park green, and the green base of the open test track
- S5

Heritage-park green, Up Switch · Zhongguancun Service Wing band

Continuous heritage-park green, and the green base of the open test track
- S6

Marshalling Yard north protective green belt

North ecological buffer; edge conditions await official water & road data

Platform/switch plazas

- Arrival Yard platform plaza

Dazhongsi station four-quadrant walk links and arrival display face

S1 · platform
- Zero-Km Station platform plaza

Zero-km stone, open-source release hall and honours venue

S4 · platform
- Marshalling Yard platform plaza

Open display of independent innovation and a public face for standards governance

S6 · platform
- Down Switch plaza

East-west public parlour and scenario open-day venue of the Xiaoyuehe wing

S2 · switch
- Up Switch plaza

East-west public parlour and international face of the Zhongguancun wing

S5 · switch


Green and public space areas are recomputed from submitted layers and shift with the provisional boundary; blue line, flood and ecology data missing, so frontage strategy is method advice.

Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.

众智园AI自主创新加速区

Key area detailed design — concept proposal



All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment

FAR, building height, building density, road redline and road area: pending approved regulatory conditions.

positioning, moves & metrics

Garden full-stack innovation blocks

geometry_status exact_polygon_missing_provisional_available

Spatial moves (conceptual)

- Strengthen Qinghe frontage and north green belt; the buffer is green base for open testing and display.
- Standards-setting, safety evaluation and full-stack R&D form the industrial core, with a public innovation showcase.
- Platform plaza carries open innovation display and public standards face; a north crossing closes the North 5th Ring break.
- Access relies on suggested transit connectors and branch loops; station sites and redlines follow official data.

Renewal handle list

01 Full-stack Independent R&D cluster	ai_r_and_d
全栈自主创新研发组团	new_build
02 Safety governance & evaluation lab	lab
安全治理与评测实验室	new_build
03 Standards & governance building	office
标准与治理服务楼	new_build
04 Retained industrial building	existing_retained
现状保留产业建筑	retain
05 Independent-innovation gallery	cultural
自主创新展示馆	new_build

Pending approved regulatory conditions

FAR	pending
Height	pending
Density	pending
Build scale	pending
Road redline & setback	pending

Key area boundaries are provisional rough outlines (`official_boundary=false`); once official polygons are released, land use, buildings, transport and public space placement and all area metrics must be recomputed.

AI scenario nodes & operating limits here

04 Model-safety red-team sandbox Industry test/validation Human review required

Public or authorised data only; no individual profiling; no mandatory vendor; scenarios are conceptual suggestions, not approved operations.


Bookable: Marshalling Yard segment

Evaluation & standards scenarios first, publicly observable

10 KEY AREA - Zero-Km Station

Beijing AI Origin Community

北京AI原点社区



Positioning, moves & metrics

Positioning, moves & metrics

Campus-side transfer, talent homes

Announced area	104.3 ha
Submitted geometry recomputed	104.3 ha
geometry_status	exact_polygon_missing_provisional_available

Spatial moves (conceptual)

Zero-Km marker and release hall form the home ground: release, code display and small roadshows open onto the platform plaza.

Transfer incubators and open collaboration labs sit at the university edge; east-west stitches link campus, park and block in a slow network.

Add talent housing and an Origin Community service centre for living, daily and social needs.

Retain / renovate / demolish is indicative only; title, building and date data missing; conclusions await data.

Renewal handle list

01 Near-campus transfer incubator	incubator
近校成果转化孵化器	renovate
02 Open-source collaboration lab	lab
开源协作实验室	new_build
03 Talent housing cluster	talent_apartment
人才公寓组团	new_build
04 Origin community service centre	community_service
原点社区服务中心	renovate

Pending approved regulatory conditions

FAR	pending
Height	pending
Density	pending
Build scale	pending
Road redline & setback	pending

Key area boundaries are provisional rough outlines (official_boundary=false); once official polygons are released, land use, buildings, transport and public space placement and all area metrics must be recomputed.

AI scenario nodes & operating limits here

05 Release hall	Human review required
Public or authorised data only; no individual profiling; no mandatory vendor; scenarios are conceptual suggestions, not approved operations.	
12 Start of the global AI week walking route	Human review required
Public or authorised data only; no individual profiling; no mandatory vendor; scenarios are conceptual suggestions, not approved operations.	

Bookable: Zero-Km Station segment

Open-source releases & community events first; public access is not negotiable

Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.

FAR, building height, building density, road redline and road area: pending approved regulatory conditions.

10 KEY AREA · Arrival Yard

Dazhongsi AI Industry Cluster


大钟寺AI产业聚集区



Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.

FAR, building height, building density, road redline and road area: pending approved regulatory conditions.



Urban character, narrative

城市风貌与文化叙事

Identity

Identity system

TOKEN BLOCK

京张令牌 · 百年京张AI创新带

One horizontal line broken at three points: the breaks are the three stations. Line as product, station as interface. No locomotive, gear, brain or circuit cliché.

Ink #12181F

Text & main line

Station #C8452D

3 stns, max contrast

Switch #E08A2E

Switches & stitches

Spine #0F5C4A

Park green

Research #3B6EA5

R&D & innovation land

Service #7A5EA8

Commerce, service land

Living #C9A227

Homes & community land

Provisional #B9B4AC

Provisional, low-contrast dash

Cultural narrative

Centennial Jing-Zhang: token from running permit to scenario permit; the park is memorial and working infrastructure.

Zhongguancun culture: tradition carried by open collaboration, public release and open evaluation, not iconic form.

New AI culture: Zero-Km marker, release hall and honours display make a civic ritual to join.

All brands, fonts, images, likenesses and marks are used only after clearance; drawings use no uncleared material.

Bulk, frontage & height control

Massing, interface & height method

This page gives no height or intensity value

Building height, FAR, density, setback and control lines are approved-control items, registered missing in public sources; this scheme gives only relative relations and method, pending approved regulatory conditions.

Low at line, high outward

Both sides of the heritage park stay low and open, shifting height demand to the branch loop.

Stations up, sections calm

The three stations may form legible arrival fronts; running sections stay green and slow, no bulk competition.

Switch align

Frontages at both stitch ends align openings to keep cross-corridor views and walking continuous.

Roofscape

Roofs facing the park and platform plazas fall under character control; no exposed plant.

Existing first

Retained industrial buildings anchor character; new volumes answer by setback and stagger.

Retain / renovate / demolish method

Retain: existing buildings with historic or industrial memory and usable structure — assess before acting.

Renovate: where function no longer fits but structure is usable, open the ground floor first.

New build: proposed only where a functional gap is clear and no public space or green is taken.

Any demolition conclusion needs title, building and date data; this scheme makes no demolition call.

Depth basis height_massing_character

Pilgrimage landmarks, events

Landmarks & activity system

Pilgrimage landmark pilgrimage_landmark_count4

AI scenario card ai_scenario_card_count12

Zero-Km marker

S4 Zero-Km platform plaza

Open-source release & honours; yearly inscription

Release hall

S4 Beijing AI Origin Community

Release, code contributions, small roadshows

Innovation showcase

S6 Marshalling Yard

Public face of full-stack innovation & standards

Roadshow lounge

S1 Arrival Yard

Global exchange face for agents, devices and content industry

Global AI innovation events (conceptual)

Scenario day

Windows open by bookable segment under public rules; at close the space returns to ordinary public use.

Global AI Week

Walkable route: heritage culture, open-source community, industry display, roadshows.

Everyday developer community

Daily use of the release hall and collaboration lab, no large events needed.

Standards workshop

Marshalling Yard hosts public standards and safety evaluation.

Events and operation are conceptual suggestions / reference schemes for professional teams to develop further; no confirmed event, permit or investment.


Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.

xiaowuzicode · starixs · Token Block

Renewal project list, policy, phasing

更新项目清单、实施政策与分期



Data & notes

Data & notes

Phase areas (recomputed)

Near-term: two stations first Bands S1, S4 Start with Arrival Yard and Zero-Km Station using light installations, events and open scenarios; no heavy engineering precondition	276.6 ha
Mid-term: connect both switch wings Bands S2, S5 Open both east-west stitches and switch plazas; connect the two wings to the main line	482.0 ha
Long-term: full line through-running and north marshalling Bands S3, S6 Complete the running section and deepen the Marshalling Yard; needs approved regulatory, rail & utility conditions	382.6 ha

Renewal project list (conceptual)

JZ-01	Jing-Zhang heritage park slow stitch	Public space / roads
	Needs: road redline, under-bridge space, traffic review	
JZ-02	Marshalling Yard Qinghe edge	Blue-green space / display
	Needs: river blue line, ecology & flood-control conditions	
JZ-03	Zero-Km campus transfer street	Renewal / industry services
	Needs: campus boundary, ownership, ground-floor uses	
JZ-04	Arrival Yard four-quadrant links	Transit / slow mobility
	Needs: rail stations, road junctions, utility lines	
JZ-05	AI public service & edge compute nodes	New infra / services
	Needs: energy, compute, safety & an operating entity	
JZ-06	Global AI Week public route	Ops / brand
	Needs: public-space permits, event safety, copyright clearance	

Policy suggestions

- Near term starts with light facilities, events and platforms, without large works or land take.
- Mid term opens east-west stitches and switch plazas; transport, utility and title terms confirmed in step.
- Long term completes the line and north marshalling, subject to regulatory and utility terms.
- The 100-day call timetable is a submission requirement, not renewal phasing; the two must not be conflated.
- Anything without title, funding, delivery body or approval path is written as delivery risk, not a commitment.


Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.

13 AI SCENARIOS

AI+ scenarios, data, human review

AI+场景、数据治理与人工复核



AI scenario card

AI scenario cards

01	Bookable track segment 可预约轨道段 Human review req.	S3
02	Low-speed robot delivery validation 低速机器人配送验证 Industry test/validation Human review req.	S3
03	Autonomous slow-mobility experience assessment 自主慢行体验评估 Industry test/validation Human review req.	S3
04	Model-safety red-team sandbox 模型安全红队沙盘 Industry test/validation Human review req.	S6
05	Release hall 开源发布厅 Human review req.	S4
06	AI cultural guide along the line 沿线AI文化导览 Human review req.	S5
07	AI health-service navigation point AI+医疗健康服务导航点 Human review req.	S2
08	Enterprise-service copilot window 企业服务Copilot窗口 Human review req.	S5
09	Data-element parlour 数据要素会客厅 Human review req.	S1
10	AI-native retail street 智能原生消费街区 Human review req.	S1
11	Public-safety & event-operation review 公共安全与活动运营复核 Human review req.	S2
12	Start of the global AI week walking route 全球AI活动周步行路线起点 Human review req.	S4

Data rules & human review

Data governance & human review

One data limit (all scenarios) Public or authorised data only; no individual profiling; no mandatory vendor; scenarios are conceptual suggestions, not approved operations.
Bookable segment protocol Book — install — run a limited window under published rules — return to ordinary public use; named operator, declared data boundary, and a human review point no automation can cancel.
6 bookable segments, key scenarios S1 Arrival Yard bookable segment Commerce & international scenarios first; events coordinated with station flows S2 Down Switch bookable segment Daily services & low-speed delivery first; resident consent and revocation up front S3 Running Section bookable segment Continuous-path validation first; longest windows, least disturbance S4 Zero-Km Station bookable segment Open-source releases & community events first; public access is not negotiable S5 Up Switch bookable segment Enterprise-service and international-exchange scenarios first S6 Marshalling Yard bookable segment Evaluation & standards scenarios first, publicly observable
Red lines - The urban agent can help spot slow-mobility breaks, public space heat, maintenance and event risks, but never replaces planning approval or issues an unauthorised profile. - Each scenario needs a named operator, data limits and a human review point, never auto-cancelled. - No named vendor, model or device is required; scenarios are conceptual suggestions, not approved for operation. - Scenario data aggregated only; resident, campus and visitor profiles not used for commerce.

Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.

14

METRICS

Metrics, areas recomputed, compliance

指标体系、面积复算与合规矩阵

Metric recompute		Metrics recomputation (metrics.json)	
Metric		Status	Val
site_area_sqm		high	11.41 km²
land_use_total_area_sqm		high	11.41 km²
land_use_area_commercial_services_05_sqm		medium	99.8 ha
land_use_area_urban_residential_0701_sqm		medium	112.4 ha
land_use_area_community_facilities_0702_sqm		medium	184.1 ha
land_use_area_research_0802_sqm		medium	239.5 ha
land_use_area_culture_0803_sqm		medium	53.6 ha
land_use_area_education_0804_sqm		medium	51.7 ha
land_use_area_park_green_1401_sqm		medium	166.8 ha
land_use_area_protective_green_1402_sqm		medium	78.9 ha
land_use_area_square_1403_sqm		medium	154.4 ha
green_space_area_sqm		medium	245.7 ha
green_ratio		medium	21.53%
public_space_area_sqm		medium	206.0 ha
public_space_ratio		medium	18.05%
building_footprint_area_sqm		low	29.5 ha
building_footprint_ratio_key_areas		low	7.99%
key_area_count		high	3
key_area_total_area_sqm		medium	369.3 ha
key_area_beijing_ai_origin_community_sqm		medium	104.3 ha
key_area_dazhongsi_ai_industry_cluster_sqm		medium	72.0 ha
key_area_zhongzhiyuan_ai_acceleration_area_sqm		medium	192.9 ha
phasing_area_phase_1_sqm		medium	276.6 ha
phasing_area_phase_2_sqm		medium	482.0 ha
phasing_area_phase_3_sqm		medium	382.6 ha
road_network_length_m		medium	38,211 m
slow_mobility_length_m		medium	16,730 m
east_west_stitch_count		medium	6
transit_connector_count		medium	3
renewal_building_count		low	13
ai_scenario_card_count		high	12
pilgrimage_landmark_count		high	4
unknown (11) · pending approved regulatory conditions			
total_floor_area_sqm		scenario_admission_turnaround_days	
floor_area_ratio		step_free_continuity_breaks	
building_height_m		non_digital_equivalence_ratio	
road_area_sqm		objection_resolution_days	
road_area_ratio		public_space_return_compliance_ratio	
booked_window_utilisation_ratio			
Protocol replay & governance coverage (simulation.json, offline synthetic)			
simulation_task_count	80	tool_schema_pass_rate	100%
simulation_negative_branch_count	55	audit_completeness	100%
token_protocol_rule_count	10	scenario_data_boundary_count	12
simulation_success_rate	100%	scenario_human_review_count	12

Compliance matrix: task→section / layer / metric / drawing

		compliance_matrix.json			
Task ID	Task name	Layer	Metric	Dwg	Source
1.3.1	Build a world-class AI innovation ecosystem	2	2	2	2
1.3.2	Build a new urban form fit for AI-driven productivity	2	2	1	2
1.3.3	Build a district global AI talent aspires to	2	3	1	2
1.4.1	Coordinated research area	1	1	1	2
1.4.2	Overall design area	2	2	2	2
1.4.3	Key area scope	1	5	1	2
1.5.1.1	Coordinated research area: AI innovation ecosystem	2	2	1	2
1.5.1.2	Coordinated research area: an AI-ready future urban form	2	2	2	2
1.5.2.1	Overall design area: industry goals & functions	2	3	1	2
1.5.2.2	Overall design area: urban renewal framework	3	3	2	2
1.5.2.3	Overall design area: transport, rail & utilities	2	4	1	2
1.5.2.4	Overall design area: heritage-park vitality belt	3	4	1	2
1.5.2.5	Overall design area: urban character	2	2	2	2
1.5.3.required	Required items of key-area detailed design	4	2	2	2
1.5.3.1	Zhongzhiyuan AI Autonomous Innovation Acceleration Area	3	2	1	2
1.5.3.2	Beijing AI Origin Community	3	3	1	2
1.5.3.3	Dazhongsi AI Industry Cluster	3	2	1	2
agent.1	Overall belt concept & functional coordination design	3	2	2	2
agent.2	Full-stack AI independence & world-class AI ecosystem design	3	2	1	2
agent.3	AI scenario empowerment & intelligent-city vitality design	3	3	2	2
agent.4	AI public space, AI-native uses & pilgrimage landmark design	3	4	1	2
agent.5	Narrative fusing Jing-Zhang, Zhongguancun and new AI culture	2	2	1	2
agent.6	Global AI event system & long-term operation design	3	4	1	2

Definitions

- Class 1: spatial metrics recomputed straight from the submitted geometry (boundary area, green ratio, public space ratio, footprint area, phase areas), all in metrics.json.
- Class 2: control metrics needing the official regulatory plan or brief annexes (FAR, building height, density, setback, road redline and facility standards) are registered unknown with reasons.
- Class 3: performance metrics needing ongoing calibration from operating or industry data (innovation index, talent density, slow mobility access, event participation, scenario use) go to assumptions, not conclusions.
- All known metrics can be recomputed from geometry/*.geojson in EPSG:4548; once official polygons are released everything must be recomputed, not one file swapped.

Area consistency check

Land use total – submitted area	12.0 sqm (0.0001%)
Key areas recomputed – announced	+8,893.0 sqm (+0.24%)
Submitted recomputed – announced	+12,825 sqm

■ Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.

FAR, building height, building density, road redline and road area: pending approved regulatory conditions.

15

RISK

Risk, copyright, missing data

风险、版权与缺资料清单

Missing data	Missing data checklist
floor_area_ratio From: approved regulatory planning conditions or official design brief attachments Required for formal submission: yes	missing
building_height_m From: approved height controls, aviation/landscape/heritage constraints if applicable Required for formal submission: yes	missing
building_density From: approved regulatory planning conditions Required for formal submission: yes	missing
green_ratio From: approved regulatory planning conditions or local green-space standards Required for formal submission: yes	missing
setback_m From: road redline, building control line, fire and municipal constraints Required for formal submission: yes	missing
Boundary & scope gaps Coordinated research area exact_polygon_missing_provisional_available Overall design area exact_polygon_missing_provisional_available Key area scope exact_polygon_missing_provisional_available	
The official SITE_BOUNDARY and three KEY_AREA polygons are unreleased; this package uses the repository provisional rough boundary. Once official polygons replace it, site boundary, key areas, land use, roads, green space, public space, buildings, phasing and metrics must all be recomputed.	

Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.

FAR, building height, building density, road redline and road area: pending approved regulatory conditions.

Delivery & ops risk	Implementation & operating risk
Boundary risk If the provisional rough boundary differs from the official redline, all areas and ratios shift.	Level: high
Reg. risk FAR, height, density and setback undecided; build scale and form cannot be locked early.	Level: high
Works risk Clearance, structure and fire egress across the corridor unchecked; stitch feasibility open.	Level: medium
Title risk Title and delivery body unclear; the renewal list is not a commitment.	Level: high
Utility risk Utility, energy, drainage and compute data missing; new infrastructure stays a prototype.	Level: medium
Ops risk Bookable segments and events need permits, safety and insurance; operator undecided.	Level: medium
Data risk Data sources, consent and minimisation need independent review first.	Level: medium
Rights risk Brands, fonts, images, likenesses, marks: use only after clearance.	Level: medium
Assumption register assumptions.json (11 items) A-CONTROLS-001 · pending_professional_confirmation Detailed regulatory controls, road redlines, ownership, municipal utilities, and engineering constraints must be confirmed from official attachments before statutory use. A-BOUNDARY-001 · pending_official_data The submitted site boundary and the three key-area polygons are the repository's provisional rough boundaries, not an official redline. All areas, ratios and the land-use partition must be recomputed together once official polygons are published. A-CONSTRAINT-LAYERS-001 · intentionally_unauthored Water system, heritage protection, regulatory control and existing road/rail layers are marked editable_by_agent=false in the site package enum. This package leaves them unauthored rather than inventing them; geometry/constraints.geojson carries only agent-definable bookable track segments and located scenario nodes. A-INTENSITY-001 · pending_official_data Floor area ratio, total floor area, building height and building density are recorded as unknown because planning_limits.json records them as missing official controls. Only a relative massing intent is stated. A-ROAD-AREA-001 · pending_official_data Road area and road area ratio cannot be recomputed from centrelines because approved redline widths and cross-sections are not published. Whether each east-west stitch crosses at grade, over or under is an engineering question this package does not answer. A-EXISTING-BUILDINGS-001 · pending_official_data No current-building survey, ownership record or official parcel geometry exists in the public package. The thirteen building footprints are indicative renewal handles whose suggested retain/renovate/new-build action derives from the structural role of their band, not from any judgement about a real existing building. No demolition conclusion is issued for any real parcel. A-PARTITION-RESIDUAL-001 · accepted_tolerance The land-use partition is generated by slicing the submitted boundary, so its area equals the site area by construction. A residual of about 12 sqm (1.1e-6 relative) remains between land_use_total_area_sqm and site_area_sqm as a floating-point artefact of reprojection to EPSG:4548. It is not a topological gap; measured gap and overlap are 1.8e-16 and 0 square degrees respectively. 4 more in assumptions.json (layout limit only, nothing truncated)	

Copyright, compliance, no-claims	Copyright, compliance & disclaimers
Not claimed No claim of official approval, approved regulatory plan or status. No claim of final land title, build scale or guaranteed delivery. No claim of government events, investment or operating licence. The provisional boundary is never stated as an official redline or a basis for exact areas. Agent guesses are not approved metrics or engineering findings.	
Assets, licences These A3 / A0 drawings are script-generated vectors; no external images, screenshots, map tiles or third-party assets. Fonts ship with the system, subset-embedded in the PDF; no remote fonts, scripts or APIs. All spatial data come from the submitted geometry/*.geojson, metrics from metrics.json, and scope areas from the announcement and the site-package register. Licences and sources: see sources.json and report/copyright_statement.md.	
Self-check DETERMINISTIC_VALIDATION · pass · blocking deterministic_validation: PASS SPATIAL_REVIEW · pass · blocking spatial_review: PASS VISUAL_PACKAGING · pass · blocking visual_review: PASS PROFESSIONAL_EVIDENCE · pass · blocking professional_review: PASS	
The AI agent answers for facts, sources, copyright, spatial data, metrics and wording; maintainers and reviewers may demand rework or reject on self-check and compliance matrix.	