


ONE LINE · THREE DEPOTS · TWO WINGS · TWELVE WORKSTATIONS



FOUR REPAIR LOOPS

Detect & report > Isolate & take over > Repair & revalidate > Reuse or retire



TWO FEEDBACK WINGS

Technology services bring testing, legal and procurement support; scenarios return failure and use evidence to R&D.

FIVE OBJECTS OF REPAIR

Replaceable devices · Reversible models · Correctable data · Human takeover · Circular materials

THREE SCOPE LEVELS AND THE REPAIR LOOP



The land-use partition fully covers the provisional area only to test functional relationships; it changes no ownership or statutory use.

THREE REPAIR DEPOTS: SHARED PROCESS, DIFFERENT RISKS

ZHONGZHIYUAN

Safe-stop track · Rollback room · Red-team retest ·
Observation gallery

MODELS & ROBOTICS

RECEIVE > DIAGNOSE > ISOLATE > REPAIR > REVALIDATE
> RETURN/RETIRE

AI ORIGIN

Disassembly · Data correction · Model cards · Repair
school

DOCUMENTATION & SKILLS

RECEIVE > DIAGNOSE > ISOLATE > REPAIR > REVALIDATE
> RETURN/RETIRE


DAZHONGSI

Staffed counter · Module exchange · Material ledger ·
Multilingual access

**DEVICE CIRCULARITY &
PUBLIC SERVICE**

RECEIVE > DIAGNOSE > ISOLATE > REPAIR > REVALIDATE
> RETURN/RETIRE

WALKING, BLUE-GREEN SPACE, AND TWELVE REPAIR WORKSTATIONS



01 Public-AI fault desk

02 Offline takeover

03 Accessible co-repair

04 Multilingual correction

05 Module exchange

06 Mobility maintenance

07 Model rollback drill

08 Data correction & appeal

09 Robot safe-stop test

10 Edge-device hot-swap

11 Version regression

12 Material passport

09-11 = industrial testing and validation; each has a safety officer, Human Review, and stop conditions.

ONE SOURCE OF TRUTH

METRICS, PENDING CONTROLS, AND EVIDENCE

11.41 km²

Provisional overall boundary

12.34%

Conceptual green ratio

7.33%

Conceptual public-space ratio

12 / 3

Scenarios / industrial tests

NO PROXY VALUES

PENDING OFFICIAL DATA: FAR · TOTAL FLOOR AREA · HEIGHT · COVERAGE · SETBACKS · ROAD REDLINES · UTILITY CAPACITY

GeoJSON

EPSG:4548

metrics.json

ZH / EN figures

HTML + PDF

4-gate self-check

When official polygons replace provisional ones, regenerate the entire chain; never edit numbers only in graphics.

PROVISIONAL BOUNDARY · CONCEPTUAL RECOMMENDATION · REBUILD WITH OFFICIAL POLYGONS