


百年京张 AI 城市设计投稿

双轨京张

TWIN-TRACK JING-ZHANG

连续日常轨 + 间歇验证轨



众智园
VERIFY

原点社区
CO-CREATE

大钟寺
PUBLISH

失败侧线 / FAILURE SIDING

01 普通

02 验证

03 故障

04 恢复

G0 · 临时几何 · 现场结果 0
NO ACCOUNT · NO QR · NO AI REQUIRED


THREE-FRAME SITE READING

01 / SITE READING / SPATIAL GRAMMAR

Three separate frames - no false master map

G0 • PROVISIONAL
NOT TO SCALE

Background orientation != provisional design container != design relationships; never co-register them as site truth.



Sources: public reports + provisional-basis note + package contracts; frames must not be co-registered

G0 CONCEPT • NO OFFICIAL REDLINE • NO BUILD / OPERATE APPROVAL

Published background, the provisional design container, and Twin-Track relationships must remain separate. Issue #846's background discrepancy and Issue #1029's Dazhongsi anchor gap remain unresolved.

EVIDENCE STRIP
Three frames never co-register
D01–D08 field inputs remain empty
G0 • provisional geometry
0 field results / GO / approval
not_fully_cleared

G0 • PROVISIONAL
NOT TO SCALE

FUNCTIONAL ENVELOPE != STATUTORY PARCEL

G0 CONCEPT • THREE FRAMES NEVER CO-REGISTER • PROVISIONAL GEOMETRY / NO OFFICIAL REDLINE • 0 FIELD RESULTS • 0 GO / APPROVAL • RIGHTS not fully cleared • PROFESSIONALS MAY REJECT / DELETE

THREE NON-INTERCHANGEABLE SWITCHYARDS

03 / THREE SWITCHYARDS / KEY AREAS

One public baseline, three non-interchangeable prototypes

GO • PROVISIONAL
NOT TO SCALE

Each prototype starts with an ordinary task, then locates proof, staffed handover and restoration beside it; all plans are relational.

VERIFY

ZHONGZHIYUAN

Parallel proof court

Ordinary task: observe or pass without entering equipment tests

PARALLEL PROOF COURT
adjacent • isolated • stoppable

PHYSICAL STOP

H

EQUIPMENT SEPARATION

Continuous observation bypass
non-AI / access intent

STAFFED HANDOVER
explain / refuse / bypass / take over

RESTORE
equipment, fixings, cables, surface, planting, sound/light

PRIORITY EVIDENCE D02 + D04 + D06 • CURRENT 0

NOT COPYABLE: equipment isolation + physical stop + independent retest
UNKNOWN: exact extent, buffers, specialist limits, restoration

CO-CREATE

ORIGIN COMMUNITY

One street, two courts, four nodes

Ordinary task: resident passage, learning or service without prior capture consent

QUESTION COURT
withdrawable

CIVIC REVIEW COURT
resident first

Screen-free learning edge / paper + staffed same task

STOP: withdraw node by node; keep the daily street open

PRIORITY EVIDENCE D02 + D04 + D07 • CURRENT 0

NOT COPYABLE: resident daily life + four withdrawal nodes + quiet edge
UNKNOWN: real streets, hours, safeguarding duty, group gaps

PUBLISH

DAZHONGSI

Four-way movement + hall + desk

Ordinary task: pass four ways or complete the same service at a staffed desk

OFF-ROUTE HALL
sources correctable

DUAL-ENTRY DESK
status must be real

QUIET REST

NOT ANCHORED TO DAZHONGSI STATION
Four-way relation only; PROV-KEY-003 does not prove location

PRIORITY EVIDENCE D02 + D05 + D07 • CURRENT 0

NOT COPYABLE: peak continuity + source correction + off-route release
UNKNOWN: station/road anchor, desk capacity, rights, specialist limits

Shared baseline: no account • no QR • same task without AI • staffed handover • stop • restore first

RELATIONAL ONLY • NOT EXISTING OR APPROVED

Each prototype completes an ordinary task before proof, staffed handover and restoration appear beside it. PROV-KEY-003 shows a Dazhongsi task relationship, not a station, road, parcel or building anchor.

EVIDENCE STRIP
Three frames never co-register
D01–D08 field inputs remain empty
GO • provisional geometry
0 field results / GO / approval
not_fully_cleared

GROUND INTERFACE, SECTION AND CONTINUOUS PATH

THREE SWITCHYARDS | DISTINCT SECTIONS, FOUR STATES + PLACE RESTORATION

Relationship sections, not engineering sections: daily movement first, visible staffed handoff, and no failure burden shifted to ordinary users

RELATIONSHIP ONLY | NOT TO SCALE | PROVISIONAL EXTENT | ALL NODES REMAIN G0
0 SITE APPROVALS | 0 FIELD TESTS | 0 KNOWN RESULTS | ACCESS, FIRE, RAIL + MUNICIPAL CONDITIONS REQUIRE PROFESSIONAL REVIEW

VERIFY SWITCHYARD

ZHONGZHIYUAN

PROV-KEY-001 · AI-ZONE-001 · SCENE-001—004

ONE QUESTION: How do the daily public path and proof equipment never cross?

HERITAGE VIEW
DAILY VIEW PATH
PROOF COURT
SERVICE
PARALLEL PROOF COURT | VIEW EDGE—ISOLATION—COURT—SERVICE
EDGE

ORDINARY → PROOF → FAULT → RECOVERY

01 | ECOLOGICAL DAILY
equipment off; path whole

02 | BOOKED OFFLINE VERIFY
public stays outside loop

03 | FAULT / ISOLATE
physical stop; kit exits

04 | RESTORATION CHECK
surface, planting, path

PLACE RESTORATION ACCEPTANCE | CURRENT: UNKNOWN / NOT EXECUTED
Remove kit and temporary enclosure; restore path, surface, planting, sound and light; no restart before independent retest.

UNKNOWN: exact edge, separation, fire/rail conditions, restoration status

CO-CREATE SWITCHYARD

ORIGIN COMMUNITY

PROV-KEY-002 · AI-ZONE-002 · SCENE-005—008

ONE QUESTION: How does resident passage precede participation, learning, or capture?

DAILY FRONT
REMOVABLE SCREEN-FREE CANOPY
PROBLEM COURT
REVIEW COURT
ONE STREET · TWO COURTS · FOUR NODES | ALL OVERLAYS WITHDRAW

ORDINARY → PROOF → FAULT → RECOVERY

01 | COMMUNITY DAILY
screen-free passage + rest

02 | ISSUE CLINIC / LEARNING
kit outside through-route

03 | FAULT / WITHDRAW
capture and matching stop

04 | QUIET RECOVERY
paper + staff remain

PLACE RESTORATION ACCEPTANCE | CURRENT: UNKNOWN / NOT EXECUTED
Remove screens, amplification, capture, and temporary signs; close withdrawal records; return street and courts to resident daily use.

UNKNOWN: actual lanes, hours, safeguarding owner, quiet delivery, group gaps

PUBLISH SWITCHYARD

DAZHONGSI

PROV-KEY-003 · AI-ZONE-003 · SCENE-009—012

ONE QUESTION: How do staffed service and evidence release sit beside unbroken commuting?

QUIET REST
COMMONS
RELEASE YIELDS
STAFFED DESK
FOUR-QUADRANT WALK + ONE HALL / ONE DESK | THROUGH-MOVEMENT
FIRST

ORDINARY → PROOF → FAULT → RECOVERY

01 | COMMUTE + REST
four-way walking first

02 | BOOKED EVIDENCE RELEASE
event yields to commute

03 | FAULT / OFFLINE
wrong service goes staffed

04 | SOURCE RECOVERY
correct + full retest

PLACE RESTORATION ACCEPTANCE | CURRENT: UNKNOWN / NOT EXECUTED
Remove release kit, sound, and light; keep four-way routes, quiet rest, and the staffed desk; retest only after source correction.

UNKNOWN: station-area relation, route continuity, desk capacity, fire/municipal controls

Sources: PROV-KEY-001—003, A-KEY-AREA-SPATIAL-011, key-area-evidence-matrix.json#round2_spatial_deepening | No geometry or scene ID added JZ-AIOS · G0

Sections show relationships, not invented dimensions. The continuous non-AI/accessibility-intent path is never occupied; reversible components still await future restoration acceptance after exit.

EVIDENCE STRIP
Three frames never co-register
D01–D08 field inputs remain empty
G0 • provisional geometry
0 field results / GO / approval
not_fully_cleared

ORDINARY MOVEMENT AND MAINTENANCE CLEARANCE FIRST

04 / MOBILITY + BLUE-GREEN / ORDINARY FIRST

Ordinary movement + maintenance clear zones first

G0 • PROVISIONAL
NOT TO SCALE

This figure organizes path types, public rights and four-state continuity; it claims no exact road, station, water or interface alignment.



FAILURE RULE Stop only the proof overlay; ordinary movement, screen-free information, staffed help and maintenance access continue, or provide safe refusal and exit.

Sources: package grounding register + non-AI contract + provisional geometry; interface locations await field and professional review

ORDINARY FIRST • NO ROUTE INTRUSION • MAINTENANCE CLEAR

Ordinary movement and maintenance clearance come first; proof is an optional side layer. Interface and blue-green objects are conceptual records, not evidence of an existing network, exact alignment, capacity or built work.

EVIDENCE STRIP

Three frames never co-register


D01–D08 field inputs remain empty

G0 • provisional geometry

0 field results / GO / approval

not_fully_cleared

COMPLETE NON-AI SERVICE BLUEPRINT



People enter, read state, complete the same ordinary task, appeal and leave without registration, QR or AI. Staffed presence is shown only when independently confirmed.

EVIDENCE STRIP

Three frames never co-register

D01–D08 field inputs remain empty

G0 · provisional geometry

0 field results / GO / approval

not_fully_cleared

ORDINARY LIFE WORKS FIRST



This synthetic concept image supports ordinary-life reading only. It is not a site photo, confirmed viewpoint, footfall, staffing, accessibility compliance or operating evidence.


EVIDENCE STRIP
Three frames never co-register
D01-D08 field inputs remain empty
G0 • provisional geometry
0 field results / GO / approval
not_fully_cleared

ORDINARY—PROOF—FAILURE—RECOVERY


ANTIFRAGILE FAILURE GOVERNANCE | THREE-CARRIER WRITEBACK

Existing JZ-AIOS contract · G0 concept only · NOT TO SCALE · not a real incident, field recovery, or deployment licence

01 | Classify failure before choosing stop intensity




02 | Failure—stop—recover—retest storyboard (synthetic T-02 stale-source example)



03 | One state event, three atomic writebacks



04 | Four separate axes + appeals + active retirement



PERMANENT AUTHORIZATION BOUNDARY | A file check, synthetic replay, machine PASS, retest, or restoration acceptance applies only to its named object and scope.
It authorizes no trial, procurement, construction, deployment, maturity gain, site/professional approval, rights clearance, or real-world outcome claim.

Physical stop comes first. The ordinary route continues while proof exits; recovery restores ordinary service before evidence gates, resident confirmation and professional judgement.


EVIDENCE STRIP
Three frames never co-register
D01–D08 field inputs remain empty
G0 · provisional geometry
0 field results / GO / approval
not_fully_cleared

CLIMATE CONDITIONS DO NOT REPLACE THE FOUR STATES

Climate-Resilience Proof Corridor

Ordinary blue-green service first; AI remains optional, stoppable, and removable

G0 · concept relation · provisional
field measures 0 · devices 0 · duties 0



Day, night and weather are condition labels.
The sequence remains ordinary, proof, failure and recovery; thresholds, lighting, noise and recovery durations stay unknown.

EVIDENCE STRIP
Three frames never co-register
D01–D08 field inputs remain empty
G0 · provisional geometry
0 field results / G0 / approval
not_fully_cleared

PACKAGE COUNTS AND REALITY ZERO STATE

05 / EVIDENCE MATURITY / DECISION

Eight empty packets separate files from real maturity

G0 • PROVISIONAL
NOT TO SCALE

Object counts, field coverage and machine PASS only make the package reviewable; no field evidence, duties, rights or authorization means no G0 advance.

A / PACKAGE

Reviewable package layer

Present, parseable and linked; not quality or performance

12

existing scene objects

package object count

8

existing project objects

package object count

3

provisional key areas

package object count

36

concept land-use units

package object count

100% FIELD COVERAGE != 100% MATURITY

B / REAL EVIDENCE

D01-D08 real-world empty packets

Complete templates do not mean evidence exists

D01

official geometry

0

D02

condition / as-built

0

D03

controls + rights

0

D04

same-task parity

0

D05

transport peak

0

D06

specialist limits

0

D07

duties + operation

0

D08

rights + reuse

0

field audits 0 • accepted duties 0 • approvals 0 • GO 0
independent file-level rights audits 0
STATE: G0 • provisional • NO-GO • not_fully_cleared

C / DECISION

What may be expressed

Question and stop; visuals cannot bypass a gap

Official polygon / anchor?

NO -> provisional container only

D02 / D04 / D05 supplied?

NO -> relationships, no field performance

Duties, stop and rights accepted?

NO -> no real trial window

Independent retest + authorization closed?

NO -> remain G0 / NO-GO

MAY EXPRESS: relationships + gaps + recalculation trigger
MUST NOT INFER: approval + buildability + operation + performance

A PASS MUST NAME ITS OBJECT:

FILE CHECK PASS != CONTENT QUALITY != SITE APPROVAL != PROFESSIONAL DUTY != DEPLOYMENT AUTHORIZATION

When authoritative geometry or evidence arrives, recalculate geometry, metrics, prose, figures, PDFs, visual, manifest and self-check together.

Authority order: GeoJSON -> metrics / matrices -> assumptions / sources -> proposal -> figures / PDF / visual


CURRENTLY G0 CONTRACT LAYER ONLY

Complete package fields do not create real maturity. D01–D08 remain empty intake packets; field collection, G0, approval, real failures, recovery acceptance and rights clearance remain 0.

EVIDENCE STRIP
Three frames never co-register
D01–D08 field inputs remain empty
G0 • provisional geometry
0 field results / GO / approval
not_fully_cleared

G0 CONCEPT • THREE FRAMES NEVER CO-REGISTER • PROVISIONAL GEOMETRY / NO OFFICIAL REDLINE • 0 FIELD RESULTS • 0 GO / APPROVAL • RIGHTS not_fully_cleared • PROFESSIONALS MAY REJECT / DELETE

EMPTY FIELD-EVIDENCE INTAKE



Templates and hash fields define how future evidence may be received; they are not evidence already held. Every real input must retain source, date, rights and professional disposition.

EVIDENCE STRIP
Three frames never co-register
D01–D08 field inputs remain empty
G0 • provisional geometry
0 field results / GO / approval
not_fully_cleared

Twin-track Jing-Zhang · freeze the spatial grammar, replace real-world gaps

G0 · NO-GO · provisional

Concept / G0 / provisional / not to scale · file or PR PASS is not site, planning, construction, operation, rights, or deployment authorization

G0 CONCEPT • THREE FRAMES NEVER CO-REGISTER • PROVISIONAL GEOMETRY / NO OFFICIAL REDLINE • 0 FIELD RESULTS • 0 GO / APPROVAL • RIGHTS not fully cleared • PROFESSIONALS MAY REJECT / DELETE

References, Evidence Backlinks and Reality Boundary

Three-frame reading	Background orientation != provisional design container != design relationships. The frames never co-register; Issues #846 and #1029 are unresolved review triggers, not geometry-shift instructions.
Core backlinks	proposal.en.md · assumptions.json/A-SITE-READING-020 · visual/assets/site-grounding-register.json/JZ-SITE-READING-R17 · D01–D08 · H01–H07
Geometry and maturity	Boundaries and key areas remain provisional diagrams, not an official redline, survey, control plan, title, station anchor or approval. Every scene remains G0; real results, GO, approval and acceptance remain 0.
Public rights	The same task remains available without registration, QR or AI; staffed handover, stop, exit and recovery come first. Staffing, rosters, budget, noise, lighting, footfall and results remain unknown or 0.
Jury conclusion	Round 17 changes reading and evidence organization only. Geometry, metrics, 12 scenes, 8 projects, three key areas, rights boundaries and real maturity do not change. Professionals may revise, reject, stop or delete.