


OPEN THE GROUND WITHOUT SENDING RAIL-CORRIDOR CONFLICT TO PEOPLE

ONE THESIS: EVERY PORE NAMES SOURCE, PATH, RECEIVER, ZERO-POWER STATE, AND REVERSIBLE DUTY


两处落位概念 + 一个未锚定类型 / 2 LOCATED CONCEPTS + 1 UNANCHORED TYPE

C-I HOLD · E3=0 · E4=0

01



RAIL-CORRIDOR CONFLICT | PROVISIONALLY GEOREFERENCED CONTEXT



FROM CORRIDOR CONFLICT TO PORE CONTRACT

SOURCE

PATH

RECEIVER

ZERO-POWER

OPENING IS NOT THE GOAL: VERIFIABLE EXCHANGE WITHOUT RECEIVER HARM IS.

REMOVE

CONCEPT SPATIAL CONTRACT • NOT FIELD DATA / STATUTORY CONTROL / ENGINEERING RELEASE

Source: spatial-control contract + gpt-image-2 E0 concept + OSM ODbL context snapshot; no field E3; not current-condition/survey/simulation/construction/approval evidence.

两处落位概念 + 一个未锚定类型 / 2 LOCATED CONCEPTS + 1 UNANCHORED TYPE

PROVISIONALLY GEOREFERENCED CONCEPT PLAN: 2 LOCATED CONCEPTS + 1 UNANCHORED TYPE

02


S1/S2 CONCEPT CUTS ON PROVISIONAL WGS84 CARRIERS; T3 TYPE-ONLY / UNANCHORED | OSM CONTEXT ONLY

两处落位概念 + 一个未锚定类型 / 2 LOCATED CONCEPTS + 1 UNANCHORED TYPE

C-I HOLD · E3=0 · E4=0



SCOPE + 2+1 STATE



T3 TYPE LOCATOR · UNANCHORED · NOT MAPPED

- 43.6 km² research context
- 11.4 km² overall carrier
- S1 + S2 2 located concepts
- rail
- road
- building
- park/green
- S1/S2 concept cut
- T3 not mapped

PLAN—SECTION—NODE CONTINUITY INDEX

S1 Zhongzhiyuan | back-of-house—evidence

S1 A-A' → S1 PLAN → S1 SECTION → N1

RELATIVE-COORDINATE CONCEPT

PROV-KEY-001 · ROAD-PGC-04

S2 AI Origin | multi-directional crossing—quiet learning edge

S2 B-B' → S2 PLAN → S2 SECTION → N2

RELATIVE-COORDINATE CONCEPT

PROV-KEY-002 · ROAD-PGC-03 + ROAD-PGC-05

T3 Dazhongsi | UNANCHORED type frame

T3 TYPE → T3 PLAN/SECTION → N3

TYPE ONLY / UNANCHORED

PR-SOUTH · NO MAP CARRIER

TWO WINGS

HAIDIAN NORTH: rules, tool versions, exit assets

NW BEIJING: authorised, minimised, licensed methods only

CONCEPT SPATIAL CONTRACT · NOT FIELD DATA / STATUTORY CONTROL / ENGINEERING RELEASE

Source: nine submitted GeoJSON layers (design/provisional) + public OSM ODbL context; 3,653 OSM features are orientation/section-index evidence only, not survey/official/authorization. Scale uses a local metric approximation.

两处落位概念 + 一个未锚定类型 / 2 LOCATED CONCEPTS + 1 UNANCHORED TYPE

2 LOCATED CONCEPTS ARE DISTINCT + 1 UNANCHORED TYPE

S1 NORTH: BACK—EVIDENCE—FRONT | S2 MIDDLE: MULTI-CROSSING—QUIET LEARNING | T3 TYPE: UNANCHORED ONLY

两处落位概念 + 一个未锚定类型 / 2 LOCATED CONCEPTS + 1 UNANCHORED TYPE


C-I HOLD · E3=0 · E4=0

03


S1 Zhongzhiyuan | back-of-house—evidence interface—public front

S1 A-A' → S1 PLAN → S1 SECTION → N1

Relative concept plan: controlled back-of-house to evidence interface to public front



SECTION: SOURCE—PATH—RECEIVER / ZERO-POWER SERVICE REMAINS




Matching section: source—path—receiver layers are not interchangeable

SECTION TYPE SCALE 0 / 2 / 5 / 10 m · PARAMETER ENVELOPE

N1 Node N1 | evidence interface: only signed slices may be published


Failure mode: back-of-house noise/access leaks through the public front.




S2 AI Origin | multi-directional crossing—quiet learning edge

S2 B-B' → S2 PLAN → S2 SECTION → N2

Relative concept plan: cross-movement is offset from the quiet learning edge



SECTION: SOURCE—PATH—RECEIVER / ZERO-POWER SERVICE REMAINS




Matching section: shared path stays continuous; setback protects the quiet edge

SECTION TYPE SCALE 0 / 2 / 5 / 10 m · PARAMETER ENVELOPE

N2 Node N2 | visible learning window: legible without crossing the quiet edge


Failure mode: crossing flows spill into the quiet edge, producing false openness.




T3 Dazhongsi | UNANCHORED type frame

T3 TYPE → T3 PLAN/SECTION → N3

Type plan only: prototype room—removal path—temporary receiving ground



SECTION: SOURCE—PATH—RECEIVER / ZERO-POWER SERVICE REMAINS




Type section: define removability first; await a canonical anchor edge

SECTION TYPE SCALE 0 / 2 / 5 / 10 m · PARAMETER ENVELOPE

N3 Node N3 | mechanical release: no cutting, no burial, verifiable clear-down

Failure mode: a type diagram is mistaken for a located proposal.



两处落位概念 + 一个未锚定类型 / 2 LOCATED CONCEPTS + 1 UNANCHORED TYPE

ONE SECTION: SEE B1 FIRST, THEN SEE WHAT AI CHANGED

SPATIAL DELTA MUST BE VISIBLE; IF NOT BETTER THAN B1, DELETE AI WHILE B1 AND ZERO-POWER SERVICE STAY

两处落位概念 + 一个未锚定类型 / 2 LOCATED CONCEPTS + 1 UNANCHORED TYPE

04

C-I HOLD · E3=0 · E4=0

B1

PROFESSIONAL BASELINE

SOURCE **RECEIVER**

B1 already works: source control, staggered pore, continuous shade, quiet-side dwelling.

A*

AI CANDIDATE

SOURCE **RECEIVER**

Candidate moves pore position and shade depth only; receiver, clear width, egress/access gates do not move.

DEL

DELETE AI

SOURCE **RECEIVER**

AI layer disappears; B1 space, KPI, zero-power service, and human duty remain.

SPATIAL DELTA + ABLATION GATE

x_pore	pore position	AI variable / hypothesis
d_shade	shade depth	AI variable / hypothesis
w_clear	continuous clear width	INVARIANT / hard gate
R	receiver position	INVARIANT / protected
E3/E4	field/mock-up evidence	0 / 0

01

FREEZE INPUT/VERSION

02

HELD-OUT TEST VS B1

03

STABLE, EXPLAINABLE, NOT B1-DOMINATED

04

FAIL: DELETE AI, DO NOT MOVE KPI

AI NEVER TRIGGERS CONSTRUCTION, OPENING, SAFETY, RESTORATION, OR C-I STATE TRANSITION.


ALLOW FAILURE • REQUIRE RESTORATION

90-DAY AUTHORITY, COST, EVIDENCE, AND EXIT ASSETS; NO AUTHORITY MEANS NO-GO


两处落位概念 + 一个未锚定类型 / 2 LOCATED CONCEPTS + 1 UNANCHORED TYPE

C-I HOLD · E3=0 · E4=0

05



PHASE-I-C CANDIDATE | PUBLIC-CONTEXT LOCATOR



Public records only orient a 'Zhichun Rd-North 4th Ring' candidate context; exact section, title, boundary, area, shelter/fire/access conditions await authority and field E3. This is not a pilot location.

NAMED AUTHORITY

- 1 A-OWN site / A-EMG emergency authority: names UNKNOWN
- 2 R-PM pilot / R-OPS operations: names UNKNOWN
- 3 R-DATA steward / A-DES design sign-off: names UNKNOWN
- 4 C-FIRE / C-ACC accessibility / C-ENV acoustics
- 5 I-AUD independent log / I-PUB public notice

UNSIGNED A = NO-GO | AI CANNOT CHANGE STATE

BoQ L0 • QTY/QUOTES UNKNOWN

- | | |
|-------------------------|---------------------------|
| ■ survey/protocol | ■ instruments/co-location |
| ■ reversible components | ■ install/removal |
| ■ daily maintenance | ■ third-party review |
| ■ insurance/notice | ■ restoration reserve |

BEFORE PROCUREMENT: 3 COMPARABLE QUOTES OR LAWFUL BASIS

PHASE-I-C MECHANICAL INTERLOCK / FAIL-SAFE CLEAR



DRAFT SLO: PO ACK 5 min / ESCALATE 15 min; T_clear and restoration time require E4 mock-up, currently UNKNOWN.

EVIDENCE LADDER S1+S2 UNION FOOTPRINT • 17,186.61 m² • E0

