


# Overview map

The 43.6 km2 coordination study scope answers industrial and morphological organisation; the 11.4 km2 overall design scope answers the renewal framework and spatial structure; the 368.4 ha key areas answer detailed design depth. The three levels are one judgement chain converging three times.



- Overall design area (provisional)

Key areas (provisional)
- Blue-green public space

Public space (care interface)
- Building footprints

Care spine
- Transit links

Capacity branches

The overview map overlays land-use parcels, slow mobility, blue-green public space, buildings and renewal projects, and AI scenario nodes on one evidence drawing. Coordinates are exchanged in EPSG:4326 and recomputed in EPSG:4548, the same projection used by the spatial review script.

## Three-level scope framework

### Coordination study scope · 43.6 km2

AI capacity serves everyday city life first and earns industrial residency second; three-zones-two-wings roles and the CommonCare unit family.

### Overall design scope · 11.4 km2

A continuous public spine, capacity supply belts, and a buffer maintenance belt put on the drawing; twelve parcels and the renewal project list.

### Key-area scope · 368.4 ha

Each area carries one segment of the capacity chain at detailed design depth, without touching height or floor area ratio.

## Provisional boundary warning

site\_boundary and key\_areas stay provisional\_constraint with official\_boundary=false and are not altered here.


All areas hold only inside this provisional container and must not be used for approval, acquisition, tenure, or

engineering. Once official polygons are released the whole package must be recomputed.



Key-area capacity roles

The 42 building footprints express only the position and magnitude of renewal carriers, not height, storeys, or floor area ratio. All six renewal projects carry preconditions; implementation depends on later tenure checks and professional review.



Zhongzhi Park AI Acceleration Zone

192.1 ha · maintenance prototyping

Non-identifying facility inspection, low-carbon operations, trustworthy-operation standard validation; the Qing River edge works as low-disturbance back-of-house display.

Beijing AI Origin Community

104.3 ha · knowledge translation

Open-source component library, result release, multilingual service; campus-park threshold stitching and a shared hall.

Dazhongsi AI Industry Cluster

72.0 ha · service formation

International roadshows, a data-elements parlour, reassuring night return; station walking links and a solid square on the greenway.

Core metrics

11,412,825

0.2630

0.1104

3

Overall design area

Green ratio

Public space ratio

Phases

Each key area carries one segment of the capacity chain: prototype, translate, form. The geometry reuses the repository's provisional polygons; areas are quoted from the announcement text, not back-derived.



AI scenarios

The compliance matrix covers the 17 announcement items from 1.3 to 1.5 plus agent.1 to agent.6; the standard matrix covers six technical references; the design depth matrix covers fifteen depth requirements.

AI scenarios

|                               |                                |                              |                                    |                         |
|-------------------------------|--------------------------------|------------------------------|------------------------------------|-------------------------|
| 01                            | 02                             | 03                           | 04                                 | 05                      |
| Accessibility gap maintenance | Heat and storm comfort service | Reassuring night return      | Preventive facility maintenance    | Multilingual wayfinding |
| 06                            | 07                             | 08                           | 09                                 | 10                      |
| Low-friction campus exchange  | Caregiver-friendly staying     | Low-carbon operations advice | Open-source care component library | Public maintenance walk |

Task coverage and self-check status

|                          |                                                             |      |
|--------------------------|-------------------------------------------------------------|------|
| Deterministic validation | Structure, schema, bilingual pairing, hash consistency      | PASS |
| Spatial review           | Topology, outside-site area, area recomputation, tolerances | PASS |
| Visual packaging         | Required sections, offline safety, metric consistency       | PASS |
| Professional evidence    | Section evidence markers and matrix coverage                | PASS |

Sources and assumptions

|                     |                                                                                          |
|---------------------|------------------------------------------------------------------------------------------|
| A-BOUNDARY-001      | Provisional boundary substitutes the official redline; all areas need full recomputation |
| A-KEYAREA-001       | Key-area geometry is coarse; areas follow the announcement text                          |
| A-CONTROLS-001      | No statutory intensity or height zoning, so FAR and height stay unknown                  |
| A-BUILDING-001      | No existing-building or tenure data, so no retain/renovate/demolish verdict              |
| A-AI-GOVERNANCE-001 | Baseline service must survive AI shutdown; withdrawal must leave no trace                |