

Jingzhang Human City OS

From an AI showcase to a city for people · v1.3 spatial-action repair

Provisional geometry is not an official redline; all spatial moves are conceptual suggestions for professional teams.

- A

Human dignity
- B

Machine-ready
- C

Hard constraints
- D


Spillovers

FROM AI SHOWCASE TO A CITY FOR PEOPLE

v1.2 · CONCEPT

Spatial moves first / governance evidence second / provisional geometry

SPATIAL SCHEME



3 scopes → 3 key areas → 16 scenario nodes → 3 release gates

HUMAN FLOOR MACHINE-READY HARD CONSTRAINTS SPILLOVER

A / B / C / D are spatial moves tied to geometry, metrics, scenario cards and release gates.

Every move can be entered, refused, paused or rolled back; unknowns stay unknown.

A Human dignity
human fallback / anti-displacement / skills transition

B Machine-ready
urban API / silicon right-of-way / reversible parts

C Hard constraints
compute-power / Xiaoyuehe resilience / sandbox

D Spillover
OPC / regional transfer / global services

11.41 km²
site / provisional

16
scenario nodes

3
release gates

3
key areas

Concept reference only; official boundary unavailable, spatial values remain provisional.


[geometry](#) / [metrics](#) / EPSG:4548

CONCEPT LAND-USE STRUCTURE

Spatial moves first / governance evidence second / provisional geometry

v1.2 · CONCEPT


SIX PATCHES / NO GAP · NO OVERLAP



Areas recomputed in EPSG:4548; adjacent polygons share boundary coordinates.

11,412,825.386 m² · official precise boundary unavailable


Coverage is a reference scheme, not statutory FAR or an engineering commitment.



THREE KEY AREAS: TEST · CARE · GATEWAY

v1.2 · CONCEPT

Spatial moves first / governance evidence second / provisional geometry



Each key area answers spatial move, responsibility boundary, and how the public can refuse or exit.

01

ZHONGZHIYUAN

embodied-AI test court; compute-power; incident review

CONCEPT / PROVISIONAL

02

AI ORIGIN COMMUNITY

human channels; skills transition; screen-free green

CONCEPT / PROVISIONAL

03

DAZHONGSI

cultural narrative; OPC capillaries; global support

CONCEPT / PROVISIONAL

Concept reference only; official boundary unavailable, spatial values remain provisional.

[geometry](#) / [metrics](#) / [EPSG:4548](#)

HUMAN-MACHINE MOVEMENT + BLUE-GREEN RESILIENCE

v1.2 · CONCEPT

Spatial moves first / governance evidence second / provisional geometry



Concept path lengths (recomputed from provisional geometry)

skills transition corridor	5,919.240 m
silicon right-of-way	4,585.615 m
low-altitude logistics	2,015.137 m
blue-green buffer	82,701.462 m²

THREE HUMAN-MACHINE RULES

- 01 Human continuity: access and human channels stay intact
- 02 Vertical separation: pilot low-alt logistics, with rollback
- 03 Traceable incidents: liability and human review before scale

5,919.240 m
skills

82,701.462 m²
blue-green

Concept reference only; official boundary unavailable, spatial values remain provisional.

[geometry](#) / [metrics](#) / EPSG:4548

RECOMPUTABLE METRICS + EXPLICIT UNKNOWNNS

v1.2 · CONCEPT

Spatial moves first / governance evidence second / provisional geometry

SPATIAL BASELINE

site_area 11,412,825.386 m² green 11.1213% public 1.0641%

retention-support 18.2759% reversible 15.0936% geometry role = provisional_constraint

11.1213%

green ratio

EPSG:4548 / recomputed

1.0641%

public space

EPSG:4548 / recomputed

18.2759%

retention support

EPSG:4548 / recomputed

15.0936%

reversible reserve

EPSG:4548 / recomputed

DATA GAPS THAT REMAIN UNKNOWN

resident baseline and return rate · employment-impact follow-up · human-fallback use · PUE and green-power share · heat recovery · official redline, permits and liability

unknown is not a gap to hide; it marks the next measurement, authorization and public-review gate.

Concept reference only; official boundary unavailable, spatial values remain provisional.

[geometry](#) / [metrics](#) / [EPSG:4548](#)

FIG. 07

v0.7 · REVIEW MAP × HUMAN ACCEPTANCE
PROVISIONAL · CONCEPT · NOT OFFICIAL

DATA READINESS: TURNING GAPS INTO CLOSABLE RELEASE GATES

Seven evidence paths connect assumptions, scenarios, metrics, and fallbacks; missing data remains unknown or conceptual.




Derived from geometry/*.geojson and structured evidence; the ordinary-person journey, spatial interfaces, acceptance atlas, and reviewer navigation perform only offline reference or path checks and expected-FAIL negative tests; missing evidence remains unknown or conceptual.

FIG. 08

v0.7 · REVIEW MAP × HUMAN ACCEPTANCE
PROVISIONAL · CONCEPT · NOT OFFICIAL

HUMAN–MACHINE INTERFACES: STOP ACTIONS

Non-scaled concepts: human priority and review precede testing. Not an engineering section or permit.



Derived from geometry/*.geojson and structured evidence; the ordinary-person journey, spatial interfaces, acceptance atlas, and reviewer navigation perform only offline reference or path checks and expected-FAIL negative tests; missing evidence remains unknown or conceptual.

FIG. 09

v0.7 · REVIEW MAP × HUMAN ACCEPTANCE
PROVISIONAL · CONCEPT · NOT OFFICIAL

HUMAN CITY ACCEPTANCE ATLAS: WHO ENTERS, WHO STOPS

Six users, 16 scenario cards, provisional spatial anchors, and three release gates resolve on one page; not an operating dashboard or delivery commitment.

16

FULL SCENARIO CARDS

6

PERSONA PATHWAYS

10

REPRESENTATIVE LINKS

3

RELEASE GATES

P-01

Residents, tenants, and older people

USER SC-A01 / SC-A03ANCHOR SC-A01

HUMAN FLOOR Staffed, paper, and telephone routes; understandable negotiation and ...

FALLBACK Paper, telephone, and on-site consultation remain available.

STOP / ROLLBACKStop display or collection without consent or explainable eligibil...

P-02

Workers at displacement risk

USER SC-A02ANCHOR SC-A02

HUMAN FLOOR Voluntary participation, human counselling, and deletable records; no...

FALLBACK Skip automated matching and obtain human career advice.

STOP / ROLLBACKPause with no job path or discriminatory automated diversion.

P-03

Night AI workers and night-service staff

USER SC-A04ANCHOR SC-A04

HUMAN FLOOR No continuous location or emotion profiles; anonymous feedback remain...

FALLBACK On-site help, assisted walking, and anonymous feedback come first.

STOP / ROLLBACKStop technical functions without human help, safety check, or wher...

P-04

OPCs, small merchants, and small teams

USER SC-D01 / SC-D03ANCHOR SC-D01

HUMAN FLOOR No platform score replaces human negotiation; no named vendor.

FALLBACK Human application, explanation, and dispute handling remain availa...

STOP / ROLLBACKPause if the offer becomes a closed club or locks in a vendor.

P-05

Public-service staff and data stewards

USER SC-B01 / SC-B04 / SC-C04ANCHOR SC-B01

HUMAN FLOOR AI cannot autonomously determine permits, cutoffs, enforcement, or in...

FALLBACK Human review, withdrawn consent, and non-digital service coexist.

STOP / ROLLBACKFreeze on unauthorized access, opaque output, or no takeover.

P-06

Disabled people, carers, and low-digital users

USER SC-A03 / SC-B02 / SC-D03ANCHOR SC-B02

HUMAN FLOOR Every digital entry needs an equivalent human alternative and user wa...

FALLBACK Pedestrian priority, human escort, and one-button stop come first.

STOP / ROLLBACKReturn to paper protocol after contact, incident, complaint, or no...

PROVISIONAL-GEOMETRY CORRIDOR MAP

16 small points = full scenario registry; P1–P6 = representative provisional anchors for persona paths.

Map is conceptual reading of submitted provisional geometry, not a service point, alignment, or engineering location.

THREE SHARED RELEASE GATES: MISSING EVIDENCE STAYS CONCEPTUAL

v0.1

Observe, baseline, and public consent

DO NOT ADVANCE Withdraw and revise on misleading claims, no human channel, unconsented data, or unexplained gr...

v0.2

Reversible pilot and independent review

DO NOT ADVANCE Stop and return to evidence or paper protocol on safety, unauthorized data, access barriers, op...

v1.0

Reviewed scaling and standards spillover

DO NOT ADVANCE Withdraw the scaling suggestion when evidence is unverifiable, public interest fails, rights ar...

Derived from geometry/*.geojson and structured evidence; the ordinary-person journey, spatial interfaces, acceptance atlas, and reviewer navigation perform only offline reference or path checks and expected-FAIL negative tests; missing evidence remains unknown or conceptual.

FIG. 10

v0.7 · REVIEW MAP × HUMAN ACCEPTANCE
PROVISIONAL · CONCEPT · NOT OFFICIAL

REVIEW EVIDENCE MAP: 13 TASKBOOK + 7 WORKFLOW QUESTIONS

The two question sets retain separate sources and boundaries; this page shows offline reading paths only, not a score, official finding, or delivery commitment.


13/13 TASKBOOK DIMENSIONS

7/7 REPOSITORY WORKFLOW QUESTIONS


42/42 PACKAGE-LOCAL PATHS RESOLVE

NOT A SCORE
NO ORGANIZER WEIGHT OR RESULT
INFERRED

Read the 13 taskbook questions and their evidence entries first; then use the 7-question repository formal-scorecard workflow. Its percentages are recorded only in JSON as a repository template source, never as organizer scoring.



FIVE EVIDENCE SPINES: PATHS RESOLVE; THEY DO NOT PROVE OUTCOMES



Derived from geometry/*.geojson and structured evidence; the ordinary-person journey, spatial interfaces, acceptance atlas, and reviewer navigation perform only offline reference or path checks and expected-FAIL negative tests; missing evidence remains unknown or conceptual.

PARAMETRIC SPATIAL TRADE-OFFS | BASELINE, PEOPLE-FIRST, MACHINE-READY


ONE PROVISIONAL BOUNDARY · SIX CONCEPTUAL BANDS · REPLAYABLE AREA FORMULA

CONCEPT ONLY

v0.8


Six-band area parameters

share × provisional site_area_sqm



Review readout

Current baseline



Three candidates

- People-first: more community, learning, and reversible space
- Balanced: a middle comparison set for professional calibration
- Machine-ready: more API discussion while retaining human and resilience floors

Conceptual suggestions only; no FAR, building-height, engineering, investment, or policy conclusion.
formula: area = share × provisional site area

source: geometry/land_use.geojson · metrics.json · EPSG:4548 internal recalculation · confidence: low

FIG. 06

v0.7 · REVIEW MAP × HUMAN ACCEPTANCE
PROVISIONAL · CONCEPT · NOT OFFICIAL

CITY RELEASE GATES: EVERY EXPANSION CAN BE VETOED

All 16 scenarios progress from observation through bounded pilots to expansion only with data boundaries, human fallback, review evidence, and exit conditions.



16

scenario cards

6

test/validation scenarios

3

release gates

0

authorized implementation commitments

Every gate is a conceptual review interface, not a permit, engineering feasibility finding, investment commitment, or settled policy.

Derived from geometry/*.geojson and structured evidence; the ordinary-person journey, spatial interfaces, acceptance atlas, and reviewer navigation perform only offline reference or path checks and expected-FAIL negative tests; missing evidence remains unknown or conceptual.

Three key areas: actions before slogans

Put action, handoff and stop conditions into provisional spatial evidence; no official redlines.

v0.2 · concept

01 Zhongzhiyuan AI Acceleration

Machine entry begins with a stop right

provisional spatial anchor

1 Human-first edge

Pedestrians, access and human help enter first

2 Controlled test

Low speed, time-boxed, reversible

3 Incident replay

Positive and negative results stay visible

4 Sponge buffer

Simulation and inspection only

Spatial refs: PROV-KEY-001 · SC-B02 · SC-C03 · ROAD-B-SILICON · GREEN-C-SPONGE

Role classes: 交通/能源/水务/安全/公众观察

02 Beijing AI Origin Community

Keep transition and service in daily life

provisional spatial anchor

1 Human entrance

Counter, phone and paper stay available

2 Skills transition

Ability, paid training, trial role, new role

3 Resident retention

Spatial support is not a retention result

4 Version release

Questions, pauses and missing data are public

Spatial refs: PROV-KEY-002 · SC-A02 · SC-A03 · ROAD-A-SKILL · PUBLIC-A-INCLUSIOIN

Role classes: 社区/就业/无障碍/资料责任

03 Dazhongsi AI Industry Cluster

Make data, energy and service legible

provisional spatial anchor

1 Data authorization

Catalogue, permission, log and exit

2 Compute-energy audit

PUE, green power and heat demand first

3 Small-team service

Shared lab, legal help and fair access

4 International commons

Multilingual help and human explanation

Spatial refs: PROV-KEY-003 · SC-C01 · SC-C04 · SC-D03 · BLDG-C-01 · BLDG-D-01/02

Role classes: 数据/能源/OPC/多语服务

Concept suggestions for professional deepening; official_boundary=false · geometry_role=provisional_constraint · EPSG:4548


Regional interfaces: exchange questions before scaling

v0.2 · concept

Four layers from belt to region; interfaces are not existing partnerships or resource commitments



五个接口卡 / Five interface cards




Concept interfaces only; no partnership, administrative division, company list, investment, procurement or implementation claim.

Identity system: make the human decision visible

Original concept mark, colors, applications and evidence fields; not an organizer or government mark

v0.2 · concept

CONCEPT MARK




JINGZHANG HUMAN CITY OS

From an AI showcase to a city for people

- Open bracket: callable interface
- Rail line: century continuity
- Human dot: final decision remains human
- Red: stop/appeal; blue: constrained machine; green: hard limits; orange: spillover

COLOR AND APPLICATION RULES

-  Human dignity / stop
-  Machine / interface
-  Energy + climate / limits
-  Spillover
-  Version record

Every spatial card shows:

- | | |
|----------------|------------------------------------|
| Spatial action | Affected people |
| Human fallback | Entry evidence |
| Stop condition | Version / role class / update time |

Original concept mark; COMMUNITY-DISPLAY-ONLY; no company marks, portraits, official seals or uncleared images.