

THE

JING-ZHANG GAUGE

Urban Design Proposal for the Centennial Jing-Zhang AI Innovation Belt · A3 Booklet

A public specification as the core product

author_github: JIQINGFENG0818 | JZ-Gauge v0.1 | EPSG:4548

Conceptual recommendation · not a statutory planning output · based on a provisional boundary; not an official red line, approval basis or precise-area conclusion · no engineering feasibility, ownership or demolition conclusion

01

Overall Concept and Naming System

agent.1 Overall concept and functional coordination

The concept

What this belt ultimately produces is not buildings but a GAUGE — a public specification for AI in urban space that anyone can build to, connect to, and audit against.

A century ago the Jing-Zhang Railway set its own technical specification without external control. Self-reliance -> standard-setting -> interoperability is its real technical legacy, and the two ends of the taskbook functions of full-stack autonomy and governance discourse power.

Why gauge

A gauge produces no locomotive, yet decides which vehicles may run on the line. Whoever holds the standard gains authority over the network without owning a single vehicle.

Governance discourse power comes not from declarations but from others having to build to your specification.

Naming system

The Jing-Zhang Gauge overall concept
JZ-Gauge versioned public specification set
JZ-Parts catalogue of physical standard parts
JZ-Specs scenario behavioural boundaries
Datum honour and deliberation system
Gauge Week annual specification release

Spatial structure

One line: the Version Line, a release pipeline made physical
Three stations: Gauge Works / Proto Blocks / Market Floor
Two interfaces: Access Wing (factors) / Field Wing (stress test)

North-south is not a traffic connection but a process connection.


Fig. 1 Overall Design Area: One Line, Three Stations, Two Interfaces

The Version Line links the three stations; six stitch points bridge the railway severance


Fig. 1 Overall Design Area: One Line, Three Stations, Two Interfaces

The Version Line links the Gauge Works, Proto Blocks and Market Floor stations; six stitch points bridge the severance across the railway

GW Gauge Works



PB Proto Blocks



MF Market Floor



Version Line Stitch point Datum point Key areas (provisional) Design area (provisional) Road network (along parcel edges)


Sources: brief/site-package (planning_limits.json, provisional_boundaries.geojson, agent_taskbook.json) Status: provisional boundary; conceptual recommendation, not a statutory output; not an official red line or precise-area conclusion THE JING-ZHANG GAUGE · JZ-Gauge v0.1 · EPSG:4548

Fig. 2 Land-Use Structure and Three-Level Scope Framework

Voronoi partition guarantees exact shared boundaries, full coverage, no gaps, no overlaps

Fig. 2 Land-Use Structure and Three-Level Scope Framework

Land use is generated by Voronoi partition; adjacent parcels share exact boundary coordinates, covering the area with no gaps and no overlaps



Sources: brief/site-package (planning_limits.json, provisional_boundaries.geojson, agent_taskbook.json) Status: provisional boundary; conceptual recommendation, not a statutory output; not an official red line or precise-area conclusion THE JING-ZHANG GAUGE · JZ-Gauge v0.1 · EPSG:4548


Fig. 3 Index and Design Tasks of the Three Key Areas

The three key areas are three stations on one production line

Fig. 3 Index and Design Tasks of the Three Key Areas


The three key areas are not parallel industrial blocks but three stations on one production line

GW Gauge Works




Area (provisional): 192.1 ha
Core task: Specification drafting · Conformance testing · Red-team certification
Signature node: D-01 Datum Zero
Scenarios hosted: S-10 / T-01 / T-03

PB Proto Blocks



Area (provisional): 104.3 ha
Core task: First installation · Resident jury · Iteration and rollback
Signature node: D-02 The Objection Stand
Scenarios hosted: S-05 / S-09 / T-02

MF Market Floor



Area (provisional): 72.0 ha
Core task: Scale deployment of certified parts
Signature node: D-03 The Decommission Yard
Scenarios hosted: S-07 / S-12


Implementation risk: all three key-area polygons are provisional, so the conclusions above are directional design only; land-use boundaries, development scale and implementation projects must be re-established once official polygons are released.
This drawing provides no demolition conclusion, ownership judgement or engineering feasibility conclusion.
Sources: brief/site-package (planning_limits.json, provisional_boundaries.geojson, agent_taskbook.json) Status: provisional boundary; conceptual recommendation, not a statutory output; not an official red line or precise-area conclusion
THE JING-ZHANG GAUGE · JZ-Gauge v0.1 · EPSG:4548

Fig. 4 Mobility and Blue-Green Public Space Structure

The road network follows parcel edges exactly

Fig. 4 Mobility and Blue-Green Public Space Structure

The road network follows parcel edges exactly; six stitch points are east-west crossings and physical demonstration sections of the component catalogue



Road area ratio 21.08% · Green ratio 26.16% · Public space ratio 4.59% · Right-of-way widths (44m / 26m / 16m) are conceptual assumed values pending official regulatory confirmation

Version Line (primary active-travel spine) · Secondary road · Local road · Stitch point · Datum point · Green space · Sources: One/ site-package (planning_limits.json, provisional_boundaries.geojson, agent_taskbook.json) · Status: Provisional boundary; conceptual recommendation, not a statutory output; not an official red line or precise-area conclusion · THE JING-ZHANG GAUGE · JZ-Gauge v0.1 · EPSG:4548

Fig. 5 Metric Recalculation and Evidence Chain

All metrics recalculated from GeoJSON in EPSG:4548; missing official indicators remain unknown


Fig. 5 Metric Recalculation and Evidence Chain

All metrics are recalculated from GeoJSON in EPSG:4548, never transcribed from narrative; missing official control indicators remain unknown and are not filled in

Evidence chain: from provisional boundary to verifiable metrics



Core ratio metrics (recalculated)



Metric status and confidence

Design area	11.413 km²	low	deviation 0.11%
Partition gap	1.51 m²	—	0.000013% of total
Partition overlap	0.15 m²	—	0.000001% of total
Statutory FAR	unknown	—	official indicator missing; not filled in
Conceptual FAR	0.923	low	storey counts assumed
Spatial review	PASS	—	3 provisional notices only
Visual packaging	PASS	—	fully offline, no remote assets

Sources: brief/site-package (planning_limits.json, provisional_boundaries.geojson, agent_taskbook.json) Status: provisional boundary; conceptual recommendation, not a statutory output; not an official red line or precise-area conclusion · THE JING-ZHANG GAUGE · JZ-Gauge v0.1 · EPSG:4548

Catalogue as implementability

A component catalogue with specifications, price bands, maintenance liability and retirement clauses IS the delivery path — it can enter a government procurement process directly.

Decommissioning and rollback

The real risk of urban AI installations is not that they cannot be installed, but that once installed they cannot be removed, no one is accountable, and no one knows where the data went.

Writing down how to take something out demonstrates governance capability more than writing down how to put it in.

Spec card fields

- Function definition and applicable scenarios
- Physical specification (size, power, load, ingress protection)
- Data behaviour (what is / is not collected; retention period)
- Human-review triggers (when to hand over; who may disable)
- Price band (conceptual range; not a quotation)
- Whole life cycle (life, maintenance, responsible party)
- Decommissioning and rollback (removal; data destruction)
- Version and compatibility

Datum system

- D-01 Datum Zero physical release point of each version
- D-02 The Objection Stand physical registry for citizen objections
- D-03 The Decommission Yard displays retired parts and reasons
- D-04 Contributor Stones contributors inscribed by version

Showing failure is the source of this system's credibility.

16 AI scenario cards

- S-01 Lighting with visible version S-09 Accessibility guidance
- S-02 Autonomous delivery shuttle S-10 Developer debug channel
- S-03 Citizen fault reporting S-11 Objection intake
- S-04 Layered heritage interpretation S-12 Decommissioning
- S-05 Community service desk S-13 AI+Education assistant
- S-06 Crowd guidance S-14 AI+Health triage support
- S-07 AI-native commerce S-15 Robotics in public space
- S-08 Waterfront monitoring S-16 Low-speed autonomous shuttle

An active design constraint

No scenario card depends on individual identity recognition.
This is an active design choice, not a passive compliance statement.

Eligibility, subsidy, dispute and disposition decisions always go to a human; critical public services keep a non-AI redundant path.

Industrial test scenarios

- T-01 Conformance testing lab certification results published
- T-02 First-installation jury acceptability and real utility
- T-03 Red-team stress testing published failure-mode list

No proposal dares state how its own system will break —
which is exactly the dividing line of professionalism.

Personas

- P-01 Specification engineer P-04 Student and developer
- P-02 Hardware founder P-05 Procurement and maintenance
- P-03 Proto Blocks resident P-06 International peer

Urban AI installations are ultimately procured and maintained by front-line units. Without P-05, implementability is empty.

Phasing (conceptual)

Phase 1 Standard-setting conformance lab, certification and red-team capability, JZ-Parts v1.0 -> D-01 Datum Zero completed

Phase 2 First installation stitch-point sections, resident jury, scenario cards in batches -> D-02 Objection Stand opened

Phase 3 Volume deployment scale deployment of certified parts, AI-native business forms -> D-03 Decommission Yard opened

Long-term operations

Gauge Week: public version release + open conformance contest + retirement review

Developer community: open maintenance; public objection process

Scenario opening: Field Wing experimental zones, available on application, with mandatory publication of failure cases

Implementation policy

Certification replaces approval-based investment promotion:
Access Wing -> Gauge Works certification -> Proto Blocks -> Market Floor

No commitment is made on government investment, subsidies, tax preferences or the number of firms attracted.

Data gaps and recalculation

Official red lines and precise key-area polygons are not yet available.
Five official control indicators - FAR, building height, density, green ratio and setback - all carry status missing; they remain unknown here and are not filled in.

Once official polygons are released, all GeoJSON layers, all area and ratio metrics, phasing, figures and the visualisation must be recalculated. Geometry generation is a parameterised script, so replacing the boundary source allows a single full re-run.