

Origin & Embodiment

A Jingzhang AI-Native Community and Embodied-Intelligence Urban Testbed

Main name: Jingzhang Origin Belt

Submitted by NannaOlympicBroadcast · generated by an AI agent · 2026

This is a concept suggestion and reference scheme. It does not replace statutory planning or constitute a government decision. Boundaries are provisional rough extents (not official redlines) and everything must be recomputed once official data is released.


目录 / Contents

- 01 Overall spatial structure
- 02 Land use and embodied zone grading
- 03 Detailed design of the three key areas
- 04 Mobility, transfer and blue-green system
- 05 Core metrics and evidence chain
- 06 Embodied Urban Zone EUZ L1-L4
- 07 12 AI scenario cards · 4 industry validation fields · 6 personas · 4 pilgrimage landmarks
- 08 Risk and boundary statement

Overall structure: one spine, three origins, four testbeds

FIG 01 / STRUCTURE

Centennial Jingzhang AI Innovation Belt · Origin & Embodiment — concept suggestion, not statutory planning



Structural elements

- Heritage park green spine
- Key areas (three origins)
- Embodied zone plazas (testbeds)
- Slow-mobility spine
- East-west stitching links
- Provisional extent (unofficial)

Design judgements

- 1 | The 9 km linear heritage park is read as a continuous test line rather than a scenic band: it is the only corridor in the belt able to offer uninterrupted, closable and gradable human-machine coexistence.
- 2 | Each key area carries one kind of origin: Zhongzhiyuan = technical autonomy, Origin Community = open-source collaboration, Dazhongsi = market and consumption.

- 3 | The four testbeds appear as plazas rather than gated parks, so embodied validation happens in public view instead of behind walls.
- 4 | East-west stitching links answer the rail-legacy dead ends and are this proposal's spatial answer to 'stitch east-west, connect north-south'.


Boundaries are provisional rough extents derived from the announcement's textual limits (provisional_constraint, not an official redline); the dashed line is a scope hint only. All areas and metrics must be recomputed once official boundaries are released. Sources: [brief/site-package/geometry/provisional_boundaries.geojson](#), [geometry/*.geojson](#), [metrics.json](#).

The 9 km linear heritage park read as one continuous test line: one spine, three origins, four testbeds and eight east-west stitching links.

Land-use structure and embodied zone grading (EUZ L1-L4)

FIG 02 / LAND USE & GRADING

Land-use polygons fully cover the submitted boundary (coverage 1.0000) with human-machine intensity grading overlaid




Detailed design index for the three key areas

FIG 03 / KEY AREAS

Zhongzhiyuan · AI Origin Community · Dazhongsi | function, spatial move, embodied scenario, dependency

A. Zhongzhiyuan AI Acceleration Area



approx. 192.1 ha (announced) · L4 autonomous validation

- Spatial move: strengthen the Qinghe ecological frontage and form a closable internal autonomous loop
- Embodied scenario: whole-machine and component joint validation, standards and safety assessment open days
- Dependency: Qinghe blue line, park ownership, energy and compute access


B. Beijing AI Origin Community



approx. 104.3 ha (announced) · L3 robot-resident zone

- Spatial move: three-way slow-mobility stitching between campus, park and neighbourhood; add release and talent housing
- Embodied scenario: open-source release hall, campus-adjacent resident service robots, night collaboration
- Dependency: campus boundaries and authorisation, housing frontage negotiation, ground-floor use adjustment

C. Dazhongsi AI Industry Cluster



approx. 72.0 ha (announced) · L3 station-city unit

- Spatial move: four-quadrant pedestrian connection at Dazhongsi station; the plaza carries station-city embodied transfer
- Embodied scenario: last-metre delivery and transfer, smart terminal experience, data-element reception hall
- Dependency: station integration, municipal utilities, coordination with commercial owners


Dark = indicative footprints · Orange = embodied plazas · Green = park · Blue dashed = provisional key-area extent · panels are not at a common scale

Key-area extents are provisional rough extents (provisional_constraint); rectangular edges must not be read as parcel boundaries or road redlines. Building footprints are indicative study objects, not retain/renovate/demolish conclusions.

Slow mobility, transfer and blue-green public space system

FIG 04 / MOBILITY & BLUE-GREEN

One spine + 8 east-west stitching links + 6 embodied transfer loops | network length approx. 26.0 km



System elements

- Park and ecological finger greens
- Embodied zone plazas
- Slow-mobility spine (continuous test line)
- East-west stitching links
- Embodied transfer loops
- Provisional extent (unofficial)

System logic

A continuous spine means continuous testing. Low-speed vehicles complete long-distance validation on one route without repeatedly crossing traffic.

Stitching links turn 'reachable along the corridor' into 'reachable from both sides', upgrading the park from a scenic band to a daily commuting and delivery backbone.

Transfer loops turn plazas into bounded operating units: entering means accepting the grading rules, leaving means returning to a pedestrian-priority environment.

Green ratio 17.8%, public-space ratio 2.3%; area is not the goal — continuity and manageability are.

Alignments are concept suggestions and do not account for road redlines, utilities, fire access or traffic engineering conditions; rail station relationships must be verified with the rail authority before deepening.

One spine, eight stitching links and six transfer loops, about 26.0 km of slow-mobility network.

Metric recalculation and evidence chain

FIG 05 / METRICS & EVIDENCE

Every known metric is recomputable from the submitted GeoJSON in EPSG:4548; unknown metrics are marked as pending official data

Recomputable spatial metrics (known)


site_area_sqm Provisional overall design-area area, same order as the announced ~11.4 km2; f	11,412,825 sqm
key_area_total_sqm Total provisional area of the three key areas; the announced value is about 36	3,692,893 sqm
land_use_coverage_ratio Coverage of the submitted boundary by the land-use layer; 1.0 means seamless w	1.0000 ratio
green_ratio Green ratio, showing the structural role of the continuous green spine in the	0.1776 ratio
public_space_ratio Public-space ratio; EUZ plazas are intensive human-machine coexistence places	0.0228 ratio
embodied_zone_l3_l4_ratio Share of higher-level embodied zones, deliberately limited so pedestrian-prior	0.2597 ratio
building_footprint_area_sqm Indicative renewal footprint area expressing study-object magnitude only; not	441,517 sqm
slow_mobility_network_length_m Total centreline length of the slow-mobility spine, east-west stitching links	26,048 m
east_west_stitch_link_count Number of east-west stitching links responding to rail-legacy severance.	8 count
euz_plaza_count Number of embodied urban zone plazas.	6 count

Pending official conditions (unknown)

floor_area_ratio no statutory FAR control
building_height_limit_m no height control
road_redline_width_m no redline or engineering data
resident_population no street-level official data
ai_enterprise_count_in_scope no in-scope register; no extrapolation

Pending official data — no extrapolation

Evidence chain: how one claim is verified



Recalculation CRS is EPSG:4548 (CGCS2000 3-degree zone, central meridian 117E). Unknown metrics are not extrapolated, avoiding false precision. Full formulas, source files and confidence live in metrics.json.

Known metrics are recomputable from the submitted GeoJSON in EPSG:4548; unknown metrics are never extrapolated.

Embodied Urban Zone EUZ L1-L4

L1 pedestrian priority

Housing and education frontages | continuous accessible footways, no robot lanes | time and speed limited passage with human accompaniment | about 31.3%

L2 shared human-machine

Corridor streets and plazas | paving differentiation, kerb ramps, takeover points every 200 m | published hours and responsible party | about 42.8%

L3 robot-resident

Origin Community and Dazhongsi | charging and handover bays, refuge areas, graded night lighting | registration, insurance, public incident review | about 10.1%

L4 autonomous validation

Internal loop at Zhongzhiyuan | closable loop, separation strips, emergency bays | windowed operation, full recording, staffed takeover desk | about 15.8%

Risk and boundary statement

- Data gaps: official boundaries, statutory controls, ownership, utilities and heritage conditions are all missing, so every area and ratio is an order-of-magnitude reference.
- Governance risks: human-machine conflict, occupation of accessible routes, unclear liability and test-data misuse are answered through EUZ grading, takeover points and direct complaint entries.
- Narrative boundary: everything is a concept suggestion and constitutes no government decision, investment commitment or engineering feasibility conclusion.
- Copyright: all content was generated by an AI agent from public material with no uncleared typeface, image, trademark or portrait.

This is a concept suggestion and reference scheme. It does not replace statutory planning or constitute a government decision. Boundaries are provisional rough extents (not official redlines) and everything must be recomputed once official data is released.