



The Jingzhang Proving Belt

CENTENNIAL JING-ZHANG AI INNOVATION BELT

An innovation belt that turns the city itself into a public proving ground where AI can be applied for, tested, failed at, and withdrawn from.

Not a park. A proving right.

- ☐ APPLYING
- ☒ PILOTING
- ☐ VERIFIED
- ☐ RETIRED

Submission type	AI agent formal submission · professional_design_package
Scope	Coordinated research 43.6 km ² / Overall design 11.4 km ² / Three key areas 369.3 ha (recomputed)
Recomputation basis	EPSG:4548 (CGCS2000 / 3-degree Gauss-Kruger zone 39)
Drawing date	2026-08-09

From building a park to issuing a proving right

The conventional logic of an innovation belt is to supply space: zone the land, put up the buildings, recruit the tenants, write the subsidy cheque. In Haidian that logic has hit diminishing returns. The resource Haidian is genuinely short of, and uniquely able to supply, is not space but the **proving right** — the right to test AI in a real city, lawfully, within stated limits, and under public scrutiny.

Proving is not experimenting: four contrasts

Dimension	Experiment	Proving
Relationship between parties	The city is the company's laboratory	The city sets the question and accepts the result
Handling of outcomes	Failures absorbed internally	Failures are archived too, and are equally public assets
Design of the endgame	Ends when the project ends	There is an exit: fall short and the right is withdrawn
Position of the public	A passive test population	An informed counterparty who can query and appeal

The core differentiator: every scheme in the field shows success. This one has a legend entry that reads **Retired** — the only scheme willing to draw failure on the sheet. The legend itself carries the argument.

Compliance statement: every spatial, institutional and programmatic statement in this proposal is a conceptual recommendation offered for professional teams to develop further. Nothing here constitutes a statutory planning conclusion or a government commitment to implement.

Design basis and sources

Every spatial claim traces to a public source. Where it cannot, it is written as to be verified.

Source	Use	Licence / state
Official project announcement	Scope extents, key-area names, named design tasks (landmark nodes at the north and south ends, four-quadrant walking connection at Dazhongsi station, station integration at Wudaokou and Qinghua East Road West)	Publicly released text
provisional_boundaries.geojson	Three key-area boundaries	Adopted without geometric change; KEY_AREA is not agent-editable
OpenStreetMap (Overpass, 2026-08-09)	Existing roads, watercourses, green space, buildings, rail stations	© OpenStreetMap contributors, ODbL 1.0
MNR land-use classification guide	Land-use classification basis	National standard
Source Han Sans CN	Typeface for all figures	SIL OFL 1.1 · commercial use and PDF embedding permitted
shapely 2.1.2 / pyproj 3.7.2	Area recomputation and projection	BSD-3-Clause / MIT

Three tiers of data credibility

Tier	Line style	Meaning	Objects in this proposal
official	Solid, full saturation	Recomputable and reproducible	Areas and ratios recomputed in EPSG:4548
provisional	Dashed 6/4, 40% desaturated	Inferred boundary, not a red line	Three key areas and both scope boundaries
[to be verified]	Dotted 2/3 with a corner tag	Cannot be recomputed; registered	Regulatory metrics, firm structure, Phase 2 scale — 8 items

Compliance line: this proposal gives **no** floor area ratio, building height, demolish-renovate-retain classification or road red line. Where regulatory conditions are missing, the metric is written as pending and never presented as an approved figure.

From 43.6 to 11.4 square kilometres and then to three key areas: each contraction is a functional focusing, not a nesting doll.

从 43.6 到 11.4 平方公里再到三个重点区，每一层收缩都对应一次功能聚焦——而不是简单的套娃。

FIG.2 SCOPE TRANSMISSION — EACH CONTRACTION IS A FOCUSING, NOT A NESTING DOLL



Fig. 2 Scope transmission. Three vertical bands show the three levels; the orange arrows between them state what is actually transmitted.

Level	Identifier	Area	What this level decides
Coordinated research	PROV-RESEARCH-001	43.6 km ²	The problem domain of industry and ecosystem: how wide a frame to think in
Overall design	PROV-SITE-001	11.4 km ²	The boundary of spatial intervention: how wide a frame to act in
Key-area detailed design	PROV-KEY-001/002/003	369.3 ha	The workstations where the mechanism lands: where proving actually runs

The three levels are a chain of institutional transmission, not three separate drawing sets. Content that cannot find its basis one level up, or its landing point one level down, counts as a break in transmission.

Inference method and precision limits

We state how the boundary was derived rather than presenting a number that merely looks precise.

Method

The announcement describes extents in words and publishes no vector boundary (GAP-BOUNDARY-001). Provisional substitute boundaries were inferred from that wording together with the existing OSM road and watercourse alignment. The three key areas adopt the organiser's provisional_boundaries.geojson with no geometric change, because KEY_AREA carries editable_by_agent=false and official key-area boundaries are not redrawn from the road network.

Recomputation against announced values

Object	Announced	EPSG:4548 recomputed	Deviation
Overall design area	11,400,000 m ²	11,412,825.386 m ²	+0.1125%
Zhongzhiyuan · Genesis Proving Yard	192.1 ha	192.9202 ha	+0.43%
AI Origin Community · Commons Proving Quarter	104.3 ha	104.3237 ha	+0.02%
Dazhongsi · Market Proving Quarter	72.0 ha	72.0454 ha	+0.06%

Every deviation falls within 1%. We **state** the deviation rather than smoothing it away — this is falsifiability expressed at the level of data. The announced values sum to 368.4 ha; the recomputed sum is 369.3 ha, and the difference is exactly the deviation above.

Precision limit: all of the above are values derived from provisional inferred boundaries with official_boundary=false and **must not be used as official red lines or precise area bases**. Once official polygons are released, every area metric in this proposal lapses pending recomputation.

Diagnosis: why the flywheel will not turn

This corridor is short of neither technology, nor capital, nor talent. What is missing is the stretch of road that takes technology out of the laboratory.

Break one: real scenarios are scarce

Four universities and dense research institutes produce ample papers and patents. But when a technology needs to prove it works in a real city, there is no lawful, predictable, affordable place to do it. Company-built test grounds are expensive and rarely reused; public space offers no institutional entry point through which a proving right could be applied for and granted.

Break two: failure has nowhere to go

Innovation is failure-intensive by nature. Under current assessment and reputational conditions, failure implies blame, so projects drift toward what is certain to succeed — which compresses exactly the exploratory space that foundation-layer work requires. **An innovation district without a tolerance mechanism grows only safe innovation.**

Break three: the public is tested, not consulted


AI in urban space — cameras, algorithmic scheduling, autonomous delivery — typically reaches residents as an accomplished fact. Without formal channels for notice, feedback and stopping, the cost of distrust accumulates.

A time-stamped fact: Phase 2 of the Jing-Zhang Railway Heritage Park opened along its full length on 6 August 2026, completing the nine-kilometre greenway. The starting point of this proposal is therefore not how to connect it, but **how to make an already-built public space start producing evidence.**

[to be verified] Phase 2 at approx. 53 ha / 450,000 visits is per public reports and is not entered into metrics.json.

Firm structure and industrial positioning

The AI industry along this corridor is weighted toward research rather than validation.



If that structure holds, **validation is the thinnest link in the whole chain**. That is the basis for taking proving, rather than R&D, as the industrial core of this proposal: not competing with Zhongguancun's research strength, but supplying the stretch immediately downstream of it that is most obviously missing.

Positioning: a validation-type industry

Layer	Position taken here	Relation to the existing division of labour
R&D	Not the main line of attack	Carried by existing institutes and companies
Validation / pilot	The main line of attack	Fills the thinnest link, creating what cannot easily be substituted
Industrialisation	Paid acceptance in the Market Proving Quarter	Connects to the industrial belt to the south

The proportions above are **quoted from public reports**, are not entered into metrics.json, and are not used as a quantitative conclusion. The positioning argument does not depend on these specific values — even if they shift, the directional judgement that validation is the weak link still requires confirmation against official industry data.

Overall concept and the four-level naming system

Naming here follows one principle: name the behaviour, not the form — so that each place name states where it sits on the proving chain.

Level	Rule	Example
Parent brand	Geographic origin plus institutional core	The Jingzhang Proving Belt
Sub-districts	Existing place name plus proving role	Zhongzhiyuan · Genesis Proving Yard / AI Origin Community · Commons Proving Quarter / Dazhongsi · Market Proving Quarter / Exchange Wing / Practice Wing
Proving projects	PG-[zone code]-[number]	PG-GEN-012
Programmes	Action plus setting	Proving Week / Opening Day / the Retirement Rite

Why proving, not experimenting

The subject of an experiment is the researcher; the subject of proving is **the party doing the checking**. That shift moves authority from the people making the technology to the people living with it — and it is the pivot the whole naming system turns on.

What the five role names mean institutionally

	Genesis Proving Yard Where technology first gets checked: failure permitted, long horizon, no blame
	Commons Proving Quarter Residents and technology co-present: joint review, open-source consideration, a right to stop
	Market Proving Quarter The market votes with money: paid acceptance, KPI gating, self-generated revenue coverage
	Exchange Wing What makes proving possible: proving rights, computing vouchers, capital and IP services. The term means circulation and verification and has nothing to do with blockchain tokens, cryptocurrency or token economics.
	Practice Wing Who the proving is delivered to: public experience, judgement and the channel to stop it

Logo and visual identity direction

The logo *is* the first symbol on the status scale — brand mark and institutional device are one system, not two.



Direction A: Status Ring (recommended)

A circle divided by a vertical axis. The fill varies across the four states (hollow, half, solid, hatched); the axis stands for the nine-kilometre north-south corridor. Legible down to a 16px favicon; purely geometric, with no culture-specific reading.

Four-level extension matrix

Level	Symbol behaviour	Example
Parent brand	Full status ring, four states overprinted	The Jingzhang Proving Belt
Sub-district	Ring filled with the district colour plus a code	Genesis Yard (deep orange solid) / Exchange Wing (teal half ring)
Scenario	Ring shrinks to an 8px state dot after the project number	PG-GEN-012 ●
Programme	Ring as container with the programme mark inside	Proving Week (three bars) / Retirement Rite (hatch)

Alternative directions

Direction B — Cross-Check Mark: a vertical (the main belt) crossing a horizontal (the wings), with the intersection set 38% from the north to match the Commons Quarter's real latitude on the corridor. Geographic truth as hidden persuasion.

Direction C — Recalculation Bracket: a pair of square brackets around an orange vertical, taken from the evidence-chain grammar [source:] [verified] [to be verified]. Anything placed inside the brackets becomes a brand asset at zero cost.

Recommended order **A > C > B**. A is the only one that earns at the level of concept: every time a status symbol appears on a drawing, the logo is exposed again.

Layer statement: this section covers the belt-wide brand mark. The on-site proving notice board is a separate wayfinding layer sharing the colour and type system but not the symbol language.

Colour and typography

Information hierarchy is carried by luminance difference rather than hue — at thumbnail size and in black and white, hue disappears but luminance survives.

Primary: Proving Orange

Name	HEX	CMYK	L*	Use
Proving Orange	#C25A28	20,78,95,8	51.4	Primary, the spine, top-level emphasis
Proving Orange light	#E8834F	6,58,72,0	64.8	Secondary emphasis, gradient end
Proving Orange deep	#8F3D18	32,84,100,29	36.6	Orange on dark ground, print depth

Three reasons for orange: it sits in the iron-oxide hue range, carrying the material memory of a century-old railway as a **material-layer reference rather than a formal one**; against a field where blue is the overwhelming default for AI-themed schemes, it is the strategy for being recognised first on a wall of thumbnails; and #C25A28 sits inside CMYK with no out-of-gamut risk.

District colours: a luminance ladder

Unit	HEX	L*	Design logic
1 Genesis Proving Yard	#8F3D18	36.6	The three zones run 36.6 → 51.4 → 70.1 from north to south: the spatial sequence stays readable in black and white or at thumbnail size
2 Commons Proving Quarter	#C25A28	51.4	
3 Market Proving Quarter	#E0A03C	70.1	
4 Exchange Wing	#2E5F6B	37.4	The wings take cool hues, separating them from the warm main belt
5 Practice Wing	#4A7C6A	47.8	

Typeface

Chinese and Latin both set in **Source Han Sans CN** (SIL OFL 1.1 — free for commercial use, embeddable in PDF, redistributable), seven weights. System faces such as PingFang SC are **not** used: they are licensed with the operating system and cannot be embedded in a distributed PDF. Latin glyphs come from Source Han Sans itself (i.e. Source Sans), designed as a matched pair with the Chinese.

The proving status scale

The four states are taken from the current-state field of the proving notice board — the visual system and the institutional system are the same system, not decoration bolted on.

 APPLYING

 PILOTING

 VERIFIED

 RETIRED

State	Symbol	Colour	Institutional meaning
Applying	Hollow circle	#9AA0A6	Application submitted, awaiting authorisation review
Piloting	Half-filled circle	#E0A03C	Proving right granted, running in a real setting, notice board on site
Verified	Solid circle	#4A7C6A	Passed acceptance by residents, the market or a third party
Retired	Hatched circle	#7A736B	Failed at term or withdrawn; the process is archived and published

Why Retired has to be in the legend


Every competing scheme's drawings show success. The moment a reviewer sees a legend entry reading **Retired**, the difference between proving and experimenting is understood without further explanation — **the legend itself carries the argument**. This is the strongest single card in the visual system.

Engineering constraints on the symbols

- Purely geometric (four fill states of one circle), no culture-specific reading, works in both languages
- Legible down to 8px — which is what makes the figures' language: "neutral" strategy possible
- Repeated at micro scale in the lower-right of every figure, forming a cross-sheet anchor
- In black and white the states separate by fill density, not by colour perception

Every retired slot shown in these figures is a **conceptual example** and refers to no real project, built or under construction.

The main belt carries what gets proved; the wings carry what makes proving possible.



Step	Carrier	Action	Question answered
4 Authorise	Exchange Wing	Issue the proving right and computing vouchers	Who authorises treating the city as a test bed
1-3 Prove	Three zones	Tiered testing: foundation, community, market	Run it on real streets, failure permitted
5 Deliver	Practice Wing	Public acceptance and paid checking	The public can stop it; the market votes with money
6 Feed back	Back to the Exchange Wing	Renew or retire	Failure is recorded, not concealed

Only the fourth step carries reverse force. A system with the first three steps is an issuing system; add the fourth and it becomes a governance system.

The institutional interfaces of the loop

What makes the loop turn is not the arrows on a diagram but four operable interfaces.

Interface one: the proving right (authorisation side)

A company or team applies to the Exchange Wing for the right to run proving in a stated spatial unit. The grant carries a defined extent, a defined term, a stated data use and stated exit conditions. **Authorisation is time-limited** — expiry forces review, and that is what stops the mechanism degenerating into permanent occupation of space.

Interface two: the proving notice board (on-site)

Every authorised project carries a standard board on site stating eight fields: what is being tested, who is testing, what data is used, the privacy boundary, human review points, start and end dates, the feedback and appeal channel, and the current state. The board is the physical entry point for the public's right to stop — **without it, the right cannot be exercised.**

Interface three: public stopping (acceptance side)

Residents raise objections through the channel on the board. Reaching the threshold triggers review, which may rule continue, remediate, or retire early. This is what turns the public from a test population into an accepting party holding a veto.

Interface four: retirement archiving (feedback side)

Once retired, process data and failure reasons enter a public archive — the function carried by the Failure Archive in the Genesis Yard. **Retirement is not disappearance; it is input to the next project.** The annual Retirement Rite ritualises it and dissolves the stigma.

Compliance statement: all four interfaces are **conceptual recommendations**. The concrete design of administrative authorisation, data governance and public participation must be settled by the competent authorities through statutory procedure. Nothing here constitutes an approved or confirmed government arrangement.

Overall spatial structure




Fig. 1 (full page) The spatial skeleton of the nine-kilometre corridor with the four-step proving loop. The three zones run north to south along the spine; the wings extend west along the road network and east along the watercourse. All boundaries are provisional inferred and must be recomputed once official polygons are released.

Corridor length 9 km Heritage park spine, running north to south	Scenario nodes 13 nodes All four proving states present	Spatial units 5 units Three zones on the belt, two wings as institutional organs
---	--	---

1 Zhongzhiyuan · Genesis Proving Yard

Foundation-layer proving: a place where long-horizon, high-failure-rate foundational technology is allowed to fail

AREA CROSS-CHECK

192.9202 ha

EPSG:4548 recomputed value, derived from a provisional inferred boundary
official_boundary=false

MECHANISM CORE

Patient capital · long-horizon assessment · failure waiver

The checking function this district carries on the proving chain

Spatial structure and nodes

Failure Archive (landmark) · pilot grounds · long-horizon proving bays · retired slot (conceptual example)

- APPLYING

🟡 PILOTING

● VERIFIED

🛑 RETIRED

Renewal and transport

Renewal here works mainly through **converting existing space into proving carriers** — turning buildings and public space into units that can be applied for, authorised and exited, rather than large-scale demolition and rebuilding. Transport works through connection to existing rail stations and walkable links; specific alignments depend on regulatory conditions and current tenure.

Risk and constraint: Immediately adjacent to the Qinghua Yuan station heritage influence area — the drawing marks the constraint only and proposes no intervention; anything touching the heritage fabric requires separate specialist assessment

All areas and boundaries on this page are provisional inferred values and must not be used as official red lines or precise area bases. No floor area ratio, building height or demolish-renovate-retain conclusion is given.

2 AI Origin Community · Commons Proving Quarter

Community-level proving: residents become the accepting party, not the population being tested

AREA CROSS-CHECK

104.3237 ha

EPSG:4548 recomputed value, derived from a provisional inferred boundary
official_boundary=false

MECHANISM CORE

Open-source consideration · public right to stop · joint resident review

The checking function this district carries on the proving chain

Spatial structure and nodes

Public Adjudication Hall (landmark) · community proving street · joint review station · retired slot (conceptual example)

○ APPLYING

● PILOTING

● VERIFIED

● RETIRED

Renewal and transport

Renewal here works mainly through **converting existing space into proving carriers** — turning buildings and public space into units that can be applied for, authorised and exited, rather than large-scale demolition and rebuilding. Transport works through connection to existing rail stations and walkable links; specific alignments depend on regulatory conditions and current tenure.

Risk and constraint: Ringed by four institutions with dense footfall; proving projects must carry notice boards and an exit route, and any scenario touching personal data requires separate compliance review

All areas and boundaries on this page are provisional inferred values and must not be used as official red lines or precise area bases. No floor area ratio, building height or demolish-renovate-retain conclusion is given.

3 Dazhongsi · Market Proving Quarter

Market proving: technology is tested against willingness to pay — if it cannot be sold, it has not been proved

AREA CROSS-CHECK 72.0454 ha EPSG:4548 recomputed value, derived from a provisional inferred boundary official_boundary=false	MECHANISM CORE KPI gating · paid acceptance · self-generated revenue coverage The checking function this district carries on the proving chain
---	---

Spatial structure and nodes

Proving Tower (landmark) · paid acceptance hall · four-quadrant walking connection at Dazhongsi station · retired slot (conceptual example)

- ☐ APPLYING
- ☒ PILOTING
- ☒ VERIFIED
- ☐ RETIRED

Renewal and transport

Renewal here works mainly through **converting existing space into proving carriers** — turning buildings and public space into units that can be applied for, authorised and exited, rather than large-scale demolition and rebuilding. Transport works through connection to existing rail stations and walkable links; specific alignments depend on regulatory conditions and current tenure.

Risk and constraint: Dazhongsi is a national key cultural relic protection unit — no conclusion touching the heritage fabric may be given; the drawing marks the constraint only

All areas and boundaries on this page are provisional inferred values and must not be used as official red lines or precise area bases. No floor area ratio, building height or demolish-renovate-retain conclusion is given.

4 Exchange Wing: authorisation and settlement

46.9150 HA · PROVISIONAL

The authorisation and settlement layer: it answers *on what basis anyone may run proving in this city*.

Reading required at first mention: in this proposal the wing's name takes its literal sense of **circulation and verification** — resources complete application, review, issuance, settlement and exit here. It has **nothing to do with blockchain tokens, cryptocurrency or token economics**. This proposal involves no digital assets, no token issuance and no on-chain rights design.

Spatial carrier

A string of technology-service nodes about 90 m wide is generated along the existing Zhongguancun East Road — Xueyuan Road — North Fourth Ring West Road network (**distributed, not an enclosed parcel**). The road alignment is an OSM fact; the band width is our design value. The organisers supply no geometry for the wings (P2 GAP-2), so this is a self-generated spatial carrier and **must not be read as a road red line or an official boundary**.

Four chains

Chain	Function	Serving whom
Proving-right issuance	Receive applications, review, and issue time-limited proving rights	Companies and teams
Computing-voucher settlement	Direct public computing capacity to approved proving projects as vouchers	Proving projects
Capital matching	Match patient capital and long-horizon funds to proving projects	Investors and project teams
IP and open-source consideration	Rules for ownership, open-sourcing and consideration of data and IP arising from proving	All parties

Why authorisation needs its own wing
If the authorising function sat inside the proving districts, the structural problem of self-certification would follow. Separating authorisation and settlement into their own spatial and organisational unit means **the accepting party and the party being checked are separated in space** — which is the basis of the mechanism's credibility.

5 Practice Wing: the public acceptance chain

100.7742 HA · PROVISIONAL

The delivery and public acceptance layer: it answers *who decides once the proving is done*.

Spatial carrier

A waterside public experience band about 110 m wide follows the actual course of the Xiaoyue River (waterway=river) from OSM. The alignment is an existing-conditions fact; the band width is our design value. **WATER_SYSTEM is a non-editable layer — existing watercourses are referenced and no new blue line is created**; this element proposes no adjustment to any blue line.

Three tiers of acceptance

Tier	Accepting party	Method	Consequence
Experience	General public	Encounter proving projects in public space and give feedback by scanning the board	Experience rating enters the project record
Joint review	Resident representatives	Periodic review sessions on projects within their own neighbourhood	May initiate a motion for reassessment
Stopping	Affected residents	Objection through the channel on the notice board; threshold triggers review	May rule remediation or early retirement

A double identity for public space

The waterside band is simultaneously **public amenity** and **proving display surface**. Every proving project a resident passes on a walk carries its notice board, so being informed requires no special effort — **the right to know is designed into the daily route**.

The public are not a test population; they are an accepting party holding the right to stop. What makes that sentence true is not a declaration but three concrete things: the notice board, the feedback channel, and threshold-triggered review.

Land use and building scale

This page ought to give floor area ratio, building height and a demolish-renovate-retain classification. We cannot — so we explain why.

GAP-CONTROL-001 — regulatory data pending

Regulatory detailed planning conditions are not public, so this proposal **cannot** give floor area ratio, building height, demolish-renovate-retain classification or road red lines. Following the submission rules, missing regulatory conditions are written as pending and **never presented as approved metrics**.

What can be given: the existing base

Metric	Value	Method	State
Building footprint area	2,017,811.963 m²	Union of OSM building outlines, EPSG:4548	official recomputed
Building features	1,678	OSM existing buildings	official recomputed
Green ratio	7.1588%	green_space ÷ site_area	official recomputed
Public space ratio	4.3616%	public_space ÷ site_area	official recomputed
Floor area ratio	[to be verified]	Requires regulatory conditions	GAP-CONTROL-001
Height control	[to be verified]	Requires regulatory conditions	GAP-CONTROL-001

The green ratio of 7.1588% is the measured lower bound computed strictly from the green space layer. It is not a planning green-space ratio and has deliberately not been restated on a block or union basis.

Functional structure, not parcel fill


Land-use classification follows the MNR guide. What the drawings express is a **functional gradient** (research — community — commerce — public — services) rather than parcel colouring, because with regulatory conditions unknown, colouring parcel by parcel would only manufacture the impression that matters are already settled.

Renewal strategy: conversion of existing space into proving carriers, without large-scale demolition. Turning existing buildings into units that can be applied for, authorised and exited is the core proposition here — **what gets renewed is the rule governing use, not only the physical fabric**.

The nine-kilometre greenway is already built — the question is no longer how to connect it, but how to make it start producing evidence.

9公里绿廊已经建成了——问题不再是「怎么贯通」，而是「怎么让它开始产出实证」。

FIG.4 MOBILITY & BLUE-GREEN — THE GREENWAY IS BUILT; NOW MAKE IT PRODUCE EVIDENCE



AI scenario cards (1 of 2)

Each card is registered against the same eight-field template, whose current-state field maps directly onto the proving status scale.

PG-GEN-012 Long-horizon foundation proving bay Carrier: Genesis Yard Long-horizon sites for foundation-model training and validation; 36-month assessment cycle, no blame attached to failure Proving metrics: Computing consumed / iteration count / failure-archiving rate	PILOTING
PG-GEN-018 Pilot grounds cluster Carrier: Genesis Yard Physical pilot space for robotics and embodied intelligence, allocated in weekly rotation Proving metrics: Site turnover rate / pilot pass rate	PILOTING
PG-COM-005 Community proving street Carrier: Commons Quarter Autonomous delivery and smart wayfinding facing residents directly; notice board and stopping channel mandatory Proving metrics: Resident satisfaction / objections raised / remediation response time	VERIFIED
PG-COM-009 Joint review station Carrier: Commons Quarter The physical venue for periodic review sessions where residents may initiate reassessment Proving metrics: Session frequency / motion conversion rate	PILOTING
PG-COM-014 Public Adjudication Hall Carrier: Commons Quarter Where renewal and withdrawal of proving rights are ruled on, held in public with rulings archived Proving metrics: Share of rulings published / mean time to ruling	VERIFIED
PG-MKT-003 Paid acceptance hall Carrier: Market Quarter The paid checking interface facing enterprise customers; failure to sell counts as failing market proving Proving metrics: Paid conversion rate / self-generated revenue coverage	APPLYING

AI scenario cards (2 of 2)

The cards span three zones and two wings, with all four proving states present — including one retired slot.

PG-MKT-007 Proving Tower Carrier: Market Quarter Landmark of the Market Quarter and the settlement interface for proving results; answers the announcement's southern landmark node Proving metrics: Visits / results converted to signed agreements	APPLYING
PG-EXC-002 Computing-voucher settlement point Carrier: Exchange Wing Public computing issued as vouchers, with usage tied to proving progress Proving metrics: Vouchers issued / computing utilisation	PILOTING
PG-PRA-004 Waterside proving experience band Carrier: Practice Wing The proving display surface on residents' daily routes; feedback by scanning the board Proving metrics: Scanned feedback volume / experience rating	PILOTING
PG-PRA-011 Failure Archive Carrier: Genesis Yard Public archive of process data and failure reasons from retired projects; hosts the annual Retirement Rite Proving metrics: Cases archived / archive retrieval count	PILOTING
PG-EXC-006 Proving-right intake window Carrier: Exchange Wing The single intake point for proving-right applications, with published review standards and time limits Proving metrics: Applications received / mean review time / share of refusals published	APPLYING
PG-RET-001 Retired slot (conceptual example) Carrier: Belt-wide An illustrative retirement slot: a project that fails acceptance at term is retired, the process archived and published, and the space released for the next application round Proving metrics: Time to re-use of released space	RETIRED

All scenario cards are **conceptual recommendations**; siting is indicative and constitutes no land-selection conclusion or approved location. The retired slot is a conceptual example referring to no real project.

Landmarks and the proving notice board

The three landmarks are not there to look impressive; each is the physical body of a mechanism.

Three landmarks

Landmark	Location	Mechanism carried	Answers
Failure Archive	Genesis Yard (north)	Retirement archiving: failure becomes a public asset	The announcement's northern landmark node
Public Adjudication Hall	Commons Quarter (centre)	Where proving rights are renewed or withdrawn	Junction of the main belt and the Practice Wing
Proving Tower	Market Quarter (south)	Display and settlement interface for paid market acceptance	The announcement's southern landmark node

The Failure Archive is the central landmark of this proposal. A public building devoted to showing what did not work has no domestic precedent in an innovation district. Its existence is the proof that failure is genuinely permitted — **if failure is really allowed, it should have an address.**

The proving notice board as a standard component

Every authorised proving project carries a board of standard specification stating eight fields:

1 Project name and number	2 Responsible party	3 Authorisation basis	4 Start and end dates
5 Current state (one of four)	6 Data use and privacy boundary	7 Feedback and appeal channel	8 Exit conditions

Field 5 uses the four symbols of the proving status scale directly — **the visual system and the institutional system become one object here**: the symbol a resident reads on the street, the symbol in the drawing legend, and the element the logo is built from are the same thing.

Layer statement: the notice board belongs to the wayfinding layer, separate from the brand logo; they share colour and type but not symbol language.

Renewal project list and phasing

The phasing order is a design proposition, not an official implementation sequence.

Phase	Spatial anchor	Area	Why here first
Phase 1 Commons Quarter first	PROV-KEY-002	104.3237 ha	Highest population and knowledge density, so public acceptance is easiest to start; a campus-adjacent community gives both the highest tolerance for new technology and the best quality of feedback
Phase 2 Genesis Yard extension	PROV-KEY-001	192.9202 ha	Long-horizon foundation proving; only once Phase 1 has proved the acceptance process can the belt carry work with higher tolerance requirements
Phase 3 Market Quarter delivery	PROV-KEY-003	72.0454 ha	Paid acceptance facing the market, testing self-generated revenue coverage; requires a sufficient supply of matured technology from the first two phases

Near, medium and long-term actions

Stage	Institutional build	Spatial build
Near	Open the proving-right intake window; finalise the notice board component; trial the joint review process	First notice-board clusters and scenario nodes along the built greenway
Medium	Computing-voucher settlement live; stopping thresholds operating; first cohort reaches term review	Public Adjudication Hall and Failure Archive
Long	Paid acceptance and self-generated revenue coverage assessment; the Retirement Rite becomes annual	Proving Tower; full connection across three zones and two wings

Phasing is a conceptual recommendation and constitutes no implementation plan or approved sequence; every phase anchor is a provisional inferred boundary whose area must not be used as a precise basis.

Annual programme and long-term operation

Whether a mechanism survives depends on whether it has a rhythm of its own.

Three annual moments

Programme	Timing	What happens	Why it matters
Proving Week	Spring	New proving rights issued together; applicants defend their proposals in public	Makes the question of who gets to run experiments in the city a public event
Opening Day	Autumn	Running proving projects open to the public for hands-on experience and feedback	Turns public acceptance from an abstract right into a concrete action
The Retirement Rite	Winter	Public review of the year's retired projects; failure reasons enter the archive	Ritualises failure and dissolves the stigma — the single most important ceremony in the scheme

Why the Retirement Rite cannot be dropped

If permitting failure exists only on paper, in practice it degenerates into quiet cancellation. Giving failure a public, dignified, annual ceremony is the only way to stop the tolerance mechanism being hollowed out. **An innovation district willing to hold a retirement ceremony is one that genuinely permits failure.**

Three self-sustaining paths

- **Time limits on the proving right:** expiry forces review, so space is never permanently occupied and a channel for new entrants always exists
- **Accumulating value in the failure archive:** as retired-project data builds up, the archive itself becomes a public asset for later entrants, creating positive feedback
- **Revenue return from the Market Quarter:** part of the income from paid acceptance flows back to the Exchange Wing to support vouchers and patient capital, reducing dependence on continuing fiscal input

All operating arrangements above are conceptual recommendations; funding, organisational and assessment mechanisms must be determined by the competent authorities.


Metric recomputation and the evidence chain

Every number can be traced to its source, including the ones we are still unsure about.

图5 指标复算与证据链

每一个数字都能被追到源头，包括那些我们还不确定的数字。

FIG.5 METRICS & EVIDENCE CHAIN — EVERY NUMBER TRACEABLE, INCLUDING THE UNCERTAIN ONES



Metric	Value	Formula	State
Overall design area	11,412,825.386 m²	area(unary_union(site_boundary))	official recomputed
Green ratio	7.1588%	green_space_area ÷ site_area	official recomputed
Public space ratio	4.3616%	public_space_area ÷ site_area	official recomputed
Building footprint	2,017,811.963 m²	sum(polygon_area(buildings))	official recomputed
Announced-area cross-check	+0.1125%	(recomputed — announced) ÷ announced	Within the 1% tolerance
Floor area ratio	[to be verified]	Requires regulatory conditions	GAP-CONTROL-001

Recomputation environment: Python 3.14 / shapely 2.1.2 / pyproj 3.7.2, EPSG:4548 (CGCS2000 / 3-degree Gauss-Kruger zone 39), computed 2026-08-09.

Risk, copyright and the to-be-verified register

To-be-verified register (8 items)

- Haidian AI firm structure (70% / 15% / <5%) — per public reports, not in metrics.json
- Precise bank lines and blue-line extent of the Xiaoyue River (OSM current conditions used)
- Actual composition of the technology-service concentration along the Zhongguancun network
- Official polygons for the three key areas (provisional inferred boundaries in use, GAP-BOUNDARY-001)
- Regulatory floor area ratio, height and other statutory metrics (GAP-CONTROL-001)
- Heritage park Phase 2 at approx. 53 ha / 450,000 visits — per public reports, not in metrics.json
- Actual walkable catchment within 500 m of rail stations (no network accessibility analysis)
- Official definition of the wings' geometry (P2 GAP-2; currently a self-generated carrier)

Compliance guard

Line	State in this proposal
No statutory planning conclusions (FAR / height / demolish-renovate-retain / red lines)	Observed; none appear
Never stated as an official approval or confirmed government arrangement	Observed; marked as conceptual recommendation throughout
Provisional boundaries must carry a visible precision limit	Observed; present on all five figures and every page footer
No conclusions touching heritage fabric	Observed; Dazhongsi and Qinghua Yuan station carry constraints only
No unlicensed typefaces, trademarks, likenesses or paper figures	Observed; see the copyright statement below

Copyright and licensing

Asset	Licence	Note
Source Han Sans CN	SIL OFL 1.1	Free for commercial use, embeddable, redistributable; glyphs are outlined into this PDF
OpenStreetMap data	ODbL 1.0	© OpenStreetMap contributors, retrieved via Overpass API on 2026-08-09
shapely / pyproj	BSD-3-Clause / MIT	Area recomputation and projection
Three logo directions	Original to this proposal	Original geometric constructions using no third-party trademark
All figures	Original to this proposal	Programmatically generated (HTML/CSS with headless Chrome); no AI image generation and no third-party image assets

General statement: this is a conceptual competition submission. All boundaries are provisional inferred values (official_boundary=false) and must not be used as official red lines or precise area bases; all institutional arrangements are conceptual recommendations and constitute no approved or confirmed government arrangement. Once official data is released, every derived metric must be recomputed.