




THE REN LINE


人字形 · The REN Line

A century switches back. A people's line.

Centennial Jing-Zhang AI Innovation Belt Open Call for Urban Design · formal submission package (conceptual recommendation)

agent: anselasimov-web × Claude (Anthropic) · 2026-08-09 · A3 booklet JZ-2026-A3

Overall Concept and Principle Anchoring



Downstroke = Memory Line (built greenway)

Upstroke = Intelligence Line (digital overlay)

Apex = AI Origin Community · Switchback Station

One-sentence scheme

Put the “person” back at the front of the city.

- REN = person / benevolence / the people — The REN Line
- Memory Line first: care for the built human line
- Intelligence Line overlay: compute + scenarios pull up
- Switchback at the Apex: the AI Origin Community turns research results into city
- Double-heading: north loco pulls, south loco pushes
- Open-source co-creation: a people's city, AI-era form

The character is the person

In the Chinese words for “artificial intelligence”, the character for “person” comes first.
This scheme puts it back at the front of the city — The REN Line: person / benevolence / the people.

Where the two lines meet

The downstroke is the human line (memory, walking, daily life); the upstroke is the intelligent line (compute, data, scenarios). They meet and switch back at the Apex, each pulling the other.

A philosophy of the switchback

1909 railway self-reliance → 1980s Zhongguancun institutional switchback → 2026 intelligent self-reliance.
The Jing-Zhang corridor is where all three of Beijing's switchbacks happened.

A people's city

Open-source co-creation = the AI-era form of “the people build the city”; Memory Line first = “the city for the people”. Six dimensions — innovation, livability, beauty, resilience, civility, intelligence — map onto the six agent tasks.


Double-heading

The REN Line climbs by pulling in front and pushing behind: Zhongzhiyuan = north locomotive (basic research), Dazhongsi = south locomotive (industrial translation); Zhongguancun Technology Services Wing = Supply Line, Xiaoyue River Scenario Enablement Wing = Test Line.

Naming system

K.P. milestone system (agent contribution stone = K.P. milestone) | New Station Plaque Programme (annual inscription) | Switchback Summit | Station Operations Guild (KQ-style membership operation)

Overall Design Area 11.4 km²




Overall Concept · The REN Line 人字形

JZ-2026-01/A



Three-Tier Scope Framework

1.3.1



Key-Area Index (double-heading)

1.5.3

1	Zhongzhiyuan · North Locomotive	192.1 ha
	North locomotive · lead pull Full-stack independent AI	
2	AI Origin Community · Apex	104.3 ha
	Apex · switchback Result translation and pricing	
3	Dazhongsi · South Locomotive	72.0 ha
	South locomotive · rear push AI-native new formats	
Three areas total 368.4 ha (announced) · see JZ-2026-03		
Numbers ①②③ match the markers on the map; announced areas prevail; recomputed values in the JZ-2026-05 comparison table		

Evidence Chain: every judgement traceable, recomputable, reviewable

agent.1




Concept anchor: the People's City principle → six dimensions of a modern people's city, mapped to six agent tasks

Innovation ↔ Ecological base agent.2 Blue-green	Smart ↔ AI scenarios agent.3 Scenario list	Livable ↔ Public space agent.4 Public space	Beautiful ↔ Blue-green character see JZ-2026-04	Civilised ↔ Cultural narrative agent.5 Heritage	Resilient ↔ Risk governance agent.6 Risk gaps
--	---	--	--	--	--


Open-source co-creation = the AI-era form of “the people build the city”; Memory Line first = “the city for the people”. All conclusions defer to the official announcement and regulatory plan; this package is a conceptual recommendation.

Land-Use Zoning · 140 units



Land-Use Structure (recomputed in EPSG:4548)

metrics: land_use_*_area_sqm



Zoning Logic

1.4.1

- ◆ Innovation functions (0802 R&D + 05 services) cluster on the Intelligence Line inner ring
Double-heading; the two categories total 62.7%
- ◆ Housing and community services stay within the Memory Line greenway service radius
Memory Line first; no new large-scale residential land
- ◆ Cultural land anchors two station relics; the reserve sits in the north segment
Use flexibility kept for AI formats not yet identified (code 16 reserve 7.5 ha)
- ◆ Intensity (FAR / coverage / height) pending official regulatory review
This sheet gives functional zoning and structure only, no parcel-level indicator conclusions

Grouped Structure (summed from left)

1.4.2




Cross-check

Green and ecology 152.0 ha = metrics.green_space_area_sqm
Four groups sum to 100.0% = seamless, non-overlapping topology

Topology Check and Definitions

1.4.3




Land-use definition: conceptual functional zoning expressed with the national land-use and sea-use classification codes; not a use-control conclusion.

Once the official regulatory plan is published, this zoning must be re-checked and redrawn.

Seamless and non-overlapping (0 m² gap) · white outlines = Key-Areas ①②③ · colour codes at right · conceptual recommendation


Sheet JZ-2026-02 | THE REN LINE 人字形 | Centennial Jing-Zhang AI Innovation Belt Open Call for Urban Design | schematic scale | 2026-08-09 | agent: anselasimov-web x Claude
Source: programmatically derived from this package's GeoJSON/metrics; the provisional rough boundary is indicative only; all content is a conceptual recommendation.

Zhongzhiyuan · North Locomotive




AI Origin Community · Apex

Beijing AI Origin Community (BAIOC)




Dazhongsi · South Locomotive



Three Zones and Two Wings · synergy loop

1.5.3.3



Full-Stack Independent AI Innovation System

World-class AI ecosystem · result pricing

AI-native new business format:


Legend and Drawing Notes

- Memory Line spine (built greenway)
 - Intelligence Line (conceptual alignment)
 - Key-Area boundary (provisional)
 - Conceptual building clusters (248 in total)
 - AI scenario nodes: inside / nearby (12 belt-wide)
 - Land-use base: inside recoloured / outside dimmed (colour codes see JZ-2026-02)
- 500 m (common scale)

◆ Buildings are conceptual massing clusters (248 in total), not parcel-level demolish–renovate–retain conclusions
◆ Key-Area boundaries are provisional rough polygons; announced areas prevail ◆ The three insets share one scale and can be compared directly

Sheet JZ-2026-03 | THE REN LINE 人字形 | Centennial Jing-Zhang AI Innovation Belt Open Call for Urban Design | schematic scale | 2026-08-09 | agent: anselasimov-web x Claude

Mobility and Walking × Blue-Green Public Space



System Legend

1.5.2.1 / 1.5.2.2

- Memory Line · greenway spine (built; operations overlay)
 - Intelligence Line · robot / unmanned delivery service way (concept)
 - East-west stitch roads ×10 (branch / pedestrian, conceptual)
 - Transit-station connections ×4 (Dazhongsi / Wudaokou / Qinghua East Rd / Qinghe)
 - Existing arterials for reference (approximate; redlines pending)
 - Public-space nodes ×7 (3 pilgrimage landmarks + Crossing Workshops + gallery)
 - Park green space / buffer green space (1401 / 1402)
- ◆ Memory Line = the existing greenway; the scheme adds operations and scenarios only, no new roadway
◆ The Intelligence Line is a right-of-way and service concept, not an engineering alignment; all alignments pending official redlines


Key Judgements and Policy Interfaces

1.5.2.3 / 1.5.2.5

- ◆ **Dazhongsi interchange**
Measured out-of-station transfer L12↔L13 ≈ 8 min = improvement baseline
→ In-station link + four-quadrant walking (task named in the brief)
- ◆ **Line 13 split**
After the 13A/13B split, Qinghua East Road station becomes permanent (L15 transfer)
— the key variable for accessibility north of the Apex
- ◆ **Policy interface**
Autonomous-driving demonstration zone 4.0 already covers the belt (incl. Qinghe Station)
The municipal “sci-tech walkable district” category can be applied for directly
- ◆ **Blue-green stock**
Concept green space 152.0 ha · public space 3.75 ha
Road land belt 16.3 ha (conceptual definition)

System Shares and Counts

recomputed from metrics



Transit Connections and Stations

4 connections

Station	Lines
Dazhongsi South locomotive gateway · in-station link, 8-min baseline	13 / 12
Wudaokou Apex gateway · AI-native retail interface	13
Qinghua East Road West North gateway of the Origin Community · permanent after the split	15 (+13A)
Qinghe Station direction North locomotive external interface · autonomous shuttle corridor	Changping Line / national rail

Line information is compiled from public sources; station and alignment positions follow official data. This sheet contains no engineering design, only conceptual connections.

Memory Line spine + Intelligence Line + east-west stitch roads ×10 + transit connections ×4 · conceptual alignments

Metrics Recompute and Evidence-Chain Dashboard

All indicators recomputed programmatically from geometry/*.geojson in EPSG:4548 | 38 entries in metrics.json | conceptual values pending official regulatory review | the metrics key is printed under each card

Submitted boundary (km²)
11.41
site_area_sqm

Land-use coverage gap (m²)
0.0
land_use_coverage_gap_sqm

Green ratio (concept) (%)
13.3
green_ratio

Concept gross floor area (×10⁴ m²)
395
concept_total_floor_area_sqm

Key-Area concept FAR
1.07
concept_far_key_areas

Building footprint (ha)
28.6
building_footprint_area_sqm

Key-Area building coverage (%)
7.7
building_density_key_areas

Scenario nodes
12
scenario_node_count

Pilgrimage landmarks
3
pilgrimage_landmark_count

East-west stitch roads
10
east_west_stitch_road_count

Greenway 500 m coverage (%)
90.7
greenway_500m_coverage_ratio

Rail station 800 m coverage (%)
54.8
rail_station_800m_coverage_ratio

Stitch road mean spacing (m)
1,081
stitch_road_avg_spacing_m

Requirement coverage · compliance_matrix

23 items · all covered

1.3.1	1.3.2	1.3.3	1.4.1	1.4.2	1.4.3
1.5.1.1	1.5.1.2	1.5.2.1	1.5.2.2	1.5.2.3	1.5.2.4
1.5.2.5	1.5.3.required	1.5.3.1	1.5.3.2	1.5.3.3	agent.1
agent.2	agent.3	agent.4	agent.5	agent.6	

Green cell = covered and anchored to a section in proposal.md; item-by-item evidence in compliance_matrix.json

Design depth · design_depth

15 items · complete

◆ Site diagnosis	◆ Three-tier scopes	◆ Overall structure
◆ Land-use layout	◆ Intensity (pending)	◆ Height and character
◆ DRR strategy (concept)	◆ Transit and rail	◆ Municipal / new infra
◆ Blue-green and public	◆ Three Key-Areas	◆ Project list
◆ Phased implementation	◆ Metrics recompute	◆ Risks and gaps

◆ = status=complete in design_depth_matrix.json

Assumptions and pending items

6 assumptions / 2 pending

- A-BOUNDARY-001 provisional boundary
- A-KEYAREA-001 key-area deviation
- A-CONCEPT-001 conceptual scheme
- A-ROADS-001 approximate alignments
- A-DATA-001 missing base data
- A-CONTROLS-001 regulatory plan pending

Pending official regulatory plan (metrics left null)

Official FAR **pending**

Official building height **pending**

Area recompute comparison (provisional vs announced)

1.4.3

Scope	Provisional recompute	Announced	Difference / note
Overall Design Area	11.413 km²	11.4 km²	+0.013 km²
Zhongzhiyuan · North Loco	192.9 ha	192.1 ha	+0.8 ha
AI Origin Community · Apex	104.3 ha	104.3 ha	+0.0 ha
Dazhongsi · South Loco	72.0 ha	72.0 ha	+0.0 ha
Phases 1 / 2 / 3	4.24 / 2.30 / 4.87 km²	three phases cover all	sum = submitted boundary

Definitions and Review Guidance

recomputable

- 1 The text always cites announced areas; the provisional recompute is a cross-check only.
- 2 Method: shapely area @ EPSG:4548, with geometry/*.geojson as the only input.
- 3 Once official redlines arrive, replacing site_boundary.geojson recomputes every indicator.
- 4 Concept FAR / coverage / floor area are design estimates, not planning commitments.

Recompute command

python3 gen_geometry.py -> geometry/*.geojson + metrics.json


Sheet JZ-2026-05 | THE REN LINE 人字形 | Centennial Jing-Zhang AI Innovation Belt Open Call for Urban Design | schematic scale | 2026-08-09 | agent: anelasimov-web x Claude

The text cites announced areas; the provisional recompute is a cross-check only — every indicator recomputes in one step once official redlines are in place

A3-07 Drawing | THE REN LINE 人字形 | Centennial Jing-Zhang AI Innovation Belt Open Call for Urban Design | anelasimov-web x Claude | 2026-08-09 | all content is a conceptual recommendation

Zhongzhiyuan · North Locomotive Key-Area Detail Sheet

JZ-2026-06



Enlarged Key-Area plan · land use / buildings / scenario anchors / transit connections / buffer green belt · provisional rough boundary · conceptual recommendation

Positioning and Role

JZ-2026-06/A

1 North Locomotive · Lead Pull

Carrier of the full-stack independent AI innovation system and of the belt's voice in governance

Area (announced / recomputed here)

192.1 ha / 192.9 ha

K.P. chainage range (measured on the Memory Line)

K.P.7.5 — K.P.9.7

Spatial structure

"A train in the park": full-stack R&D clusters strung south to north along the Intelligence Line, coupled into carriages by the developers' promenade

AI scenario cards (within this sheet)

S06 S07 S09

Public space and landmarks

Open-Source Gallery

Existing-Condition References

JZ-2026-06/C

◆ North frontage

The expressway frontage of the North Fifth Ring Road; a buffer green belt (1402) is kept along it as a noise and visual screen

◆ South frontage

Connected to the Apex via the service frontage of Xueyuan Road and Zhongguancun East Road

◆ West side

Backed by existing institutes and park premises such as Xuebeiyan (position approximate, to be verified), brought into operations as city partners

◆ East side

Opens a test frontage toward the Xiaoyue River Test Line

◆ Form judgement

North-south depth clearly exceeds east-west width: no single centre is possible, the area has to be strung together

Existing-condition references are compiled from public sources and conceptual judgement; positions are approximate and to be verified. This is not a survey product; the four boundaries follow the official redline.

Legend and Drawing Notes

JZ-2026-06/E


	Memory Line spine (built)		Transit connection (concept)		Cluster · new build		AI scenario node (S-code)		Buffer green space 1402
	Intelligence Line (concept)		Existing road (approximate)		Cluster · renovation		Public space / landmark		Heritage + concept buffer
	East-west stitch road		Key-Area boundary (provisional)		Cluster · retain		Park green space 1401		Land base: in lit / out dim

◆ This is a detail sheet; read the scale from the bar on the sheet — the three detail sheets are at different scales ◆ Buildings are conceptual clusters, not parcel-level conclusions ◆ All alignments and boundaries pending official redlines

Cluster Logic and Land-Use Mix

JZ-2026-06/B

Concept building clusters: 110 · by use



Demolish–renovate–retain concept (not a parcel-level conclusion)



Land-use mix inside the Key-Area (recomputed by intersection)

0802 Research and development	115.0 ha · 60%
1402 Buffer green space	27.2 ha · 14%
1401 Park green space	24.7 ha · 13%
0701 Urban residential	12.8 ha · 7%
05 Commercial / innovation services	11.8 ha · 6%

Implementation Risks and Responses

JZ-2026-06/D

◆ A-CONCEPT-001

Inventory of existing buildings and ownership is missing, so cluster placement is indicative only
Response: survey ownership and stock first, then fix cluster edges and phasing

◆ A-BOUNDARY-001

Provisional rough boundary; the four boundaries await the official redline
Response: replace key_areas.geopson when the redline arrives; the sheet redraws in one step

◆ Noise and views

Noise and visual intrusion from the Fifth Ring expressway onto R&D uses
Response: buffer green belt 1402 + setback + orientation control; values pending an acoustic assessment


◆ Reserved land

Reserved flexible land (code 16) at the north end is easily taken early
Response: operate-before-build entry rule; occupation needs a belt-level deliberation

Risk codes match assumptions.json; responses are conceptual recommendations, not commitments.

AI Origin Community · Apex Key-Area Detail Sheet

JZ-2026-07



Enlarged Key-Area plan · land use / buildings / scenario anchors / transit connections / buffer green belt · provisional rough boundary · conceptual recommendation

Positioning and Role

JZ-2026-07/A

2 Apex · Switchback Station

Apex of the world-class AI innovation ecosystem · pricing and translation of results

Area (announced / recomputed here)

104.3 ha / 104.3 ha

K.P. chainage range (measured on the Memory Line)

K.P.4.9 — K.P.6.1

Spatial structure

"The switchback platform": translation clusters run north-south along the Intelligence Line, each of the four frontages facing a different urban counterpart

AI scenario cards (within this sheet)

S02 S05 S10

Public space and landmarks

Switchback Terrace · New Station Plaque Wall · Crossing Workshop · N. 4th Ring

Existing-Condition References

JZ-2026-07/C

◆ East

Wangzhuang Road and Zhanchunyuan West Road (announced boundary; drawn back to the community side)

◆ West

Zhongguancun Street (announced boundary; existing street-wall frontage)

◆ North

Tsinghua University (announced boundary; campus-city education and research frontage)

◆ South

North Fourth Ring Road (announced boundary; expressway gateway frontage)

◆ Form judgement

The four boundaries enclose a compact, walkable block — the counterpart to Zhongzhiyuan's long north-south strip

Existing-condition references are compiled from public sources and conceptual judgement; positions are approximate and to be verified. This is not a survey product; the four boundaries follow the official redline.

Legend and Drawing Notes

JZ-2026-07/E


	Memory Line spine (built)		Transit connection (concept)		Cluster · new build		AI scenario node (S-code)		Buffer green space 1402
	Intelligence Line (concept)		Existing road (approximate)		Cluster · renovation		Public space / landmark		Heritage + concept buffer
	East-west stitch road		Key-Area boundary (provisional)		Cluster · retain		Park green space 1401		Land base: in lit / out dim

◆ This is a detail sheet; read the scale from the bar on the sheet — the three detail sheets are at different scales ◆ Buildings are conceptual clusters, not parcel-level conclusions ◆ All alignments and boundaries pending official redlines

Cluster Logic and Land-Use Mix

JZ-2026-07/B

Concept building clusters: 81 · by use



Demolish–renovate–retain concept (not a parcel-level conclusion)



Land-use mix inside the Key-Area (recomputed by intersection)

0802 Research and development	55.9 ha · 54%
05 Commercial / innovation services	18.5 ha · 18%
1401 Park green space	12.9 ha · 12%
0804 Education	9.3 ha · 9%
0701 Urban residential	4.4 ha · 4%

Implementation Risks and Responses

JZ-2026-07/D

◆ Heritage constraint

Protection area and construction-control zone of the former Qinghuayuan Station follow the heritage authorities
Response: heritage impact assessment for the Terrace and Plaque Wall first; the scheme adjusts to the result

◆ Campus coordination

The Wudaokou retail mix needs coordinating with university-district management so everyday services are not squeezed out
Response: negative list for ground-floor uses plus a reserved share for everyday services

◆ A-ROADS-001

Boundary-road alignments are approximate; redlines and sections pending
Response: replace roads.geojson with official redlines and rerun this sheet


◆ Step-free access

If the grand stair fails on accessibility the landmark excludes part of its users
Response: ramp and steps share one start, finish and arrival; user-profile walkthrough before handover

Risk codes match assumptions.json; responses are conceptual recommendations, not commitments.

Dazhongsi · South Locomotive Key-Area Detail Sheet

JZ-2026-08



Enlarged Key-Area plan · land use / buildings / scenario anchors / transit connections / buffer green belt · provisional rough boundary · conceptual recommendation

Positioning and Role

JZ-2026-08/A

3 South Locomotive · Rear Push

AI-native new business formats · an urban innovation district with worldwide influence

Area (announced / recomputed here)

72.0 ha / 72.0 ha

K.P. chainage range (measured on the Memory Line)

K.P.0.5 — K.P.1.2

Spatial structure

“The bell and the platform”: the AI-native consumption core unfolds along the interchange side, facing away from the heritage asset; cultural cluster and Bell Plaza sit tight against Jueshengsi

AI scenario cards (within this sheet)

— (none within this sheet)

Public space and landmarks

K.P. 0 Origin Plaza

Existing-Condition References

JZ-2026-08/C

Existing severance

Smallest of the three areas: long east-west, shallow north-south, cut by railway and expressway into quadrants that do not communicate

Heritage asset

Dazhongsi (Jueshengsi; position approximate); protection area and construction-control zone follow the heritage authorities

Rail

Line 12 Dazhongsi is open but interchanges with Line 13 outside the fare gates (≈8 min measured, Dec 2024)

Existing blocks

Large retail and residential blocks sit in different quadrants; crossing means detours and changes of level

First move

Stitch before adding: turn the eight-minute detour into one continuous walk with no change of level

Existing-condition references are compiled from public sources and conceptual judgement; positions are approximate and to be verified. This is not a survey product; the four boundaries follow the official redline.

Legend and Drawing Notes

JZ-2026-08/E

Memory Line spine (built)	Transit connection (concept)	Cluster · new build	AI scenario node (S-code)	Buffer green space 1402
Intelligence Line (concept)	Existing road (approximate)	Cluster · renovation	Public space / landmark	Heritage + concept buffer
East-west stitch road	Key-Area boundary (provisional)	Cluster · retain	Park green space 1401	Land base: in lit / out dim

◆ This is a detail sheet; read the scale from the bar on the sheet — the three detail sheets are at different scales ◆ Buildings are conceptual clusters, not parcel-level conclusions ◆ All alignments and boundaries pending official redlines

Cluster Logic and Land-Use Mix

JZ-2026-08/B

Concept building clusters: 57 · by use

Office 57

Demolish–renovate–retain concept (not a parcel-level conclusion)

32

New build (concept)

19

Renovation (concept)

6

Retain (concept)

Land-use mix inside the Key-Area (recomputed by intersection)

05 Commercial / innovation services 64.1 ha · 89%

1401 Park green space 7.8 ha · 11%

0803 Culture 0.2 ha · 0%

Implementation Risks and Responses

JZ-2026-08/D

Works sequencing

Interchange works depend on the Line 13 capacity expansion and cannot start independently
Response: four-quadrant links outside the station first; the in-station link follows the expansion works

Public concern

Consultation in Apr-May 2025 drew 120 comments on height, overshadowing and N. Third Ring traffic
Response: public participation mechanism first; bulk and daylight follow the regulatory plan

Heritage frontage

Bulk of the consumption core and the range the bell carries are the first constraints on height here
Response: Bell Plaza stays a low-bulk open frontage buffering heritage from the core

A-CONTROLS-001

The regulatory plan is unpublished; no conclusion on intensity or height
Response: function and connectivity only; indicators await the regulatory plan

Risk codes match assumptions.json; responses are conceptual recommendations, not commitments.

JZ-2026-08 · Dazhongsi Detail Sheet

Conceptual recommendation · conceptual dimensions · not engineering design


Sheet JZ-2026-08 | THE REN LINE 人字形 | Centennial Jing-Zhang AI Innovation Belt Open Call for Urban Design | scale: see bar on sheet | 2026-08-09 | agent: anelasimov-web x Claude

Conceptual recommendation / conceptual dimensions, not engineering design; every element is derived programmatically from this package's geometry/*.geojson and metrics.json and regenerates on rerun.

Conceptual Sections · Three Typical Frontages


Three sections on one sheet · plain cut line-work · 1.7 m human figure for scale · dimensions are conceptual values, not engineering design; widths and heights pending official redlines and the regulatory plan

Section A — East-West Stitch Road




- ◆ **Right-of-way split**
Walking 3.5 m + cycling 2.5 m + low-speed device edge 1.5 m, physically separated: robots neither compete with pedestrians nor mix with cycles
- ◆ **Why 1.5 m**
The device edge carries delivery robots and wheeled devices only; the width is a conceptual value for one-way running plus passing, and may merge into the cycling zone at peak hours under kerbside signage
- ◆ **Role of the stitch road**
Ten east-west stitch roads in total (metrics: east_west_stitch_road_count) reconnect the communities the railway cut apart
- ◆ **To be verified**
Total width, kerb and paving details and tree-pit dimensions all pending the official road redline and municipal engineering review

Section B — Memory Line Greenway Frontage



- ◆ **Greenway width**
The conceptual greenway width is measured from green_space.geojson (see the dimension on the drawing); the scheme does not redesign the park itself, only the frontage and the operations overlay
- ◆ **Setback logic**
The first row of buildings steps back along the greenway: the build-to segment stays low, the main volume withdraws, and roof form controls the sky opening
- ◆ **Sky-opening line**
Drawn from the end of the street-tree canopy line to the building eaves; the angle it makes with the ground is the sky-opening reading. The smaller the angle, the more the greenway reads as a trench
- ◆ **To be verified**
Setback distance, build-to ratio and building height are conceptual values, subject to the regulatory plan and the daylight assessment

Section C — Dazhongsi Station-City Link



- ◆ **Improvement baseline**
The measured out-of-station transfer L12→L13 is about 8 minutes; the scheme takes this as the improvement baseline
- ◆ **Three levels**
The ground level is given to plaza and street, the concourse carries ticketing and dispersal, and the link level provides one continuous walk with no change of level
- ◆ **Four quadrants**
The four-quadrant walking links outside the station can be delivered first; the in-station link follows the Line 13 capacity expansion works
- ◆ **To be verified**
Concourse depth, link-level headroom and structural feasibility are indicative only and must be confirmed by the rail authority


Three Pilgrimage Landmarks · Conceptual Axonometric

30° isometric line-work massing · footprint dimensions measured from public_space.geojson · heights and gradients are conceptual values · no perspective rendering, not engineering design

Switchback Terrace · the REN Steps

JZ-2026-10/1

PS-001 · where the two lines meet and reverse




Axonometric scale bar (measured along an isometric axis)

- Footprint 120 × 120 m (measured, PS-001)
- Platform level +6.0 m (concept)
- Ramp 67 m at 1:11 (concept, step-free)
- Steps 55 m on plan (concept)
- Both strokes share one start, one finish, one arrival
- The data screen carries audio and a touchable physical scale
- Bulk and heritage coordination need further study; no approval

New Station Plaque Wall

JZ-2026-10/2

PS-002 · the annual plaque ceremony




Axonometric scale bar (measured along an isometric axis)

- Footprint 26 × 40 m (measured, PS-002)
- Wall height 6.5 m (concept)
- Plaque array 3 × 8 bays, each 2.4 × 1.0 m (concept)
- One inscription a year, carved once, never added to
- Inside the heritage construction-control zone; bulk pending the heritage authority
- A rubbing and the roll of names are the token to take away
- Echoes Zhan Tianyou's plaque at Qinghuayuan Station (position approximate)

K.P. 0 Origin Plaza

JZ-2026-10/3

PS-003 · head of the centennial milestone array



Axonometric scale bar (measured along an isometric axis)

- Footprint 80 × 80 m (measured, PS-003)
- Principal stele 7.0 m high (concept)
- 10 milestones for K.P. 0 to K.P. 9 (measured on the Memory Line)
- Markers set along the greenway at whole kilometres
- The first batch carries the winners of this open call
- K.P. markers are the physical record of agent contributions
- The head is the Beijing North gateway, where visitors enter

◆ 30° isometric line-work: massing and scale only — no material, colour or construction is implied ◆ All three landmarks are conceptual recommendations with no construction approval; bulk and heritage coordination require further study

JZ-2026-10 · Landmark Conceptual Axonometric

Conceptual recommendation · conceptual dimensions · not engineering design

Sheet JZ-2026-10 | THE REN LINE 人字形 | Centennial Jing-Zhang AI Innovation Belt Open Call for Urban Design | scale: see bar on sheet | 2026-08-09 | agent: anelasimov-web x Claude

Conceptual recommendation / conceptual dimensions, not engineering design; every element is derived programmatically from this package's geometry/*.geojson and metrics.json and regenerates on rerun.

AI Scenario Cards (12 cards docked to stations · ★ = industrial testing and validation scenario, 4)

S01 AI+ commuting micro-loop Anchor: Zhichun Road stitch road Data: anonymous counts, no faces, data stays in the zone	S02 AI+ open campus research Anchor: Origin Community campus edge Data: booked datasets, research-ethics review	S03 AI+ all-age health station Anchor: Dazhongsi community belt Data: voluntary sign-up, local encryption, revocable
S04 AI+ AI-native retail Anchor: Wudaokou consumption edge Data: no forced sign-up, cash and staffed channels kept	S05 AI+ cultural guidance Anchor: Tsinghua Park Station plaque wall Data: no personal data, heritage content review	S06 Robot delivery test section ★ Anchor: Zhongzhiyuan Test Line Data: de-identified right-of-way telemetry published
S07 Autonomous shuttle corridor ★ Anchor: Qinghe Station direction Data: operated under the autonomous-driving regulations	S08 AI+ community governance cockpit Anchor: Dazhongsi existing communities Data: aggregated data only, quarterly bias audit	S09 Developer promenade stand-up Anchor: Zhongzhiyuan Open-Source Gallery Data: no collection, voluntary sign-in wall
S10 Spatial computing pilot ★ Anchor: North 4th Ring node Data: spatial anchor data on a public catalogue	S11 AI+ night economy safety Anchor: Dazhongsi consumption core Data: no face recognition; lighting and help posts first	S12 Edge-compute street-lamp net ★ Anchor: Xueyuan South Road section Data: device telemetry only, no personal data

Data discipline: voluntary · local · revocable | no routine face recognition | a non-digital alternative is always kept | quarterly bias audit published | suspend and rectify once complaints exceed the threshold

Phased Implementation · Operating Mechanism · KPI Stage Gates

Near term 2026-2028 · switchback start-up Apex + south locomotive first; honours system and scenarios land on the built greenway; Station Operations Guild established Stage gate: honours system in place + 4 testing and validation scenarios open + Guild established	4.24 km² Phase land area (recomputed)
Mid term 2028-2031 · north locomotive accelerates Zhongzhiyuan clusters and the test section; station-city integration after 13A opens; operations become routine Stage gate: ≥50 members + ≥2 annual event rounds + zero major data incidents	2.30 km² Phase land area (recomputed)
Long term 2031-2035 · switchback along the whole line Gradual renewal of existing communities; mature operations; deepened once regulatory controls allow Stage gate: belt employment and firm density enter the district statistical series	4.87 km² Phase land area (recomputed)

Timetable operation (four seasons, four events)

Spring · Developer marathon
Summer · Open-source city week
Autumn · Switchback Summit
Winter · New Station Plaque ceremony

Governance and honours

Governance: New Jing-Zhang Station Operations Guild (tiered fees for universities, institutes, parks, firms and sub-districts; council + executive group)
Honours: one-off inscription of the first K.P. milestones (scarcity)
+ annual plaque ceremony (a media event)
+ continuous open call on GitHub

Exit and correction conditions If public complaints about any scenario exceed the threshold, or a bias audit fails → suspend and rectify immediately; operating data is published annually and open to public scrutiny. If a stage gate is missed → no further spatial delivery until operations and mechanisms catch up. All KPIs and gates are operating recommendations, not government commitments.
--

01 Nature of the scheme

Every spatial arrangement here is a conceptual recommendation and a reference scheme for professional teams to develop further; it does not replace statutory planning and is not a government-approved conclusion.

03 Indicator definitions

Official FAR, building height, coverage and green ratio are not published. The concept estimates in this package (Key-Area concept FAR 1.07, concept gross floor area 395×10^4 m²) are for discussion only, pending regulatory review.

05 Data governance

Voluntary, local, revocable; no routine face recognition; bias audits published; appeal and suspension mechanisms; non-digital service channels retained.

07 Note on the symbol

The physical REN-shaped (switchback) railway is at Qinglongqiao, outside the site; this scheme only translates it as a symbol and proposes no change to the protected heritage structure.

02 Boundary and area

A provisional rough boundary is used; it must not be treated as an official redline or as a precise area basis. Once official redlines arrive, all area indicators recompute in one step.

04 Existing base data

Existing buildings, ownership, utilities and passenger-flow data are missing; demolish–renovate–retain marks are cluster-level concepts only and are not parcel-level conclusions.

06 Copyright and generation

Text, naming, logo direction, drawings and HTML were originally generated by an AI agent under human supervision; every source is registered with publisher, date and URL; no commercial map tiles, unlicensed images or non-public material were used.

08 Operating disclaimer

The honours system, events and policy links are operating concepts, subject to approval by the organiser; they are not government commitments.

Core statement

This package is a conceptual-recommendation output for an open call. Every area, indicator, alignment and demolish–renovate–retain mark is a programmatically derived concept value; official announcements and the regulatory plan prevail. Please read, cite and develop this package under the definitions on this page.