

Let technology withdraw, Keep publicness in place

Connect heritage, communities, research, and convenience services through an Everyday Commons Belt;
Use recalculable gates to choose conservation, mending, or avoidance.

Continuous framework conservation

Eliminate if any cross-connection fails

Existing-interface mending

$\Delta GFA \leq 0$ and $S \geq 0$ both hold

Neighborhood-avoidance loop

Choose when impact is non-zero and mitigation is unclosed

Evidence gap

0/6

Cross-connections obtain formal
boundary, ownership, and engineering confirmation

Geometric completeness does not equal real connectivity.

Cost side = unknown

affected_household_count





mitigation_budget_cny

duty_closure_ratio

Conclusion first · spatial evidence · three alternatives · metric sensitivity · missing data and recalculation

Page 2: read space first, then the gates

The full-belt index locates three segments; the three lower plans share one extent and scale.



Shared evidence gate


0/6 connections formally confirmed

Three cost metrics = unknown

Apply fixed definitions when data arrive; do not alter gates later to preserve an alternative.

Three scope levels, nine layers, one provisional grammar

Dashed lines mark replaceable boundaries; faces, lines, transparent fills, and OSM leads remain distinct.



Coordinated research

Official approx. 43.6 km²

Industry / talent / cultural context only

Overall design

Approx. 11.4 km²

provisional basis for internal ratios
denominator

Key areas

Approx. 192.1 / 104.3 / 72.0 ha

Rough polygons locate only

9 independent legend items + OSM analysis_helper

--- SITE-001 Overall Design Area (replace)

LAND_USE conceptual land-use face

GREEN_SPACE Blue-Green Space

PUBLIC_SPACE commons belt / nodes

ROAD_CENTERLINE conceptual walking/cycling line

BUILDING relocatable conceptual footprint

PHASING conceptual phase face

PROV-KEY-001...003 key areas


CONSTRAINT cost and responsibility screening belt

OSM reference leads (analysis_helper, low confidence)

Reading conceptual footprints + five verifiable public cases

Buildings are relocatable functional templates; cases transfer mechanisms, not local partnerships.

N North · same-scale segment



Global ecosystem cases (mechanism index)

AI Singapore 100E	Mila Partnerships	Vector Institute
STATION F / F/ai	TUM Venture Labs	

Ecosystem handover chain


Problem → research / talent → data / computing / tools → engineering / testing → safety / ethics / standards → public feedback

If any handover item is absent, status remains evidence_pending.

Nodes, connections, and 12 conceptual scenario cards

Geometric intersection proves element-graph connectivity only; a scenario is not an approved project.

M Middle · same-scale segment



12 scenario cards (including 4 INDUSTRY-TEST)

SC-01	SC-02	SC-03	SC-04
SC-05	SC-06	SC-07	SC-08 TEST
SC-09 TEST	SC-10 TEST	SC-11 TEST	SC-12

8 task-persona types


P-01 Residents · P-02 Commuters · P-03 Mobility / care · P-04 Research · P-05 Developers · P-06 Merchants · P-07 Visitors · P-08 Operations reviewers

Physical service works first; minimize data; model advice may be refused; failures degrade safely.

Area is recalculable; ratios cannot replace performance

OSM residential interfaces are field-check leads only; the page also shows a removable landmark and component system.

S South · same-scale segment



3 pilgrimage landmarks (concepts)

LM-01 1909 | Verifiable Mileage

Without approval return to paper / seating / UNKNOWN

LM-02 Open Review Bench

Without approval return to paper / seating / UNKNOWN

LM-03 Commons Console

Without approval return to paper / seating / UNKNOWN

8 Public Space component types + shared status language


C-01 Guidance · C-02 Rest · C-03 Display rail · C-04 Human service · C-05 Review table · C-06 Duty plate · C-07 Test rack · C-08 Quiet event

PROPOSED → CONFIRMED → ACTIVE → CLOSED; expiry or shutdown does not affect basic passage.

Locate in the upper half; read the relative section below


Plan and section are vector; labels do not rely on scaled raster text.

Window A · Plan locator (middle prototype)



Window B · Relative section at quiet residential side

Relative order only; no statutory height, dimension, or program conclusion




Responsibility closure

Impact record → mitigation / funding → human acceptance → restoration evidence → close or reopen

R1 may be tested first; R2 requires a restoration path; R3 does not start while critical data are unknown.

Continuous Framework Conservation Alternative

North segment: retained line, crossings to verify, and failure break



Selection gate Official boundary fully contains PUBLIC-001...008; all ROAD-004...009 pass.


Elimination gate If any connection fails, eliminate the entire fully continuous claim.

Current action Start with checks, markings, movable furniture, and operating tests; no physical continuity works first.

Shared reversal discipline Benefit does not offset unmitigated loss; do not start R3 while critical data are unknown.

Existing-Interface Mending Alternative

Middle segment: move public nodes to verified existing entrances



Selection gate $\Delta GFA \leq 0$ and $S \geq 0$; lawful retained usable ground floors can host services.


Elimination gate $S < 0$; or $\Delta GFA > 0$ and $R_{\text{new}} > R_{\text{existing}}$.

Current action Conceptual buildings retain relocatable templates only; entrances, ownership, fire safety, and access agreements await sign-off.

Shared reversal discipline Benefit does not offset unmitigated loss; do not start R3 while critical data are unknown.

Neighborhood-Avoidance Loop Alternative

South segment: impacted interface, paused segment, detour, and relocated node



Selection gate A proposed interface affects ≥ 1 household and funding or acceptance is unclosed.

Elimination gate All impacts are 0; or every non-zero impact has action, funding, and acceptance responsibility.

Current action R1 only: pause, detour, time-share, removable guidance and events; no excavation, demolition/building, or permanent barrier first.

Shared reversal discipline Benefit does not offset unmitigated loss; do not start R3 while critical data are unknown.

PROBE Relay: annual programs form a handover chain, not an unconfirmed schedule

Each stage shows status, Human Review, impact, and restoration evidence.

OP-01

Open Brief Season

Public brief / rights and risk boundaries

PROPOSED

Operator / date / funding = unknown

OP-02

Model Mile Trials

Small test card / failure record / Human Review

PROPOSED

Operator / date / funding = unknown

OP-03

Commons Value Week

Daily services / accessibility / impact ledger

PROPOSED

Operator / date / funding = unknown

OP-04

PROBE Release & Relay

Reusable outputs / corrections / next problem pool

PROPOSED

Operator / date / funding = unknown

Scenario-access state machine

CONCEPT → EVIDENCE_READY → SANDBOX → LIMITED_PILOT → PUBLIC_REVIEW → MAINTAIN / RETIRE

Every state change requires site / operator / data rights / safety / privacy / accessibility / human decision / exit responsibility together.

developer_to_pilot_conversion_ratio = unknown; do not fill without one cohort, eligibility, approvals, and observation window.

Recalculable does not mean real: read boundaries, ratios, and responsibility separately

Narrative shows evidence precision; machine digits appear here for audit comparison.

Proposal green-space coverage

Approx. 0.11

Proposal Public Space coverage

Approx. 0.03

provisional denominator

Approx. 11.4 km²

Boundary perturbation scan (machine-recalculation appendix)

Perturbation	Substitute-boundary area	green_ratio	Relative change
-200 m	7.218 km²	0.168393	+57.8%
-50 m	10.334 km²	0.117829	+10.4%
Baseline	11.413 km²	0.106694	+0.0%
+50 m	12.509 km²	0.097342	-8.8%
+200 m	15.892 km²	0.076620	-28.2%

Within ±50 m both numerators remain fixed; at -200 m both are slightly clipped, so relative changes are close but not identical.

High-impact inputs still missing

affected_household_count = unknown

mitigation_budget_cny = unknown

duty_closure_ratio = unknown

floor_area_ratio / building_height_m = unknown

statutory_green_ratio / setback_m = unknown

Byte-level independent verification

Hash 9 GeoJSON files by ascending name, then append metrics.json; aggregate SHA-256:

56ec03269648908d0f00d050e447bc31
d7e4a9d8d4ed33c258cbbc36e8f78f1e

Verifiable package inputs and hashes
Generation script not delivered with package