

CO-WALK JINGZHANG

Machines yield. The city connects.

A century ago, the Jingzhang Railway taught machines to follow rails. In the AI era, Jingzhang should teach machines to yield in the city.

A CIVIC AI URBAN DESIGN MANIFESTO

11.41 km²	21.05%	7.44%	12 + 3
proxy study area	blue-green coverage	dedicated public space	stations + industry tests

12

STATIONS
3 INDUSTRY TESTS
6 PERSONAS

PROXY SCOPE
NOT A REDLINE

One ground reconnects the corridor

A 9.25 km Co-Walk spine links three gardens, two support wings, and twelve service stations.

CO-WALK JINGZHANG / 01


A HUMAN-FIRST SHARED GROUND

Machines yield. The city connects.

PROVISIONAL EXTENT · TRANSVERSE SCALE EXAGGERATED

SOUTH

NORTH



01 ONE GROUND
9.25 km human-priority path

03 THREE GARDENS
test · learn · last metre

02 TWO WINGS
community + enterprise

12 12 STATIONS
3 industry + 9 public

A century ago, Jingzhang taught machines to follow a track.
Now it teaches machines to yield in the city.


PEOPLE > ACCESSIBILITY > ESSENTIAL SERVICE > LOW-SPEED MACHINES

Proxy geometry is not an official redline; all spatial outputs must be recalculated with official data.

CC BY 4.0 · Cashmeran · 2026-08-09

Three scales keep claims in bounds

Overall scope, focus scope, and three proxy key areas are shown separately; all area metrics use the public proxy geometry.



53% Urban mix

Mix R&D, community, and public service instead of a mono-use campus.

21% Blue-green

A continuous climate and ecological layer follows Jingzhang.

14% Civic uses

Education, health, culture, and community service anchor daily life.

Three gardens, three validations

Zhongzhiyuan validates safety, AI Origin validates public service, and Dazhongsi validates the last metre.

CO-WALK JINGZHANG / 03

THREE AREAS, THREE KINDS OF PROOF

Not repeated AI showrooms: safety, public service, and the last metre

3

01 ZHONGZHIYUAN

SLOW MACHINE TEST GARDEN

yield stress

multi-vendor dock

offline takeover

HONOUR LANDMARK

SLOW MACHINE GARDEN

2

02 AI ORIGIN

CO-LEARNING COMMUNITY

accessible navigation

mobile library + class

health routing, no diagnosis

HONOUR LANDMARK

CO-WALK KM ZERO

1

03 DAZHONGSI

LAST-METRE DISTRICT

off-path lobby docks

micro-hub + human delivery

no-AI event route

HONOUR LANDMARK

LAST-METRE HALL

All three rectangles are repository proxies; detailed design requires official geometry and surveys.

CC BY 4.0 · Cashmeran · 2026-08-09

01 Zhongzhiyuan

Yield stress test · multi-vendor interoperability · offline takeover

02 AI Origin

Accessible navigation · health-service routing · mobile learning

03 Dazhongsi

Delivery micro-hub · Jingzhang guide · extreme-weather support

The Co-Walk Protocol makes machines yield


Low-speed, readable, stoppable, and recoverable operation protects continuous priority for people.

CO-WALK JINGZHANG / 04

MACHINES CAN STOP. PEOPLE CAN ALWAYS PASS.

9.25 km Co-Walk route · twin sponge ribbons · twelve stations

03 INDUSTRY STRESS TESTS09 PUBLIC-SERVICE SCENARIOS



OFF-PATH DOCK

HUMAN-PRIORITY CLEAR PATH

HUMAN RECOVERY

01PEOPLE FIRST

02READABLE INTENT

03STOP ON DISCONNECT

04HUMAN TAKEOVER

05NO-AI EQUIVALENT

06EXPIRY REVIEW

6 km/h is a design ceiling, not permission; public operation requires legal and safety review.

CC BY 4.0 · Cashmeran · 2026-08-09

P1 People first

Slow, stop, and yield whenever paths conflict.

P2 Readable intent

Lights, sound, and ground language agree.

P3 Off-path docks

Stopping never blocks the accessible route.

P4 Stop on disconnect

Network or localisation failure triggers safe rest.

P5 Human takeover

Staff can pause, remove, or reroute devices.

P6 Expiry review

Permission expires unless performance justifies renewal.

CC BY 4.0 · Cashmeran · 2026-08-09

PROXY SCOPE / NOT A STATUTORY REDLINE · 05

06

Twelve stations connect tests to daily life

Three industry stress tests lead to nine public services with staffed alternatives.

SCN-01 Yield stress test	SCN-02 Multi-vendor dock	SCN-03 Offline takeover	SCN-04 Accessible navigation
SCN-05 Delivery micro-hub	SCN-06 Health-service routing	SCN-07 Mobile library class	SCN-08 Cleaning and inspection
SCN-09 Cultural guide	SCN-10 Event guidance	SCN-11 Weather support	SCN-12 Open issue reporting

SIX PERSONAS / Older mobility-limited resident · wheelchair/stroller caregiver · R&D tester · merchant/courier · student/start-up · maintenance worker

Buildings and public space start small

Open ground floors, reversible elements, and micro-renewal support use before architectural spectacle.

Open ground floor

Place entrances, toilets, water, waiting, and staffed help along the Co-Walk spine.

Reversible micro-hub

Share delivery, emergency, and repair modules that can be removed after poor performance.

Co-Walk station

Combine docking, charging, staffed help, public information, and issue reporting.

Climate canopy

Shade, rain cover, seating, and night lighting prioritise people moving slowly.

28

prototype footprints

12


Co-Walk stations

100%

essential services retain staffed paths


Five risk gates block unfit deployment

Safety, access, privacy, operations, and public trust are checked with explicit stop conditions.



Three phases: evidence before expansion

Build reversible pilots, connect a corridor, then expand only after public performance review.



01 SAFETY

→

02 ACCESS

→

03 PRIVACY

→

04 OPERATIONS

→

05 PUBLIC TRUST

A failed gate pauses, shrinks, or withdraws the service; completeness is not implementation permission.

CC BY 4.0 · Cashmeran · 2026-08-09

2026-2027 · Evidence pilots

Start one reversible test in each garden and publish baselines.

2028-2030 · Corridor network


Connect twelve stations only after safety and access gates pass.

2031+ · Performance expansion

Replicate only services that pass all five gates into support wings and communities.

A review evidence chain for every claim

Tasks, standards, depth, metrics, sources, and assumptions are cross-mapped; presentation never replaces machine evidence.



Authoritative geometry and metrics: GeoJSON + metrics.json. Reasoning: sources, assumptions, compliance, standards, and design-depth. Presentation: this booklet, A0 boards, and offline HTML.

The proxy boundary comes from the repository's provisional_boundaries.geojson and is not the official competition redline. Statutory FAR and complete existing-building data are unknown; this proposal does not fabricate approval metrics. Recalculate all outputs after cleared official CAD/GIS arrives.