

People first is the first spatial protocol for urban robots

One Jing-Zhang public corridor, no machine-only lane: make waiting, human handoff and peak-period yielding legible to everyone.

01

People keep a continuous clear path

Wheelchairs, strollers, walkers and rescue always come first.

02

Robots wait aside

Six waiting bays absorb queues outside desire lines.

03

Humans take the last step

School, care, community and heritage interfaces retain human handoff.


04

Clear at peaks and emergencies

Devices pause, clear and remain accountable while manual routes stay open.

PEOPLE FIRST JING-ZHANG / OVERALL STRUCTURE

One people-first spine, three key areas with distinct duties



Zhongzhiyuan | test first

Reproduce rain, snow, blind corners, crowds and wheelchair passing in a controlled field.

AI Origin | hand off first

Robots stop outside the public interface; a person completes the last step.

Dazhongsi | yield first

Peak transit, event dispersal and emergency conditions trigger exclusion or clearance.

Provisional geometry only; not an official boundary.

The concept plan organizes six cross-links and twelve public nodes around a people-first spine.

KEY AREAS / THREE DEVELOPABLE PROTOTYPES

The three key areas are not replicas: test, hand off and yield

01

Controlled Test

众智园

- Controlled test street
- Snow and low temperature
- Blind-corner stop
- Wheelchair passing
- Fleet-wide pause

CONCEPT ONLY | FIELD CHECK REQUIRED

02

Human Handoff

AI 原点

- Shared-ground-floor desk
- Paper and phone route
- Care-service handoff
- No-login basic service
- Public failure record

CONCEPT ONLY | FIELD CHECK REQUIRED

03

Peak Yield

大钟寺



- Clear transit portal
- Peak exclusion window
- Device waiting bay
- Merchant handoff
- Emergency clearance

CONCEPT ONLY | FIELD CHECK REQUIRED

Test—handoff—yield is one accountability chain, not three isolated projects.

METRICS / EVIDENCE / SELF-CHECK

Known values are package-recomputable; statutory and field conditions remain unknown



Pending: official polygons, controls, current buildings and ownership, street sections, utilities, fire and heritage data.

These gaps trigger recalculation and professional review; graphics must not conceal them.

Proxy metrics are reproducible while statutory controls remain unknown; reduce or exit if access, accountability or human-takeover gates fail.