

People first is the first spatial protocol for urban robots

One Jing-Zhang public corridor, no machine-only lane: make waiting, human handoff and peak-period yielding legible to everyone.

01

People keep a continuous clear path

Wheelchairs, strollers, walkers and rescue always come first.

02

Robots wait aside

Six waiting bays absorb queues outside desire lines.

03

Humans take the last step

School, care, community and heritage interfaces retain human handoff.


04

Clear at peaks and emergencies

Devices pause, clear and remain accountable while manual routes stay open.

PEOPLE FIRST JING-ZHANG / OVERALL STRUCTURE

One people-first spine, three key areas with distinct duties



Zhongzhiyuan | test first

Reproduce rain, snow, blind corners, crowds and wheelchair passing in a controlled field.

AI Origin | hand off first

Robots stop outside the public interface; a person completes the last step.

Dazhongsi | yield first

Peak transit, event dispersal and emergency conditions trigger exclusion or clearance.

Provisional geometry only; not an official boundary.

One people-first spine, six east-west links and twelve public nodes; the extent is a provisional working base.

SPATIAL STRUCTURE / LAND USE AND INTERFACES

Land use is the base; the spatial rule is people move through, machines wait aside



Continuous clear path

Walking, wheelchairs, strollers and emergency passage remain unobstructed.

Robot waiting bay

Off the desire line, with shutdown, towing and public information.

Human handoff

Health, education, legal and community services retain a human final step.

Peak-period yield zone

School gates, transit portals and event dispersal can clear devices under approved rules.

Concept classes only; recalculate after official polygons and controls.

Concept zoning tests workflows and public interfaces; it is not statutory land use, FAR, height or demolition.

KEY AREAS / THREE DEVELOPABLE PROTOTYPES

The three key areas are not replicas: test, hand off and yield

01

Controlled Test

众智园

- Controlled test street
- Snow and low temperature
- Blind-corner stop
- Wheelchair passing
- Fleet-wide pause

CONCEPT ONLY | FIELD CHECK REQUIRED

02

Human Handoff

AI 原点

- Shared-ground-floor desk
- Paper and phone route
- Care-service handoff
- No-login basic service
- Public failure record

CONCEPT ONLY | FIELD CHECK REQUIRED

03

Peak Yield

大钟寺

- Clear transit portal
- Peak exclusion window
- Device waiting bay
- Merchant handoff
- Emergency clearance

CONCEPT ONLY | FIELD CHECK REQUIRED

Zhongzhiyuan tests, AI Origin hands off and Dazhongsi yields; the mechanisms complement one another.


MOBILITY / BLUE-GREEN PUBLIC SPACE

Priority is spatial: people move first, robots leave the desire line

- 1. Emergency and rescue
- 2. Wheelchairs, walking and strollers
- 3. Cycling and human delivery
- 4. Low-speed robots

PRIORITY ≠ SPEED

Before conflict, a device slows, leaves the desire line and enters a waiting bay; otherwise a person takes over or the service pauses.



The priority order is conceptual; real routes, windows, device counts and conditions require lawful approval.

Twelve scenario cards turn AI into pausable services

Three industry tests plus nine public-service scenarios; each has an accountable actor, human review, privacy boundary and exit condition.

S-01

Snow/cold delivery

Human takeover · no persistent tracking

S-02

Wheelchair and blind-corner test

Human takeover · no persistent tracking

S-03

Fleet queue and emergency clearance

Human takeover · no persistent tracking

S-04

School-gate human handoff

Human takeover · no persistent tracking

S-05

Human-reviewed care navigation

Human takeover · no persistent tracking

S-06

Demand-led lighting maintenance

Human takeover · no persistent tracking

S-07

Waterlogging and ice inspection

Human takeover · no persistent tracking

S-08

Public-facility repair

Human takeover · no persistent tracking

S-09

Courier rest and supplies

Human takeover · no persistent tracking

S-10

Low-speed quiet heritage edge

Human takeover · no persistent tracking

S-11

Event-peak yielding

Human takeover · no persistent tracking



S-12

Annual public accountability drill

Human takeover · no persistent tracking

METRICS / EVIDENCE / SELF-CHECK

Known values are package-recomputable; statutory and field conditions remain unknown



Pending: official polygons, controls, current buildings and ownership, street sections, utilities, fire and heritage data.

These gaps trigger recalculation and professional review; graphics must not conceal them.

Area, ratios and length are recomputed from provisional GeoJSON; official geometry triggers full-chain recalculation.

Compress the concept into three auditable deliveries

Each step resolves space and accountability before device operations expand.

0—12

months

Micro-renewal verification

Deliver clear paths, waiting bays, handoffs and public co-tests without relying on new floor area.

12—36

months

Three-area pilots

Connect only after testing, handoff and yielding each meet their own gates.

36+

months

Annual accountability

Publish incidents, complaints, shutdowns, accessibility and labor effects; reduce or exit when gates fail.

Evidence, assumptions and non-negotiable limits

Every measurable claim returns to a source, geometry or metric; every gap stays visible.

Evidence used

- Official announcement and cleared taskbook
- Beijing delivery-vehicle rules and E-Town testing
- Singapore, Japan, EU and U.S. public-path cases
- Package GeoJSON, metrics and matrices

Evidence pending


- Official land and statutory polygons
- Controls, ownership, buildings and heritage
- Street sections, flows, utilities, fire and operations
- Public consultation and inter-agency approvals

Exit conditions

- Accessible clear path cannot be maintained
- No accountable actor or human takeover
- Serious-incident review remains open
- Basic public service becomes digital-only

PEOPLE FIRST JING-ZHANG / OVERALL STRUCTURE

One people-first spine, three key areas with distinct duties



Zhongzhiyuan | test first

Reproduce rain, snow, blind corners, crowds and wheelchair passing in a controlled field.

AI Origin | hand off first

Robots stop outside the public interface; a person completes the last step.

Dazhongsi | yield first

Peak transit, event dispersal and emergency conditions trigger exclusion or clearance.

Provisional geometry only; not an official boundary.

Before machines enter the city, they must learn to leave people's path clear.