


Jing-Zhang AI Axis / OPENLINE 100

Public display layer of the innovation chain. v0.5.13. Provisional geometry only.



Conceptual alignment & provisional boundary / NOT A STATUTORY PLAN



A Century of Jing-Zhang · AI Axis

OPENLINE 100

A Century of Jing-Zhang.
The Next Century of Public Intelligence
Is Co-Created Here.
Heritage park as the public display layer of the innovation chain:
Seven axis spaces expand and contract; research enters everyday city life.

- 01 TESTED
Verified
- 02 TRANSLATED
Translated
- 03 ADOPTED
Adopted
- 04 SEEN
Seen throughout

7	3	5	3
Axis spaces	Innovation engines	Landmark destinations	Three station forms

Existing Conditions

Known / empty / forbidden to fake — gaps not painted as facts.

Existing Conditions Plate · What Is Known / Empty / Forbidden to Fake

P1 EXISTING · v0.5.13


Gaps drawn as empty constraints — not painted as facts. Replaceable base for official packages.

KNOWN (citeable)	EMPTY CONSTRAINT	FORBIDDEN TO FAKE
> Announced scopes 43.6 / 11.4 km² / 368.4 ha key areas (task brief) > Park phase 1 open ~2.5 km · 16.8 ha public park (official) > Heritage notice Qinghuayuan station protection text (no surveyed polygon) > Severance corridors N3/N4/N5 rings · Zhichun · Chengfu · Tsinghua E (public names) > Stats (district) Population / GDP / labs — calibrate only, no area downscale	Official site / key-area survey polygons Statutory FAR · height · density · setbacks Existing building footprints · tenure · leases Road red lines · rail mouths · traffic counts Blue lines · flood · municipal capacities Cleared heritage control polygons	✕ Do not digitize fake purple / blue lines ✕ Do not invent FAR / height as design conclusions ✕ Do not downscale district stats onto the site ✕ Do not treat provisional GeoJSON as statutory plan

Spatial Structure · Surgery · Eye Level

One axis · two wings · three engines · seven spaces


AXIS × WINGS × ENGINES × SPACES



Station Surgery Plans · Three Engines

PO SURGERY · v0.5.1.3


Plan + section cut + door-to-door walk breaks + retain/adapt attitude. Concept depth — not engineering.



Seven Spaces at Eye Level · One Horizon Grammar


PO EYELEVEL · v0.5.1.3

Same eye height · same daylight rule · width rhythm you can feel — not only a table.



Three station forms: one form per station — not all Renzi

THREE STATION FORMS / CONCEPT MOTIFS, NOT ENGINEERED PLANS




Deep Loops · Host/Design · Intensity · Delivery

Three Deep Loops · Risk / Walk / Adoption (others stay indexed)

Auditability over card count. Each loop: pin · human-in-charge · stop key · passport write-back.

P2 DEEP SC · v0.5.13




SC-01/03/06-12 remain in the index table; deep evidence concentrates on three auditable loops.

12 cards remain discoverable; 3 loops carry the proof burden.

Host Layer × Design Overlay · Why 16.6% / 2.5% Must Not Be Misread

Park / city green = host. Seven spaces · landmarks · OPENKIT = design overlay. Daily free access first.

P1 HOST/DESIGN · v0.5.13



Intensity Scenarios S1 / S2 / S3 · Side-by-Side Evidence

No FAR numbers. Comparable assumptions · spatial consequences · ops consequences · kill conditions.

P1 INTENSITY · v0.5.13


Assumption	Reuse + ops first; new only tiny civic	Mid infill on cleared low-efficiency plots	Higher intensity near rail-candidate mouths
Data required	Building survey · structure · tenure	Controls · tenure · inefficient land list	Station mouths · aviation · sun · view corridors
Spatial consequence	Display frontage stays; limited new mass	Talent living + incubate + frontage balance	Global program vs heritage scale tradeoff
Ops consequence	Can 3 stations run on light-adapt only?	Does weave meet living/incubate/frontage?	Does intensity tax commons & heritage?
Kill / reject if	Finance/space cannot host passport gates	Public display layer loses continuity	Display ratio exits 40-60% guide band

Shared recalc pipeline: any chosen scenario regenerates 9 layers + metrics after official data.

Delivery & Money Plate · Who Holds / Who Vetoes / Who Pays

Four seats · passport issuer · free commons vs chargeable layer · 0-12 month do-now list.

P1 DELIVERY · v0.5.13



Belt Brand VI

Core identity · applications · four-sense patch.

OPENLINE 100 Visual Identity

Heritage rails → open ring O · Commit line → stem 1 · Public intelligence, not neon tech.

BELT BRAND VI · NOT DRAWING LAYOUT · agent.1

A Logo construction



- Dual rails close into open ring → letter O
- Umber commit line crosses center → digit 1
- Small sizes keep O-1 only → no gradients, no robots
- Clear space ≥ 0.5× mark radius on all sides

C Naming lockups




E Do / Don't

DO: industrial skeleton · garden base · digital ignition at nodes · failure cases visible · reversible installs

DON'T: neon streets · robot statues · continuous sound/light · fake heritage purple lines · 'shown' = 'verified' · confuse belt Logo with cultural wayfinding (agent.5)

Concept V1 direction only — not a registered trademark or procured design system

B Color system



Four colors max. No neon wash. Umber is a signal — not a wallpaper.



D Vocabulary & type



VI Applications: Sign · Commit Plinth · Passport

Three proof points that the belt brand can live outdoors, on street furniture, and in the mechanism layer.

CONCEPT MOCKUPS · NOT PROCURED PRODUCTS



01 WAYFINDING

Bilingual totem · mixtape · tactile
OPENLINE 100 primary, Chinese axis as secondary line.

02 COMMIT PLINTH

K04 pedestal · exhibit · withdraw
Umber commit band, line-data QR, braille, owner on base.

03 PASSPORT COVER

Mechanism lockup · Release seal
OPENLINE 100 primary, Chinese axis as secondary line.

VI Patch · Four-Sense Calibration


PATCH LAYER · DOES NOT REPLACE CORE VI

History · Eco · Beauty · Future · Tech — close the gap left by the industrial-drawing core

LOCKUP 01: Track · Rail · W · Axis Steel · Signal Umber · Paint Paper

A History depth · materials


Keep O-1 geometry. Add felt thickness: paper · sleeper · rail grit.



Use on: sign · 880x80 · 880x80 stock · plinth base · 180x180x180 mark fill.

C Livelihood warmth · street touch


Warmth must be visible: seat · kid height · paper offline — not only Braille notes.



Concept patch for belt brand VI · not procured materials or lighting products.

B Ecology · Garden Leaf

Auxiliary only — green corridor / garden rooms. Not a 5th brand primary.




DO: garden rooms · river edge · habitat signs

DON'T: logo fill · neon green · wall paint wash

D Future tech · signal ignition

One thin pulse at state change. Never continuous neon street wash.



v0.5.2

Cases · Eight Factors · One Loop

Case Comparison · Mechanism Translation

Not "Haidian already adopted." Each row: extract · this scheme translates · why it fits THIS project · do not copy.

Case	Mechanism extracted	This scheme translates	Why It fits THIS project	Do NOT copy
Boston The Engine	Tech//market/finance readiness blueprint + stage gates	On-site engineering managers + passport stage gates	Seven-gate chain needs human translation, not desk parks	Desk-park model; copy campus brand
Paris Station F	Rail freight hall → startup campus; programs + shared services under one roof	Heritage rail stock as innovation host: open programs on park & stations, not tear-down	Jing-Zhang is a rail heritage line→reuse & program first, same genus as Halle Freyssinet	Copy campus scale, partner logos, or claim signed Station F ties
Nasta Challenge	Define problem → open call → staged reward & support → judge by outcome	City Pull Request + scene vouchers; data & procurement run as separate procedures	East-wing demand intake needs a challenge grammar, not a tenant list	Import prize money / contractor; Sidewalk-style data-for-space deals
Singapore 100E	Real problem owners + engineers + PMs co-deliver AI PoC/MVP	100 City PRs with named asker / translator / tester seats on passport	AI-specific co-delivery fills the Validation→ Adoption gap on-axis	Import their datasets, co-funding, or contracts
Helsinki Maria O1	Reuse hospital stock; phase expansion; operate first	Operate → light retrofit → build last on heritage park	Site package forbids early F&B/tear-down; heritage park is the host layer	Fake heritage pastiche; tear-down first
Seoul AI Hub	City-founded multi-node R&D + incubate + international	Microgrants + public- value thresholds before scale, three-station nodes	Three engines need multi- node logic; prevent resource capture by top firms only	Claim compute capacity or exclusive firm deals
Tsukuba	Industry-academia-gov- finance + urban living lab	Linear public commons + Commit Plinths to fix "strong labs, weak streets"	Haidian density is high; the gap is walkable public display, not another closed campus	Science-city island with closed streets

Scheme translation only—not local adoption evidence. Medical first-users anchor to Haidian public AI+health refs, not a foreign charter. Sources in sources.json.

v0.5.7

Eight Factor Master Table

Each row answers: WHERE it lands · WHAT must be true to enter · WHEN it stops. Aligned to passport gates; concept only.


Factor	Landing (where / who)	Entry gate (must be true)	Exit / stop (trigger)
Land	Provisional boundary (~11.4 km²) + topology L1/H01. 0802 R&D · 0804 education · 0806 health · 05 services 0701 living · 0702 civic · 0803 culture · 1401 green. Intensity only as 51-53 sensitivity envelopes.	No F&B / height / density claim until control-plan, tenure and building survey are in hand. Any intensity scenario must state assumption, required data, and test question—no locked pick.	Official controls / tenure arrive → replace constraint layer and recompute all nine GeoGSON + metrics. Wrong class used as statutory → void.
Space	Seven axis spaces + three station forms (Switchback / Rent / Four-Way Stitch). OPENACT 601-608 on Developer Walk & landmarks; 3x5 x50ch interfaces.	Before fixed install: heritage mapping, fire, access, and owner+patrol+removal trigger on each kit piece. Temporary first.	Two seasons unmaintained · blocks free passage · event capture of commons → cut slots & remove. Failure reasons enter Failure Cabinet.
Industry	N Zhongghyuan = Validation+Accept; M Origin = Translate+POC/P/Incubate; S Daxueji = Adopt+order feedback; W wing = IP/Engineering after test gate.	Passport seats filled: asker→translator→ service→test→recubate/capital→feedback. Station KMs not duplicated; capital after Validation only.	Missing critical seat → no "closed loop" claim. Two Release cycles; no demand / no maintainer / safety fail → leave resource pool.
Capital	West-wing Capital Dock (services wing). Stack: PwC voucher · scene first-order Phylidae advisory · industry capital · patient fund. Not a rent-subsidy race.	Passport: Validation PASS · model/data card · public-value note · named next milestone. Each yuan binds only the next gate.	Two cycles no maintainer / no real demander / safety miss → exit pool. Early capital before Validation → revoke activation.
Talent	Seven personas across three stations: Fellow rooms (N) · IP clinic & short-stay (M) International desk (S) · community complex. SC-11 collaboration passport at service desks.	Voluntary language/skill/interest only. No mobility tracking · no person scoring. High-risk roles keep human responsibility.	Harassment / match bias appeal over time → freeze account + human review. Forced entrepreneurship pitch → stop Fellow use.
Compute	Zhongghyuan indoor + Qinghe interface: shared test slots · SC-07 verified facility energymesh display · end-side mouse first. No claimed MW capacity.	Facility metering plan + fire / energy / cyber pre-clear. Independent carbon check for any public claim. Net environmental gain required before any machine-room engineering.	Boundary hit or no verified benefit → exhibit-only, no build. Unverified load shown as "Performance" → pull display.
Data	One project passport + open-scene protocol along the axis. Model/data cards; synthetic & red-team sets for public tests; paper offline fallback at Commit Plinths.	Purpose limit · minimize · human responsible · appeal path on passport before any pilot. No personal trajectories for heatmaps; no auto high-risk decisions.	Purpose creep / unauthorized share / appeal over time → freeze + audit. Contributor revoke/correct must be honored.
Scenario	12 street cards: SC-02-05 controlled validations Health/health/mobility/commens; SC-12 shared red-team infra. Demand intake + Xiaoyuehe wing → City Pull Request → station demand gates.	Card complete: place · proposed owner · data/human boundary · XP · stop key (Ethics/safety/procurement/data review before formal pilot (exp. A-D).	Stop key tripped → pause / cut slots / withdraw. Reasons logged to passport + Failure Cabinet. Major unrepaired SC-12 issue → no city pilot.

Detail: land-use-structure · key-area/zonation-forms · factor-mechanisms · scenario-cards. Concept mechanisms — not approved policy, funding, capacity, or data agreements.

v0.5.6

Ops Machine · Track Loop

Outer rail = annual mileposts. Inner rail = passport stamps. Exit = barrier — not a slogan card.




Institution as railway machine — not festival stickers.

v0.5.12

Global Port Section

Not three booths — a customs cut: inbound ramp · on-site platform · outbound ramp.



Conceptual logistics section — not an immigration drawing.

v0.5.12