


LIGHT ENOUGH JING-ZHANG

An AI night commons without over-lighting or over-sensing

LIGHT ENOUGH · Overall Concept

One light line · one dark line · three commons · six gates · twelve pausable scenarios



Light-Enough Night Spine

Continuous safety and accessibility



Night-Habitat Companion Line

Lower ecological and sleep disturbance



Low-Light Validation Yard

Controlled industry testing



Origin Night Commons

Public evaluation and human takeover




Night Market Commons

Commercial light budget and reset

PROVISIONAL GEOMETRY · CONCEPTUAL RECOMMENDATION · v1.0

Basis and Three Scales

All spatial moves are conceptual; provisional geometry is not an official boundary.



Three Night Prototypes

Zhongzhiyuan validates industry; AI Origin co-evaluates; Dazhongsi stewards night commerce.

Three Key-Area Night Prototypes

One light-environment protocol, three innovation missions

Zhongzhiyuan

Low-Light Validation Yard

Perception · edge control · privacy

controlled

pausable

publish failures

AI Origin

Origin Night Commons

Accessibility · co-review · takeover

public first

no identity

ordinary route

Dazhongsi*

Night Market Commons

Light budget · reset · complaints

provisional

no alignment

recalculate

* Provisional Dazhongsi polygon is not station-anchored (Issue #1029)


PROVISIONAL GEOMETRY · CONCEPTUAL RECOMMENDATION · v1.0

Mobility, Habitat and Public Space

One safe spine, one low-disturbance companion and six Light Gates.

Safe Night Spine × Night Habitat × Six Light Gates

Safety baseline never decreases; sensing is not a condition of passage



PROVISIONAL GEOMETRY · CONCEPTUAL RECOMMENDATION · v1.0

Twelve Scenarios and Seven Personas

The first three are controlled industry tests; all scenarios are pausable and human-overridable.

Open Low-Light Perception Benchmark, Edge-Controlled Adaptive Lighting, Privacy-Preserving Night Safety, Accessible Light-and-Tactile Wayfinding, Children's Stargazing Learning Field, Night-Shift Journey Assistance

Low-Glare Route for Older Adults, Manual Blackout Emergency Mode, Low-Speed Robot Night Run, Railway Signal Heritage Guide, Public Obtrusive-Light Audit, Post-Event Dark-Sky Reset


Implementation and Annual Operation

Baseline → reversible pilots → three-zone linkage → maintained standards.

Annual Night Calibration Week publishes failure, maintenance and exit records.

Metrics and Evidence Chain

Recomputable and pending values remain strictly separated.



Risk and Copyright

Dazhongsi is not station-anchored; lighting values await survey; no face recognition or persistent tracking.

Original content is CC BY 4.0; official-source rights remain with publishers.