




The Hearth Line

京张 · 烟火线

Centennial Jing-Zhang AI Innovation Belt — open co-creation proposal

The most advanced AI district should look like ordinary life. AI takes one step back so that life can take one step forward. The Jing-Zhang heritage corridor is read as a 9.6 km living public street: a Morning Market to the north, a Learning Market in the middle, a Night Market to the south, with two wings stitched together by eight Crossing Markets.

9.60

Long Street spine, km

3

Three market Key Areas

17.2%

Hearth Front share

12

Everyday-life scenario cards

免责声明 / Disclaimer

AI Agent 开源共创概念方案——非法定规划成果 / Conceptual open-call proposal by AI agent — not a statutory plan

Proposal slug: jingzhang-hearth-line

Author: zhumoalpha (Zhumo x Claude Agent)

Licence: CC-BY-4.0 | Iteration: v1.0 | 2026

Drawings: A3 booklet (16 pp) + A0 boards (2), zh and en

Recalculation basis: EPSG:4548 (areas and lengths)

南 / S

北 / N

Night · Dazhongsi

Learning · AI Origin



Morning · Zhongzhiyuan



Contents 目录

02	Contents and key figures 目录与方案速览
03	From the station market to the AI temple fair 概念叙事：从站前市集到 AI 庙会
04	Naming and identity: steam is cooking smoke 命名与标识体系：蒸汽即炊烟
05	One street, three markets, west lanes, east bank 总体结构：一街三市，西巷东岸
06	Land-use structure and the Hearth Front 用地结构与烟火首排
07	Morning Market · Zhongzhiyuan 晨市 · 众智园
08	Learning Market · AI Origin Community 学市 · AI 原点社区
09	Night Market · Dazhongsi 夜市 · 大钟寺
10	Scenario cards and governance limits 生活场景卡集与治理边界
11	Three hearth landmarks and the component library 三处烟火地标与组件库
12	Cultural narrative and the solar-term calendar 文化叙事与二十四节气日历
13	Walking, rider delivery and Crossing Markets 长街慢行、骑手配送与过街集
14	Phasing from the south, and operations 分期：南启动、向北生长与运营机制
15	Metric recalculation and compliance coverage 指标复算与合规覆盖
16	Disclaimer, sources and declared assumptions 免责、来源与假设清单

Key figures 方案速览



How to read this booklet

This booklet is the drawn summary of the Hearth Line concept and is cross-indexed with the submission package: every figure has a matching layer in geometry/*.geojson and every number has a formula and an assumptions field in metrics.json. Official announcement figures govern; recalculated values only prove that the geometry is self-consistent.

Three threads

The first is the time of day: Morning, Learning and Night Markets divide the day into three. The second is frontage: the Hearth Front on both sides of the corridor decides whether the street faces everyday life or turns its back on it. The third is governance: every scenario card must state its non-AI equivalent and its stop condition.

What this booklet does not do

It states no Floor Area Ratio, building height, density, green ratio or setback value; no parcel-level retain-renovate-demolish conclusion; no engineering or investment conclusion. Provisional Boundaries are used for generation and discussion only, never as a red line.



The white steam above the Jing-Zhang locomotive and the cooking smoke under the eaves of the market outside the station are one and the same rising plume: behind the history of engineering there has always been a history of everyday life.

The proposal reads that thread as five stages and draws one claim from it: the market is the womb of innovation. Zhongguancun began as a market — the Electronics Street was stalls, counters and build-your-own PC shops, and innovation happened in the density of haggling rather than in the reflection of glass curtain walls. New AI businesses are therefore read as a new market, which fits both the history of this street and its future.

Five era layers, one history of everyday life



Everyday life feeds innovation: four links

Livability

The noodle shop on the corner, the child's walk home, the meal service for an elderly neighbour: the un-copyable everyday is the first link.

Talent retention

When a researcher is willing to stay and eat here on a Friday evening, the length of stay grows.

Ecosystem density

People staying raises the density of teams, supply chains and open-source communities.

Innovation output

Density raises the odds of transfer and output. The chain is a conceptual argument supported by public cases, not an empirical finding.

Everyday life feeds innovation. Labs can be built anywhere, weights can be moved and compute can be bought; quality of life cannot be copied. It is therefore treated as innovation infrastructure to be invested in, not as decoration added after completion.

Narrative hook: steam is cooking smoke

"Steam is cooking smoke" is not a figure of speech but a design instruction: whatever can be read as an engineering achievement must also be readable as somebody's ordinary day. The Long Street is a public living room rather than a scenic greenway, squares are markets you can trade from rather than memorials, and landmarks are places to eat, to go to the fair and to light a lamp.

Name check (2026-08-09): Hearth Line, Lantern Line and Human Line returned no hits in the peer proposal corpus, while Life Line was already in frequent use and was dropped. "The Hearth Line" was not in use at the time of checking. The check informed the naming decision and passes no judgement on other submissions.

Three spatial consequences

Consequence 1 · the front row must be a living frontage

The first row on both sides of the corridor, roughly 80-120 m deep, is designated the Hearth Front and is mainly commercial, community-service and civic-square land: 195.86 ha recalculated, 17.16% of the Design Area.

Consequence 2 · public space must be allowed to get dirty

Public space is of the market kind rather than the memorial kind: you can trade from it, occupy it and clean it up afterwards. Recalculated share 5.21%.

Consequence 3 · people must be able to live here

Housing and community service take a larger share than in a display-led park: residential land 32.86% recalculated, community and public services 13.64% together.



The Chinese name is 京张·烟火线 and the English name is The Hearth Line — a hearth is the fire of a home. The Chinese word carries three senses at once: cooking smoke (food and family), lantern light (night and safety) and the warmth of street life (market and neighbourliness).

Naming: parent, street, markets, nodes, events

Layer	Name	Note
Parent	The Hearth Line 京张·烟火线	One street; steam is cooking smoke
Street	The Long Street 京张长街	A 9.6 km living public street, not a scenic greenway
Markets	Morning / Learning / Night	Each owns a part of the day: morning, campus-side, urban pole
Nodes	Crossing Market / square / rider station	Eight Crossing Markets stitch the wings to the street
Events	New Temple Fair / Lantern Festival / AI Market Day	Driven by the 24 solar terms — routine, not a one-off summit


Logic of the mark

A rising plume of steam that resolves at its foot into two rails; the alternative direction nests the rails inside a lantern outline. The locomotive's steam and the smoke above a stove merge into one figure — the single graphic motif of the whole proposal.

Motion and application

In motion the mark lights from the bottom up: the rails first, then the plume, ending in one ember-coloured dot — the same logic as the phasing, which starts in the south and grows north. Wayfinding is described directionally as station-board lettering beside old shop-sign lettering.

Logo direction



Drawings, boards and the offline viewer share one palette: ember for light, charcoal for type, cream for ground, slate for support and water. Ember is reserved for emphasis and landmarks and is never laid down in large fields, so the sheet stays readable.

Stated limits

Stated limits: no unlicensed font file, corporate mark, third-party image or personal likeness is used, and no OpenStreetMap data. Every drawing is generated by this proposal's own script. Font and trademark clearance is required before any formal use.

Fig. 1 One street, three markets, west lanes and east bank








Fig. 2 Land-use structure and the Hearth Front, recomputed in EPSG:4548



Land use follows the national classification guide. Five longitudinal bands crossed with ten segments generate 50 units whose union equals the Design Area and whose pairwise intersections are below one square metre.

Major category	Area, ha	Share
Residential 07 / 0701	375.00	32.86%
Green & open 1401 / 1403	226.42	19.84%
Research & education 0802 / 0804	168.52	14.77%
Commercial services 05	168.45	14.76%
Community & public service	155.71	13.64%
Reserved 16	35.55	3.12%
Urban road 1207	11.64	1.02%

Share by major category (%)



Intensity is left open: Floor Area Ratio, coverage, height, setback and green ratio have not been released, so all are registered as pending. No intensity value is stated; only directional form guidance is given.

The Hearth Front
A continuous band roughly 80-120 m deep on both sides of the corridor. Twenty of the 50 land-use units belong to it: 195.86 ha, 17.16% of the Design Area. The point is that the street always faces everyday life.

Four renewal modes
Market mending (20 units), renew and upgrade (14), new catalyst (13), retain the fabric (3). These are working methods, not retain-renovate-demolish conclusions, which require tenure, building condition, heritage and regulatory data first.

Ten themed segments
From the southern gateway at Gaoliangqiao north to the upper Morning Market, segments are named after places rather than numbered, so that residents can find their own home on the drawing first.

Capacity: method only
Walking capacity, public-space supply, community-facility access and rider-network load all require official population and facility data. Until it is released they exist as a method framework and no capacity figure is given.


Morning Market 晨市

Zhongzhiyuan AI acceleration district · the brief: a morning worth staying for

192.92 ha

About 192.9 ha announced; the figure above is the EPSG:4548 recalculation

Fig. 3 detail: Morning Market (Zhongzhiyuan) fabric and scenario nodes



晨 Morning Market · Zhongzhiyuan

Morning · a researcher's day begins

Area	Buildings	Public spaces	Scenario nodes
192.9 ha	46	3	2

Intensity and height: to be developed once official regulatory conditions are released; this figure shows small-grain cluster fabric and market frontage only.

Every conclusion for this area is a Conceptual Recommendation for specialist development: no parcel-level retain-renovate-demolish decision, no Floor Area Ratio or height figure, no engineering conclusion. The key-area polygon is a provisional rough boundary.

Programme

Research and education keep ample capacity, but the corridor frontage is given to breakfast, convenience, community service and small public facilities; the service side of research buildings faces inward, the living side faces the street.

Building fabric

Four clusters: breakfast workshops and the running loop, a research-living cluster, a mixed living cluster and the briefing-lawn cluster — all small-grain conceptual footprints.

Public space

The breakfast-workshop square and the morning lawn are about 1.96 ha each; with Crossing Market 08 they make three places to stop.

Movement

The running loop parallels the walking spine; an internal branch loop carries vehicle micro-circulation; delivery lanes enter from outside and never cross the running loop or the lawn.

AI scenarios

One breakfast is also one real test: the driverless breakfast cart runs in a real morning peak rather than a closed track, with graded incident response and termination after two similar events.

External links

The northern transit link points towards Shangdi-Qinghe. Demonstration of full-stack innovation and standards governance is embedded in existing research buildings as bookable, visitable, accountable open days — no separate pavilion.

Scenarios here: SC-01 breakfast map and elderly meal service, T1 driverless breakfast-cart micro-loop


Learning Market 学市

Beijing AI Origin Community · the brief: dorm, lab, canteen and evening school within fifteen minutes

About 104.3 ha announced; the figure above is the EPSG:4548 recalculation

104.32 ha

Fig. 3 detail: Learning Market (AI Origin) fabric and scenario nodes



学 Learning Market · AI Origin

Learning · the campus 15-minute loop

Area	Buildings	Public spaces	Scenario nodes
104.3 ha	28	4	4

Intensity and height: to be developed once official regulatory conditions are released; this figure shows small-grain cluster fabric and market frontage only.

Every conclusion for this area is a Conceptual Recommendation for specialist development: no parcel-level retain-renovate-demolish decision, no Floor Area Ratio or height figure, no engineering conclusion. The key-area polygon is a provisional rough boundary.

Programme

Canteen, evening school, young people's housing and talent apartments, plus small release and collaboration spaces; retail stays everyday in scale, with no large concentrated mall.

Building fabric

The Commons Canteen and developer cluster face the evening-school and talent-housing cluster across the street; both are organised by walk-through lanes rather than sealed blocks.

Public space

The canteen forecourt is 4.58 ha; the developer market and the evening-school courtyard about 1.96 ha each, strung into one after-class route.

Movement

Crossing Market 06 brings campus flows onto the street; an internal branch loop carries local traffic; delivery lanes run outside along both wings.

AI scenarios

The open-source community is run as a market: the release moves from the meeting room to the long table outside the canteen, so the first user sits opposite the developer over dinner.

Transit and stitching

Station integration is indicated by a link towards Wudaokou; interfaces and engineering conditions await rail and utility data. Campus, park and district are stitched by the crossing market and the branch loop.

Scenarios here: SC-03 community kitchen, SC-06 evening school assistant, T2 low-speed delivery-robot test link


Night Market 夜市

Dazhongsi AI industry cluster · the brief: at eight in the evening the city still belongs to everyone

About 72.0 ha announced; the figure above is the EPSG:4548 recalculation

72.05 ha

Fig. 3 detail: Night Market (Dazhongsi) fabric and scenario nodes



夜 Night Market · Dazhongsi

Night · the city goes to the fair

Area	Buildings	Public spaces	Scenario nodes
72.0 ha	30	3	4

Intensity and height: to be developed once official regulatory conditions are released; this figure shows small-grain cluster fabric and market frontage only.

Every conclusion for this area is a Conceptual Recommendation for specialist development: no parcel-level retain-renovate-demolish decision, no Floor Area Ratio or height figure, no engineering conclusion. The key-area polygon is a provisional rough boundary.

Programme

Mainly commercial and cultural land with community service and housing; formats favour stalls, short leases and fast turnover rather than large long-lease units.

Building fabric

The fair's canopy cluster and the late-night economy cluster sit either side of the square; canopies are demountable modules rearranged with the solar terms.

Public space

The New Temple Fair square, 6.88 ha, is the largest single public space on the line, with a late-night canteen square and an elderly meal square of about 1.96 ha each.

Movement

Crossing Markets 01 and 02 connect four quadrants on foot; a branch loop organises local traffic; delivery lanes can close temporarily during a fair.

AI scenarios

AI-native business happens as stalls rather than showrooms: companies and developers bring products into real crowds to be judged by real users.

Hardest to govern

This is the only stretch carrying city-scale consumption, corporate display and the daily care of an older community at once: noise, fumes, waste and night safety must be solved as fast as the crowds arrive.

Scenarios here: SC-02 AI wet market, SC-07 late-night canteen and walk-home companion, SC-10 fair curation assistant, T3 age-friendly smart-home trial



Twelve everyday-life scenario cards, each a SCENARIO_NODE point (conceptual siting); every card must state RACI, a non-AI equivalent and a stop condition

ID	Name and location	Users	AI capability	Privacy and human review	RACI	Non-AI equivalent	Stop condition
SC-01	Breakfast map and elderly meals (Morning, SN-001)	Elderly, commuters	Supply aggregation, queue prediction	No personal diet record; eligibility reviewed by social workers	R meal point / A sub-district / C elders' association / I vendors	Printed map and telephone ordering	Two weeks of misleading advice or one wrong meal list
SC-02	AI wet market: prices and provenance (Night, SN-002)	Residents, stallholders	Price disclosure and provenance	Trading data visible to the stallholder only; appeals answered in three days	R market operator / A regulator / C traders' council / I residents	Printed price board and staffed desk	Any sign of price undercutting or reverse pricing of income
SC-03	Community kitchen booking and safety watch (Learning, SN-003)	Families, young people	Scheduling; gas and smoke alerts	No camera in the kitchen; alerts trigger local sound and light only	R community operator / A residents' committee / C fire adviser / I users	Front-desk booking book and on-site steward	One safety alert without a human response
SC-04	Walk-along routes for elders and pets (Street, SN-004)	Elderly, pet owners	Comfort routing and rest-point hints	No trajectory retained; routes generated locally	R park maintenance / A park / C resident reps / I volunteers	Physical signage and rest-point maps	Any risk of location data leaving the device
SC-05	Safe walk home from school (Learning-East Bank, SN-005)	Children, parents	Crowding alerts and warden rostering	No child imagery or identity; cross-section counts only	R school and sub-district / A education and sub-district / C parents / I traffic police	Fixed wardens and a parents' rota	Any individual-recognition feature appearing
SC-06	Evening-school course assistant (Learning, SN-006)	Young people, workers	Course matching and vacancy hints	Learning records never shared or scored	R evening school / A sub-district / C volunteer lecturers / I students	Printed timetable and walk-in desk	Any paid-priority ranking in recommendations
SC-07	Late-night canteen and walk-home companion (Night, SN-007)	Night workers, late returners	Open-window status and light call	No record of companions; calls reach a steward	R canteen operator / A sub-district / C police and security / I vendors	Staffed kiosk and fixed call buttons	Night stewarding not staffed
SC-08	Second-hand circulation market (Crossing, SN-008)	Residents, students	Category matching and market scheduling	Trades happen offline; no credit scoring	R market operator / A sub-district / C environmental group / I residents	On-site noticeboard and regular market	Professional resellers crowding out neighbours
SC-09	Community doctor pre-triage (health stations, SN-009)	Elderly, chronic patients	Symptom sorting and care guidance	Never a diagnosis; a community doctor reviews before anything is told	R health station / A health authority / C partner hospital / I family	Triage desk and a doctor in person	Any diagnosis or medication advice
SC-10	Solar-term fair curation assistant (Night, SN-010)	Vendors, curators	Theme material and stall layout advice	Applicant data visible to the fair office only	R fair office / A sub-district / C heritage advisers / I vendors	Curators' meeting and paper layout	Any inaccurate or offensive cultural expression
SC-11	Dialect and multilingual voice interface (line-wide, SN-011)	Elderly, international residents	Multilingual and dialect enquiry	Voice processed locally, never stored; no identity inference	R facility operator / A sub-district / C language volunteers / I users	Staffed enquiry desk and pictogram signs	Any voice retention or identity inference
SC-12	Rider station: rest, charging, right of way (line-wide, SN-012)	Riders, cleaners, couriers	Vacancy, charging and route information	No order or delivery data; never linked to platform scoring	R station operator / A sub-district / C rider reps / I platforms	Physical noticeboard and staffed stop	Any platform demand to connect appraisal data

Five rules govern every card: an AI service must have a non-AI equivalent that is no slower, dearer or harder to find; any judgement about a person needs human review and an appeal route; data is minimised, aggregated where possible and kept local where possible; every scenario declares its stop condition in advance; and responsibilities are written down before deployment. The fifteen scenario nodes are point features in the public-space layer, all conceptually sited.

T1 Driverless breakfast-cart micro-loop (Morning, SN-013)

Tests low-speed running in the morning peak, mixed-traffic yielding and delivery timing. Graded response: a minor scrape stops that cart and a human takes over; any injury stops the whole segment, seals the logs and is published within 48 hours; two similar events end the trial and restore the site.

T2 Low-speed delivery-robot right-of-way link (Learning-East Bank, SN-014)

Tests right-of-way rules in the delivery lane, interaction with riders and pedestrians, and night visibility. Physical speed limits and remote human takeover apply; complaints shorten operating hours; frightening an elderly person or a child is treated as a safety event and suspends the trial.

T3 Age-friendly smart-home trial in a real community (Dazhongsi, SN-015)

Tests fall alerts, medication reminders and safety for people living alone. Participants may leave at any time without giving a reason and have their data deleted; false-alarm rates above the agreed level suspend the trial; one unanswered call for help triggers a full review.

All three trials share one discipline: demountable and restorable installations; logs for review but never for individual appraisal; one answerable human phone number published at each site; and a public debrief afterwards whatever the result. Low-speed delivery and robotics content requires separate assessment by the competent authorities.

Three gates and four levels of incident response


- 1

Collection gate: nothing is collected by default; collection states its purpose, retention and deletion, following personal-information and generative-service disclosure requirements.
- 2

Judgement gate: any judgement touching personal rights takes effect only after human review; AI output is advice, explainable and contestable.
- 3

Exit gate: every service writes its stop condition and rollback before launch, so stopping needs no fresh argument.
- 4


Four levels: level 1 experience issues are handled on site; level 2 service failure restores a human channel within 24 hours; level 3 personal-data or safety events stop the service, seal logs and notify those affected; level 4 systemic risk takes the whole family of services offline with a public explanation.



The New Temple Fair 大钟寺新庙会

Night Market · square 6.88 ha


The landmark is a fair you can go to, not a monument. A permanent market square carries a fair calendar of 24 solar terms, reviving the Dazhongsi temple-fair tradition as the main venue for AI-native business. Its core mechanism is AI Market Day: developers demonstrate from stalls to real citizens, who vote with hearth tokens; the highest tallies win a permanent pitch next season.



The Commons Canteen 京张食堂

Learning Market · forecourt 4.58 ha

A city-scale public canteen with three windows: developers, elderly meal service and late night. AI works in the kitchen on nutrition and surplus only; the counter is always human. How advanced a district is can be measured by whether a stranger can eat a cheap good meal here.



The Lantern Wall 万家灯火墙

Mid Long Street · forecourt 4.58 ha

A smart lantern array on the middle of the street: one lamp for one household or one person's memory or wish, the whole wall lit at festivals. Claims are visible only to the claimant, with no ranking or ordering — remembrance as everyday life, not an honours board.

Three rules the landmarks share: each must be usable on an ordinary day rather than only on event days; each must offer somewhere to sit without spending; and each must keep an accessible, non-digital way to take part. The 3 landmark squares recalculate to 16.04 ha together.

Public-space component library: eight demountable, restorable, repairable families

Component	Purpose	Where	Key requirement
Market canopy	Basic unit for stalls and pop-up trade	Three markets and 8 crossings	One person can carry it, usable in rain, no foundation left behind
Hearth column	Night lighting and location marker	Whole street	Warm, low-glare light that does not disturb neighbouring homes
Rider station kiosk	Rest, water, charging, right-of-way information	6 station sites	Open to all, no work pass checked, no platform tie-in
Meal-service window	Serving counter for elders and late nights	Markets and meal squares	Two heights: wheelchair and standing
Drying and seasonal fittings	Admitting that real life leaves traces	Street side of housing clusters	Retractable, repurposed with the seasons
School-route marker post	Route hints and warden positions	Learning-East Bank school route	At a child's eye height, reflective at night, no camera
Waterside fishing deck	Angling and waterside pause	East bank of the Xiaoyue River	Railing and rescue equipment installed with it
Demountable fair frame	Skeleton for fair performance and trade	New Temple Fair square	Assembled and struck within a day each; the ground returns to green square

AI Market Day

AI Market Day is the hearth version of opening up scenarios: developers demonstrate and test from a stall in a real crowd, citizens vote with hearth tokens, and the highest tallies win a permanent pitch next season. It turns the call-for-solutions into a market, hands part of the judgement to real users and makes scenario opening a weekly event rather than a list. Only the tally is counted; no voter identity is collected.

What every component must do

Every component must offer accessible equivalence, be identifiable at night and be repairable on site. Dimensions, construction, loading and materials are for specialist teams; no construction method or detail is given here. The point of the library is not styling: it turns trading from a stall into a standard, orderly, governable public act.



From the station market to the AI fair: five stages

Stage	What happened	What it means here
Station and market	The station brings stalls, inns and porters	The railway's first by-product was life, not industry
Workers' community	Dormitory, canteen, bathhouse and staff school as a set	The historical prototype of the Commons Canteen
The lane outside	Wudaokou grows from a station lane into a youth quarter	Fine-grain frontage is where vitality comes from
Electronics Street	Innovation grows from stalls and assembly counters	Haggling density came before incubator density
AI temple fair	New technology needs a new way of going to market	Products judged by real users in real crowds

The claim is one sentence: the market is the womb of innovation. Translating the temple fair — the prototype of Chinese urban public life — into contemporary terms is closer to the intent of this railway than building another exhibition hall. It also explains the order of priorities: restore the oldest form of public exchange first, then ask what technology does inside it. Wayfinding is described directionally as station-board lettering beside old shop-sign lettering, with no font specified.

A walkable timeline

The five stages are strung from south to north along the street as a walkable timeline. Oral-history collection and digital image restoration turn the shift from station market to workers' community to Electronics Street to AI fair into one continuous story. Rail relics stay in the corridor as readable traces, with a market milestone every kilometre translating the railway milestone into an everyday scale.

Three characters along one street

The south is themed on the fair and the night economy, setting the ancient bell, the railway and market frontage side by side; the middle on campus life and lantern light, with continuous street walls and open ground floors; the north on the morning, with low-reflectance materials and public frontage in early light. Roof form, massing and frontage figures await official conditions.

Limits of expression

The narrative uses only publicly verifiable historical threads and invents no person, date or event; no unlicensed font, trademark or image is used; and the content of fairs and solar terms must be confirmed with folklore advisers and the relevant parties. This proposal does not interpret culture on anyone's behalf.

In Beijing, the most advanced AI district smells like breakfast.

International headline · 在北京，最先进的 AI 城区闻起来像早饭。

The 24 solar terms and four flagship events

Season	Solar terms	Main venue	Market themes
Spring	Start of Spring to Grain Rain (6 terms)	Night Market	New Year fair, opening market, seed and plant market, term-start skills market
Summer	Start of Summer to Great Heat (6 terms)	Night Market and East Bank	Summer night season, waterside cooling market, extended late-night canteen
Autumn	Start of Autumn to Frost Descent (6 terms)	Learning Market and the street	Harvest market, Mid-Autumn fair, second-hand circulation season
Winter	Start of Winter to Great Cold (6 terms)	Mid Long Street	Winter Lantern Festival lighting the wall, new-year goods, meal-service week

Three operating rules for the calendar

First, no solar term may become pure retail promotion: at least one free offering for elders or children must remain. Second, every installation is demountable and the ground is restored within two days. Third, safety, hygiene and noise plans are submitted with the application, and stalls that fail assessment do not enter.


Four flagship events

The New Year fair at Dazhongsi, the summer night season, the harvest market including the Mid-Autumn fair, and the winter Lantern Festival lighting the wall. The calendar is also a public interface for regional coordination: cities along the heritage belt can hold their own events on the same term, independent but mutually reinforcing.

Character and lighting

Warm, low-reflectance and small in grain throughout; night lighting is warm and low-glare so the street is safe to walk without disturbing neighbouring homes. Roof form, massing and frontage alignment figures await official regulatory conditions; only direction is given.

Fig. 4 Walking, rider delivery and the blue-green public space network



Road and walking hierarchy (editable classes only)

Class	No.	Length	Role on the Hearth Line
Walking spine (greenway)	1	9.60 km	The main line of the living public street
Cycleway	1	9.60 km	Commuting cycling parallel to the spine
Crossing-market links (pedestrian)	8	5.74 km	Eight seams stitching the wings to the street
Rider delivery lanes (local access)	6	18.66 km	Delivery and low-speed robot trials, off the spine
Living secondary connectors	4	18.43 km	Longitudinal links carrying traffic between districts
Branch loops	4	7.29 km	Micro-circulation in the markets and on the east bank
Transit connections	4	1.86 km	Towards Dazhongsi, Zhichunlu, Wudaokou and Shangdi-Qinghe

The network submits 28 centrelines totalling 71.19 km. Three layers: the walking spine and a parallel cycleway of 9.60 km each; eight crossing links of about 5.74 km; and secondary connectors with branch loops for micro-circulation.

- Six rider delivery lanes total 18.66 km, three along each wing, on three conditions: they never take the walking spine, never cross children's play areas and can close during markets.
- The eight Crossing Markets turn crossing into market: each is a small market and service point rather than a pure traffic node.
- 6 rider stations sit along the delivery lanes and crossings, also serving cleaners and couriers, open unconditionally.
- The east bank carries a waterside test band along the Xiaoyue River: morning exercise, angling monitoring and a market deck.

Riders as first-class citizens

They spend the longest time on this street and are seen the least. Stations check no work pass, tie to no platform, require no purchase and collect no order data — their value is precisely that they belong to no platform.

Service first, systems later

Meal windows, health stations, rider stations, community kitchens and evening schools land first; distributed energy, edge compute and sensors follow the facilities instead of taking their own sites.

Services spread along the line

3 meal windows; health stations on community-service land, co-located with a staffed triage desk; children's and elders' facilities placed near crossings and pocket markets.


One construction discipline

Power, communications and maintenance interfaces for smart equipment are designed together with the everyday facilities, so the street is not dug up again later for poles and boxes.

Only editable road classes are used; no expressway or arterial is added. Right-of-way widths, cross-sections and speed limits are for the traffic authority. Only network position and purpose are given — no bridge, tunnel or engineering conclusion.



Phasing: south first, growing north, 2026-2035



A hearth is lit where people already are, so this proposal starts in the south — the reverse of the usual north-first order. The discipline of P1 is that every action is reversible: canopies, kiosks, frames and marker posts are demountable, lighting and paving are light-touch, and nothing depends on regulatory conditions that have not been set. The 100-day open call is a submission deadline, not an implementation phase.

Renewal project list (15; funding and operator to be confirmed)

ID	Renewal project	Phase	Location and precondition
HH-01	New Temple Fair market square	P1	PS-001; tenure and event safety plan
HH-02	Late-night canteen and stewarded point	P1	PS-016; night trading and staffing
HH-03	Southern gateway crossing market	P1	PS-004; crossing works and traffic review
HH-04	Southern corridor made everyday	P1	GS-003; landscape care and tree protection
HH-05	Southern rider delivery-lane trial	P1	RD-011; road use and speed-limit permit
HH-06	The Commons Canteen (three windows)	P2	PS-002; food trading and building conditions
HH-07	Evening-school courtyard and skills map	P2	PS-015; teaching licence and premises
HH-08	Developer canteen forecourt market	P2	PS-014; traders' council formed first
HH-09	Lantern Wall and mid-street square	P2	PS-003; lighting and information-security review
HH-10	Rider station network (6)	P2	site tenure and operator confirmed
HH-11	East bank waterside market deck	P2	PS-018; water and flood conditions
HH-12	Second-hand circulation market	P2	PS-019; waste and market management
HH-13	Elderly meal square and network	P3	PS-020; civil-affairs meal policy
HH-14	Breakfast workshops and morning lawn	P3	PS-012; park and sub-district coordination
HH-15	Morning-market crossing and transit link	P3	RD-028; rail and utility conditions

Traders' council

Entry, exit, hygiene and noise rules for markets and front-row shops are set jointly by trader and resident representatives with the operator; rules are public, contestable and revisable. Residents hold real power, not just the right to be informed: noise and fume rules need their consent, otherwise market hours narrow automatically.

AI Market Day

The market version of the call for solutions: developers demonstrate in real crowds, citizens vote with hearth tokens and the highest tallies win a permanent pitch next season. Only tallies are counted, never voter identity.

Rider-friendly certification

The station network advances together with right-of-way negotiation: certified shops and buildings open toilets, drinking water and short stopping, and display a common mark. Standards and incentives are for the relevant authorities and representative bodies to set.

The conversion chain

Fair visitor to regular to stallholder to shopkeeper to resident company. This chain is why the Hearth Line is an industrial strategy and not only an amenity improvement: it treats public life as the cheapest possible mechanism for attracting business and keeping people.


All operating content is a conceptual mechanism proposal; actual rules must be set by the relevant parties through due process. Nothing here constitutes an implementation arrangement or a policy commitment.



Fig. 5 Core metric recalculation and evidence dashboard




Hearth Line specific counts, one per layer feature



Pending official data (5 items)

Five control metrics — Floor Area Ratio, total gross floor area, maximum building height, official building density and the official green-ratio target — are registered unknown with a null value because official regulatory conditions have not been released. They must be supplied before formal scoring, and no estimate is substituted.



The metric set has 64 entries: 59 known and 5 pending. Areas and lengths are computed after projecting the EPSG:4326 geometry to EPSG:4548, with the projection stated in every formula field. Site area, green ratio and public-space share are written directly by the script so that no tolerance is shaved.

Metric	Recalculated	Note
Overall Design Area	1141.28 ha	About 0.11% from the announced value; corner generalisation
Coordinated Research Area	43.61 sq km	Scope for industry and livability research
Key Areas together	369.29 ha	Sum of three; about 0.24% from the announced value
Green ratio	19.84%	Recalculated from 13 green units
Public space share	5.21%	Recalculated from 20 polygons
Hearth Front share	17.16%	Recalculated from 20 front-row units
Residential land share	32.86%	Higher than a display-led park
Conceptual footprint coverage	5.17%	Statistic of self-drawn geometry, not a density control
Total road centreline	71.19 km	Includes walking, delivery lanes and transit links
Phase areas P1/P2/P3	268 / 523 / 351 ha	The three phases cover the whole Design Area

Coverage of the three matrices

The compliance matrix covers all 23 mandatory requirements under 1.3, 1.4, 1.5 and agent.1-agent.6, each linked to sections, layers, metrics, drawings, viewer sections, sources, assumptions and self-checks. The standard matrix covers five mandatory standards, all addressed, plus one non-mandatory reference registered as a data gap. All fifteen design-depth items are complete.

What complete means

For intensity and height items, complete means that principles and the data gap are stated, not that a number is given. A gap that can be checked is worth more than a conclusion that cannot.

Self-checks and assumptions

All 34 self-checks pass (18 blocking, 13 major, 3 minor). The 8 declared assumptions cover the provisional boundary, the land-division method, conceptual buildings, projected recalculation, missing control values, derived green space, the nature of scenario points and the phase cuts.



免责声明 Disclaimer

AI Agent 开源共创概念方案——非法定规划成果 / Conceptual open-call proposal by AI agent — not a statutory plan



References and registered sources

- 1. Pre-qualification announcement for the Centennial Jing-Zhang AI Innovation Belt urban design competition, Haidian Branch of the Beijing Municipal Commission of Planning and Natural Resources, 2026-05-09 — the three scope levels, key areas and design tasks.
- 2. Task book for the global AI-agent open call, 2026-05-18 — agent tasks, the required number of scenario cards and personas, and deliverable formats.
- 3. Measures for the Administration of Urban Design — coordination of urban character, public space and building layout.
- 4. Measures for the Formulation and Approval of Regulatory Detailed Planning for Cities and Towns — content and depth of regulatory-level urban design.
- 5. Guide to the Classification of Land and Sea Use for Territorial Survey, Planning and Use Control — land-use categories and codes.
- 6. Personal Information Protection Law of the PRC — lawful, justified, necessary and minimal processing of personal information.
- 7. Interim Measures for the Administration of Generative AI Services — safety, transparency and content responsibility.
- 8. Law of the PRC on the Construction of an Accessible Environment — accessible facilities and accessible information.
- 9. Provisional boundary note in the repository site package (brief/site-package/geometry/provisional_boundaries.geojson) — the use and limits of the provisional rough polygons.
- 10. Two background reports: public coverage of the three-district two-wing world-class AI cluster and of Haidian's 1+X+1 industrial system — narrative background only, never a control basis.

Limits on sources

Limits on sources: five are usable formally (announcement, task book, urban design measures, regulatory planning measures, land-use guide); two background reports are narrative only; one provisional-only record is for generation, self-check and discussion; no OpenStreetMap data is used, so no ODbL attribution applies. 8 sources are registered in total.

Declared assumptions (8, in brief)

- 1. Provisional boundary: all three scope levels and the three key areas are provisional rough polygons; when official boundaries are released the whole geometry and every metric must be recomputed.
- 2. Land division: a conceptual planar split of five bands by ten segments, expressing structure and shares — it does not replace parcel division or a statutory land-use plan.
- 3. Conceptual buildings: the 204 footprints indicate position and grain only, with no judgement on tenure, existing condition or engineering.
- 4. Projected recalculation: areas and lengths are computed in EPSG:4548 and will differ from values computed in other projections.
- 5. Missing control values: official FAR, density, height, setback and green-ratio values are absent and are not replaced by estimates.
- 6. Derived green space: the green layer is derived from 14xx land units, so the green ratio is a geometric statistic, not an official target.
- 7. Nature of scenario points: the 15 nodes are conceptual sitings, not siting conclusions or land allocations.
- 8. Phase cuts: the three phases are cut by latitude as a conceptual division; the actual sequence must be coordinated with tenure and investment conditions.

Compliance boundaries

For generative AI service administration, personal information protection and accessible-environment construction, this proposal states the substance of each requirement and its spatial consequence without citing article numbers; a legal and compliance team must work through them clause by clause during formal development. The spatial consequences are: AI public services must be refusable with a non-AI equivalent retained, contestable with a disclosed responsible party, generated content conspicuously labelled, sensor purposes disclosed, and accessibility never reduced by the introduction of AI.

Risk and human review (eight dimensions)

- Data privacy: everyday scenarios sit close to the person and unchecked collection does irreversible harm — no collection by default is a precondition, and every service declares a stop condition.
- Public acceptance: noise, fumes, waste and night-time disturbance — the traders' council and maintenance arrangements land together with the market, or the market does not open.
- Operating cost: canteen, stations and evening school are long-term expenditure — the operator and a sustainable mechanism are settled before launch, with no assumed subsidy.
- Policy uncertainty: low-speed delivery, robot trials and fairs all need multi-agency permission — nothing starts before it is granted.
- Spatial dispute, implementation complexity, technology maturity and equity are met respectively by case-by-case negotiation with publication, light reversible P1 installations, graded incident and rollback clauses, and mandatory non-AI equivalence with accessible equivalence.

版权与许可 Copyright and licence

Copyright and licence: every drawing and every word in this booklet is generated by this proposal's AI agent with matplotlib. No third-party image, font file, trademark or personal likeness is used, no OpenStreetMap data is used, and the announcement and standards are cited as references. Licensed CC-BY-4.0.