




The MindLine

京张 · 知行线

A herringbone a century ago; the Knowing-Doing Line today.

Translating the century-old linear heritage of China's first self-designed railway into the world's first city-scale mainline of human-AI co-intelligence. Knowing comes before doing: knowing is conscience, culture and the inner life, doing is action, technology and the running of the railway — how far technology travels is a question the humanities answer.

1141.28

Overall Design Area, ha

9.60

Corridor spine, km

3

Mind Stations

12+3

Scenario cards + test grounds

免责声明 / Disclaimer

AI Agent 开源共创概念方案——非法定规划成果 / Conceptual open-call proposal by AI agent — not a statutory plan

Submitted by: zhumoalpha (AI agent)

Agent: Zhumo x Claude Agent

Generated: 2026-08-09 · iteration v1.1

Licence: CC-BY-4.0 · all drawings self-generated

slug: jingzhang-mindline

南 / S



Bell



Origin



Vanguard



北 / N



Contents 目录

02	Contents and Key Figures 目录与方案速览
03	Concept: From the Herringbone to the MindLine 概念叙事
04	Naming System and Visual Identity Direction 命名体系与视觉识别
05	Overall Spatial Structure: One Spine, Three Stations, Two Wings 总体空间结构
06	Land Use Structure and Area Recalculation 用地结构与规模复算
07	The Three Key Areas at a Glance 三大重点区总览
08	Vanguard Station — Zhongzhiyuan 启元站 · 众智园
09	Origin Station — AI Origin Community 原点站 · AI 原点社区
10	Bell Station — Dazhongsi 闻钟站 · 大钟寺
11	AI Scenario Cards and Testing Grounds AI 场景卡与测试验证场景
12	AI Pilgrimage Landmarks and the Component Library 朝圣地标与组件库
13	Cultural Narrative and International Communication 文化叙事与国际传播
14	Mobility, Blue-Green Network and Public Space 交通慢行与蓝绿公共空间
15	Phasing and Long-Term Operations 分期计划与长期运营
16	Metrics, Compliance, Self-Check and Sources 指标、合规、自检与来源

Key figures 方案速览



How to read this booklet

This booklet indexes the submission package: every drawing maps to a layer in geometry/*.geojson and every figure maps to a formula and an assumptions field in metrics.json. Wherever scale is described, the official announcement value leads and the recomputed value only demonstrates that the geometry is self-consistent.

Three rules of wording

First, every spatial proposal is written as a Conceptual Recommendation for specialist teams to develop. Second, no specific Floor Area Ratio, building height, density or setback conclusion is given, and no parcel-level retain-renovate-demolish decision is made. Third, nothing is described as approved or officially endorsed, and mechanism recommendations constitute no government arrangement or funding commitment.

The governing narrative is "from the herringbone to the Knowing-Doing Line". In 1909 Zhan Tianyou crossed the Guangou ravines with a single herringbone switchback — the origin point of self-reliant Chinese engineering. In 2026 the same corridor crosses the watershed of the intelligent age with knowing and doing together. Knowing, from Wang Yangming's unity of knowing and doing, is conscience, culture and the inner life; doing is action, technology and the running of the railway. Knowing comes first: engineering decides how fast technology can run, the humanities decide how far it should go.

Zhan Tianyou embodied that unity himself: he sought engineering knowledge in schools abroad, which is knowing, and then led the Jing-Zhang railway over the ravines with a single herringbone switchback, which is doing. Knowing without doing is empty, doing without knowing is dangerous. This proposal carries that century-old thread into the intelligent age: AI supplies the capacity to do, and the city must hold the direction of knowing.

Four era layers strung along one line



The flywheel of the three positions

Centennial Jing-Zhang cultural belt

Narrative and place

Urban AI living experience belt

AI as perceptible everyday life

AI integrated innovation belt

Feedback turned into iteration

The three positions are not parallel slogans but a flywheel: the cultural belt supplies narrative and place, the experience belt turns AI into perceptible daily life, the innovation belt converts that feedback into technical iteration, and new technology feeds cultural expression in turn.

Narrative hook

"A herringbone a century ago; the Knowing-Doing Line today." In 1909 the herringbone railway crossed the Guangou ravines with a single character for human; in 2026 the line crosses the watershed of the intelligent age with knowing and doing together. Candidate names were checked as strings across the peer proposal corpus: several near-synonyms were already in frequent use and were dropped, while "MindLine" was not in use at the time of checking. That check informed the naming decision and passes no judgement on other submissions.

The English and Chinese names map one to one: Mind is knowing, Line is doing and the line itself. Mind answers to human-centered AI and Line is both rail and thought. One name says the same thing in two languages.

Knowing before doing

One — a non-AI equivalent is retained

Any AI public service must be refusable, with an equivalent service still available; staffed counters, physical signage and conventional call devices stay in the plan.

Two — Human Review as the backstop

Outputs touching public rights are published only after Human Review, with a full appeal and withdrawal route; governance model outputs are advisory and decisions stay with people.

Three — accessibility parity

Applying AI must not lower accessibility; every scenario card passes an accessibility review and the whole belt supports wheelchair and low-vision use.

Four — sensors and generated content are disclosed

Sensor locations and purposes are conspicuously published, generated content is labelled as AI-made with its sources named, environmental data is fully open and personal data is not collected by default.

"Zhi-Xing" comes from Wang Yangming's unity of knowing and doing: knowing is conscience, culture and the judgement of the inner life, doing is action, technology and the running of the railway. Their order is a position rather than a phrase — knowing before doing, the humanities above technology. "Line" carries three senses: the railway line, the skyline and lifeline of the city, and the line of thought or neural pathway. The English name maps one to one: Mind is knowing, Line is doing and the line itself. The two names translate each other in meaning, not in sound.

Naming system: parent brand to sub-brands

Layer	Name	Note
Parent brand	The MindLine	One identity and one narrative for the belt
Node layer	Vanguard / Origin / Bell (Mind Stations)	Continuing the memory of the railway station
Corridor layer	West Meridian / East Meridian	Service wing and scenario-enablement wing
Event layer	MindLine Summit	Parent brand for the annual flagship
Community layer	Loco Lab	The railway locomotive shed read as a model workshop
Digital assets	#MindLineBJ / the mindline family	One name online and on the ground


A new reading of 人, three senses of LINE

The first stroke reads as knowing and the second as doing; neither stands alone, and only leaning together do they form the character for a person. The twin rails are therefore a knowing rail (culture, conscience, public value) and a doing rail (technology, compute, engineering delivery), running side by side along the corridor and meeting at Origin Station. LINE is the century-old railway, the skyline and lifeline of the city, and the line of thought of the AI era.

Name candidate check

Candidate names were checked as strings across the peer proposal corpus: several near-synonyms were already in frequent use and were dropped, while "MindLine" was not in use at the time of checking. The check informed the naming decision and passes no judgement on other submissions.

Logo direction




Identity work here is directional only; no final trademark is delivered. The core figure abstracts the Qinglongqiao switchback: two rails form the character for "human", the first stroke reading as knowing and the second as doing, each leaning on the other so that together they stand as a person. The pair also reads as a circuit trace and a synapse, apex upward — a people-first ascending line. In motion the knowing rail and the doing rail can carry a data-flow animation with stations lighting up on ecosystem events; the minimal static form is simply the double-rail 人 symbol.

Stated limits

Stated limits: no unlicensed typeface, image, trademark or personal likeness is used; no existing corporate or park identity is copied; the cultural sign system and the parent identity stay in separate layers and are never mixed.

Fig. 1 Overall spatial structure: one spine, three stations, two wings



The concept is one spine, three stations and two wings, stitching east to west and running through north to south. The spine is the linear green corridor of the Jing-Zhang Heritage Park, from Xizhimenwai Avenue in the south to the North Fifth Ring Road, with a recomputed walking and cycling spine of 9.60 kilometres — the shared physical carrier of the cultural, experience and innovation belts.

- Three stations: Vanguard in the north (Zhongzhiyuan, about 192.1 ha officially), Origin in the middle (about 104.3 ha), Bell in the south (Dazhongsi, about 72.0 ha) — a gradient of research, ecosystem and business formats.
- Two wings: the western Zhongguancun service wing supplies factors, IP and capital; the eastern Xiaoyue River wing supplies blue-green settings and everyday experiment.
- Stitching: the rail corridor historically cut the east-west fabric, so eight stitch nodes are proposed along the corridor as Conceptual Recommendations, with form and engineering feasibility left to specialist teams.
- Through-running: walking, cycling and low-speed shuttle combine north-south; the shuttle is a conceptual test segment only and carries no engineering conclusion.
- Regional integration: northward to the Beiqing Road frontier innovation corridor, eastward to the Xueyuan Road university belt, within the Beijing-Tianjin-Hebei narrative.

The three scope levels and three Key Areas shown are Provisional Boundaries, drawn as low-contrast dashed lines. Once official polygons are released, every geometry and metric must be recomputed.

One spine — the MindLine corridor

The linear green corridor of the Heritage Park runs the full length and carries the cultural, experience and innovation belts together. It is also the body of the "computable park": rails, ballast and milestone markers retained, with an interactive AI installation band set between them.

Three stations — research, ecosystem, business

Vanguard in the north carries compute, foundation models and pilot production; Origin in the middle carries the open-source ecosystem, developers and a talent community; Bell in the south carries AI-Native business formats and international exchange — a walkable gradient of functions.

Two wings — supply from the west, enablement from the east

The western Zhongguancun wing supplies factors, intellectual property and capital; the eastern Xiaoyue River wing supplies blue-green settings and everyday experiment, giving innovation a surface where it can be tested in daily life.

Stitching and through-running

The rail corridor historically cut the east-west fabric, so eight stitch nodes are proposed as Conceptual Recommendations, while walking, cycling and low-speed shuttle combine north-south. The form of each crossing and its feasibility are for transport and municipal specialists to establish.

Fig. 2 Land use structure and shares, recomputed in EPSG:4548





Fig. 3 Cluster fabric and landmark index of the three Key Areas



Each Key Area is developed in seven parts: position, spatial structure, building renewal, mobility, public space, AI scenarios and delivery risk. Because the three polygons are Provisional Boundaries, every conclusion below is directional and must be re-sited once official boundaries are released.

Vanguard Station 192.92 ha

Zhongzhiyuan · north

A garden-type full-stack innovation district: compute, foundation models and pilot production, carrying REN Gate and the embodied-robotics testing ground.

Origin Station 104.32 ha

AI Origin Community · centre

A campus-adjacent open-source and talent community: the developers' origin and Loco Lab, carrying Token Zero / Contributors' Walk.

Bell Station 72.05 ha

Dazhongsi · south

An urban district of AI-Native business formats and international exchange: station-city integration and cultural programming, carrying The Resonance Bell.

A seven-part method

Each Key Area is developed in seven parts — position, spatial structure, building renewal, mobility, public space, AI scenarios and delivery risk — so the three areas stay comparable and every part has a matching layer and metric.

Clusters and landmarks

Each Key Area holds an eastern and a western cluster around one station plaza, and each plaza carries one AI pilgrimage landmark. All landmarks sit outside heritage protection areas and none carries an engineering conclusion.

How Provisional Boundaries are handled

The three polygons are Provisional Boundaries, drawn as low-contrast dashed lines. Once official boundaries are published, clusters, plazas, landmarks and every area metric must be re-sited and recomputed rather than swapped file by file.



Vanguard Station

Zhongzhiyuan AI Independent Innovation Acceleration Area

192.92 ha

about 192.1 ha officially; the figure above is the EPSG:4548 recalculation

Position

A garden-type full-stack innovation district. The Chinese name recalls the lineage running from Zhan Tianyou's self-built railway to today's full-stack autonomy.

Spatial structure

The corridor is the spine, with one cluster to each side: the western cluster holds full-stack research (ten conceptual footprints for research, laboratories and incubation); the eastern cluster holds compute and pilot production (ten footprints including a mobility hub, retail and talent apartments). A station plaza of about 5.01 hectares links the two.

Building renewal

New catalyst buildings and quality upgrading dominate; retention concentrates on railway memory objects beside the corridor. With no existing-building survey available, no demolition target is listed.

Mobility

Vehicles use an internal branch loop; walking and cycling rely entirely on the corridor spine and the cycle line. External links run through the rail connection segment pointing towards Shangdi and Qinghe.

Public space and landmark

The station plaza carries REN Gate; the green space carries the embodied-robotics public service testing ground, combined with a low-carbon setting for informal exchange.

AI scenarios

The embodied-robotics test ground (T1), the robot-friendly street (SC-09) and the energy-carbon dashboard (SC-12) cluster here.

Delivery risk

Energy use and heat rejection for compute facilities, safety separation for the test ground, and ecological and flood conditions along Qinghe all need dedicated study. This area carries the highest share of reserved land, so without flexible-use policy the northern functions are hard to start.

Every conclusion for this area is a Conceptual Recommendation for specialist teams to develop: no parcel-level retain-renovate-demolish decision, no Floor Area Ratio or height figure, no engineering conclusion.



Origin Station

Beijing AI Origin Community

104.32 ha

about 104.3 ha officially; the figure above is the EPSG:4548 recalculation

Position

A campus-adjacent open-source and talent community — the origin point for global developers, and the first segment in the phasing sequence.

Spatial structure

The western cluster is a developers' living cluster (six footprints mixing talent apartments, community services, incubation, education and retail); the eastern cluster is the open-source ecosystem cluster (six footprints for incubation, research, offices, laboratories and a mobility hub). The land use layer mixes research, education, housing and commerce in a campus-adjacent structure.

Building renewal

Organised as retain, renovate and build: campus and housing fabric retained, ground-floor frontages and boundary walls renovated, open-source release and talent-service catalysts newly built. The proportions await an existing-conditions survey.

Mobility

The core move is stitching campus, park and neighbourhood for pedestrians, carried by the internal branch loop together with the rail connection segment towards Wudaokou.

Public space and landmark

The station plaza of about 4.91 hectares carries Token Zero / Contributors' Walk; the Loco Lab developers' plaza is the community's everyday living room.

AI scenarios

The twenty-four-hour model study room and night school (SC-04), the urban multi-agent service portal (SC-05) and the governance sandbox (T3) sit here.

Delivery risk

Campus tenure and opening hours are the hardest to coordinate. A durable open-source community depends on long-term funding and governance rules; without a stable operator the space runs empty.

Every conclusion for this area is a Conceptual Recommendation for specialist teams to develop: no parcel-level retain-renovate-demolish decision, no Floor Area Ratio or height figure, no engineering conclusion.

Bell Station

Dazhongsi AI Industry Cluster

72.05 ha

about 72.0 ha officially; the figure above is the EPSG:4548 recalculation

Position

An urban district of AI-Native business formats and international exchange, named for the ancient bell of Dazhongsi.

Spatial structure

The western cluster is cultural (four footprints for culture, retail, mixed use and community services); the eastern cluster is AI-Native commerce (four footprints for mixed use, retail, offices and a mobility hub). The land use layer places cultural land next to commercial service land.

Building renewal

Quality upgrading dominates, focused on ground-floor uses and public frontages. Nothing is proposed inside heritage protection areas; all conceptual structures sit outside them, with the actual extent to be defined by the heritage authority.

Mobility

The core moves are station-city integration and four-quadrant pedestrian connection at the junction, carried by the rail connection segment towards Dazhongsi station and the internal branch loop. The form of the four-quadrant connection needs transport and municipal engineering study.

Public space and landmark

The station plaza of about 5.02 hectares carries The Resonance Bell; the market plaza carries AI-Native commercial activity.

AI scenarios

The AI-Native market (SC-03), the AI urban memory museum (SC-10) and the bilingual AI urban interface (SC-11) cluster here.

Delivery risk

Heritage boundaries, rail structures and commercial tenure overlap here, making it the hardest segment of the belt. The southern renewal is placed in the third phase precisely to leave time for those preconditions.

Every conclusion for this area is a Conceptual Recommendation for specialist teams to develop: no parcel-level retain-renovate-demolish decision, no Floor Area Ratio or height figure, no engineering conclusion.

Twelve AI scenario cards, each registered as a SCENARIO_NODE point (conceptual siting); three scenario-level governance columns are added to every card

No.	Scenario card	Location	Users	AI capability	Privacy and Human Review boundary	Accountability (simplified RACI)	Non-AI equivalent	Exit and stop conditions
SC-01	Heritage Park AI companion guide	Whole corridor SN-001	Visitors, families	Multilingual interpretation, oral history	No facial recognition; voice processed locally and discarded	R park operator · A culture authority · C archives · I visitors	Paper maps, interpretation boards, staffed tours	Factual error or complaint cluster: point offline, staff take over
SC-02	Accessible AI wayfinding companion	Southern corridor SN-002	Blind, low-vision and wheelchair users	Obstacle detection, route optimisation	Location valid for this trip only; staff can take over at any time	R service platform · A accessibility office · C disability groups · I users	Tactile paving, call posts, bookable escort	Failed or misleading instruction: segment suspended, escort takes over
SC-03	AI-Native market	Bell Station SN-003	Shoppers, traders	Unstaffed retail, AI-curated pop-ups	Payment data never feeds cross-scenario profiling	R commercial operator · A market regulator · C traders · I shoppers	Staffed stalls and a staffed checkout lane	Settlement anomaly or device failure: staffed checkout resumes
SC-04	24-hour model study room and night school	Origin Station SN-004	Developers, students	Compute scheduling, collaborative coding	Code and model weights belong to their contributors	R Loco Lab · A site owner · C campus and community · I members	On-site desk booking and a paper queue	Compute dispute or safety incident: staff resume scheduling
SC-05	Urban multi-agent service portal	Origin Station SN-005	Residents, firms	Multi-agent orchestration, case handling	Human Review as backstop; full appeal route preserved	R service platform · A case authority · C legal and compliance · I applicants	Physical counters and telephone handling, no longer wait	Error in a rights-bearing output: all cases move to staff
SC-06	AI health station	Dazhongsi community SN-006	Older residents	Vital-sign screening prompts	Advice only, never diagnosis; anomalies escalate to staff	R community health body · A health authority · C physicians · I residents	Community doctor consultation and routine check-ups	Abnormal reading or complaint: prompts stop, physician takes over
SC-07	Xiaoyue River smart waterfront	East Meridian SN-007	Residents, students	Water-quality visualisation	Environmental data fully open; no personal data collected	R water office and sub-district · A water authority · C ecologists · I residents	Riverside notice boards and periodic bulletins	Sensor drift or data gap: visualisation off, bulletins resume
SC-08	Micro-circulation shuttle corridor	Mid-corridor SN-008	Commuters, visitors	Low-speed autonomous dispatch	In-vehicle imagery for incident evidence only, limited retention	R transport operator · A transport authority · C safety assessors · I passengers	Walking and cycling stay open; a driven shuttle if needed	Takeover, severe weather or crowding above limit: service stops
SC-09	Robot-friendly street	Vanguard Station SN-009	Robot operators	Right-of-way negotiation, avoidance	Robot identity and operator publicly displayed	R sub-district and firms · A road authority · C insurers and assessors · I residents	Human delivery and human street cleaning are not reduced	Conflict or injury: right of way withdrawn on that segment
SC-10	AI urban memory museum	Bell Station SN-010	Visitors, researchers	Image restoration, generative exhibition	Generated content labelled with historical sources	R culture institution · A heritage authority · C archives · I audiences	Physical archive display and staffed interpretation	Missing label or disputed fact: exhibit withdrawn for review
SC-11	Bilingual AI urban interface	Signage along the belt SN-011	International visitors	Real-time translation layer	No query history retained	R city operator · A signage authority · C language and access experts · I visitors	Physical bilingual signage kept as the first layer	Serious translation ambiguity: the layer is switched off
SC-12	Energy-carbon dashboard	Vanguard Station SN-012	Operators, the public	Consumption forecasting and advice	Aggregated to district level, never to the household	R park operator · A energy authority · C metering and audit · I the public	Periodic printed and web energy bulletins	Inconsistent metering or missing data: updates stop, reason given

The three governance columns — accountability in simplified RACI, the non-AI equivalent and the exit and stop conditions — are Conceptual Recommendations and settle no institutional responsibility or operating commitment. RACI reads: R does the work, A approves, C is consulted, I is informed. The non-AI equivalent is also a spatial requirement: staffed counters, physical signage, tactile paving and call devices must hold their place on the drawing.

T1 Zhongzhiyuan embodied-robotics public service testing ground SN-013

A bookable test zone in the green space at Vanguard Station for guidance, cleaning, inspection and emergency assistance. Test windows and hoarding must be published, and the public may avoid the area. Governance: R test-ground operator, A safety regulator, C insurers and safety assessors, I neighbours. Outside test windows the area reverts to ordinary open green space with services delivered by people. Any contact risk, loss of control or missing public notice ends the test on the spot and clears the area.

T2 Autonomous micro-circulation shuttle test segment SN-014

A low-speed shuttle test segment in the middle of the corridor, physically separated from the walking spine. A safety operator is required and every takeover enters a public log. Governance: R transport operator, A transport and safety authorities, C vehicle safety assessors, I passengers and pedestrians. The walking spine and cycle line stay open at all times and a driven shuttle can replace the service. One takeover, severe weather, crowding above limit or an absent safety operator stops the run and closes the segment.

T3 City-scale multi-agent collaborative governance sandbox SN-015

Built on synthetic data and a trusted data space, simulating multi-agent coordination for event safety, asset maintenance and service response. No real personal data is connected; outputs serve rehearsal only. Governance: R sandbox operator, A data governance authority, C legal and information security specialists, I participating bodies and the public. The rehearsal can be run entirely as a human tabletop exercise. Any suspicion of real personal data being connected, or of an output being used for a real decision, seals the sandbox.

Incident response and rollback: before any test starts a five-step plan must be in place — one-press stop, on-site response, evidence preserved, public notice, restoration. Any event tripping a stop condition completes all five within the stated time, and the event log is open to the public.


Four hard boundaries — spatial requirements, not only operating terms

1 Refusable — any AI public service must be refusable, with an equivalent service still available afterwards; staffed counters, physical signage and conventional call devices are retained in space.

2 Contestable — every service point carries a visible responsible party and a complaint route; generative outputs are labelled as AI-generated.

3 Data minimisation — collection is limited to what the service needs, environmental data is fully open, personal data is not collected by default, and sensor locations and purposes are disclosed.

4 Accessibility parity — applying AI must not lower accessibility; every scenario card passes an accessibility review.



REN Gate

Vanguard Station · Zhongzhiyuan


Two steel rails meet in the air to form a giant character for "human" — one stroke knowing, the other doing — embedded with a real-time light heartbeat driven by global open-source model activity. It is the pilgrimage origin of the MindLine and the material form of putting knowing before doing.



Token Zero / Contributors' Walk

Origin Station · AI Origin Community

A memorial system designed to be inscribed continuously, recording human and agent contributors including the agents in this open call, answering the charter principle that contribution should be remembered, with new inscriptions each year.



The Resonance Bell

Bell Station · Dazhongsi, outside heritage areas

A data-driven light and sound installation working the voiceprint of the ancient bell into spectral art, ringing when the city reaches an AI milestone.

All three landmarks are Conceptual Recommendations sitting outside heritage protection areas, and none carries an engineering conclusion. Together they form a north-south pilgrimage route from REN Gate through Token Zero to The Resonance Bell — the full 9.60 kilometres of the corridor spine.

Public space component library: ten modular families

Component	Function	Parameter direction	Suggested spacing
Smart bench	Rest, wireless charging, environmental sensing	Modular units that combine in length	Every 150 - 200 m on the corridor
Interactive light column	Lighting, wayfinding projection, event effects	Graded illuminance, ecology-friendly night mode	Every 30 - 50 m on the corridor
Robot bay	Docking and charging for delivery and cleaning robots	Physically separated from pedestrian flow	One or two per stitch node
Compute pavilion	Edge computing with shaded seating	Heat and noise control; equipment zone closed to the public	Two or three per station
AI wayfinding post	Bilingual signage, entry to the translation layer	Physical printed signage retained as an equivalent	Main junctions and entrances
Accessibility call post	One-touch handover to a person	Height and operating force meet accessibility requirements	Every 200 - 300 m on the corridor
Programmable paving band	Event zoning and artistic expression	Low glare, slip resistant, locally replaceable	Station plazas and the market
Modular market canopy	Pop-up commerce and display	Rapid assembly, no permanent foundation	Market and event plazas
Sensing weather mast	Microclimate and air quality monitoring	Data fully open; no personal data collected	One per kilometre
Shared tool locker	Borrowing prototyping and repair tools	Linked to Loco Lab community accounts	Origin and Vanguard Stations

The Honour Ring

The honours system is called the MindLine Honour Ring and works on three levels: the landmark level of the three pilgrimage sites, the corridor level of contributor plates on the Heritage Park light columns, and the online level of an open-source hall. The winter Bell-Ringing Ceremony closes each year. Every component must satisfy three basics: disclosed sensor purpose, a retained non-AI equivalent, and accessible reach.



Era layer	Period	Keyword	Narrative point	Medium
Self-reliant engineering	around 1909	A herringbone over the ravines	Bell Station to the southern gateway	Railway memory objects and Mind Milestones
Academic lineage	mid-20th century	Eight colleges and state institutes	Western Xueyuan Road segment	Oral history and campus-history points
Market innovation	late 20th century	The spontaneous Electronics Street	Beside the West Meridian wing	Image restoration and commercial-history display
AI-Native	today	Open source, compute, agents	Origin and Vanguard Stations	Contributors' Walk and live-data installations

The spatial culture system lands the four era layers as narrative points along the corridor, supported by oral-history collection and digital image restoration. Wayfinding and signs take the 人 geometry as their motif and translate the railway milestone marker into a "Mind Milestone", one per kilometre, naming the era layer and the scenario card of that segment.

Where China's first self-built railway becomes the world's AI mainline.

国际传播主句 / International headline

Audience lines

Developers Here the city remembers what you submitted — the Contributors' Walk gains new inscriptions every year.

Visitors A 9.6-kilometre timeline walking from 1909 to today.

Investors Compute, models, data, scenarios, capital and talent all reachable within nine kilometres.

Academia A city-scale sample of human-AI co-intelligence that can be observed and recomputed.

Spatial culture system

The four era layers are strung from south to north along the corridor as a walkable timeline. Oral-history collection and digital image restoration turn the shift from academic lineage to market innovation to AI-Native into one continuous story. Wayfinding takes the 人 geometry as its motif and translates the railway milestone into a Mind Milestone, one per kilometre.


Urban character

The southern segment layers time, setting the ancient bell, the railway and commercial frontages side by side; the middle segment takes a campus character with continuous street walls and open ground floors; the northern segment is AI-Native, favouring low-carbon materials and visible technology. Roof form, massing control and frontage alignment figures await official regulatory conditions; only direction is given here.

Limits

Limits on cultural expression: no distortion of historical fact, no invented quotations, and the cultural sign system stays in a separate layer from the parent identity.

Fig. 4 Mobility, blue-green network and AI scenario nodes



The walking spine and the cycle line run in parallel for 9.60 kilometres each. The conceptual network holds 25 road centrelines totalling 53.84 kilometres, using only editable classes — secondary, branch, local access, pedestrian, cycleway, greenway and transit connection. No expressway or arterial is added.

- Stitching: eight east-west stitch nodes along the corridor as Conceptual Recommendations, one every 500 to 800 metres. Each is paired: a doing courtyard and a knowing courtyard. Crossing form needs transport and municipal study.
- Station-city integration: rail connection segments are proposed towards the Line 13 corridor of Dazhongsi, Zhichunlu and Wudaokou, with every segment kept inside the site.
- Blue-green: thirteen green units total 248.45 hectares, a recomputed green ratio of 21.77 per cent. The Xiaoyue River in the east and the Qinghe direction in the north extend the blue framework; blue lines and flood conditions need verification by water specialists.
- Public space: 15 conceptual plazas total 40.50 hectares, a share of 3.55 per cent, comprising three station plazas, eight stitch-node plazas and four special plazas.
- Accessibility and robot co-presence: the whole belt is accessible, robot bays are physically separated from pedestrian flow, and tactile paving and call posts remain as non-AI equivalents.

All transport and municipal content is a Conceptual Recommendation and contains no bridge, tunnel, cross-section, structural or engineering conclusion. Municipal upgrading is framed by an "AI readiness" grading, and new infrastructure follows three siting principles: edge compute, a trusted data space and a city operating system.

Walking spine and cycle line

Two systems run in parallel along the corridor, 9.60 kilometres each, accessible end to end and open to robot co-presence. Robot bays are physically separated from pedestrian flow, and tactile paving and call posts remain as non-AI equivalents.

Eight stitch nodes · paired courtyards

A stitch node every 500 to 800 metres repairs the cut the rail corridor made in the east-west fabric. Each node is paired across the corridor: a doing courtyard carrying AI scenarios, markets and test demonstrations, and a knowing courtyard carrying a quiet garden, a screen-free zone and cultural display — two minutes apart on foot. Whether each crossing goes under, across or over needs transport and municipal study; no engineering conclusion is drawn here.

Station-city integration


Rail connection segments are proposed towards Dazhongsi, Zhichunlu and Wudaokou, each kept inside the site. Four-quadrant pedestrian connection at the Bell Station junction is the decisive move for station-city integration along the belt.

The blue-green framework

Thirteen green units total 248.45 hectares, a recomputed green ratio of 21.77 per cent. The Xiaoyue River in the east and the Qinghe direction in the north extend the blue framework; blue lines, flood and ecological conditions need verification by water specialists.



Phasing 2026 - 2035



Phasing is a conceptual sequence and constitutes no investment, construction or policy commitment. The union of the three phases equals the Overall Design Area with no overlap. The middle segment goes first because its dependence on official regulatory conditions is lowest and operations plus light installations are enough to start; the southern segment comes last because heritage, rail and commercial tenure take the longest to resolve. Two time concepts must be kept apart: the hundred-day open call is a submission deadline, while the three phases describe a path for urban renewal.

Annual events: the MindLine Summit and four seasonal moments

Season	Event	Content	Spatial carrier
Spring	Developers' marathon	A 9-kilometre code run along the belt, pun intended	Corridor spine
Summer	AI art season	A seasonal programme of generative art and public installations	Heritage Park and stitch nodes
Autumn	Global agent co-creation week	The main session of the MindLine Summit, institutionalising this open call	Summit main lawn
Winter	Bell-Ringing Ceremony	Annual honours and new contributor inscriptions	Honour Ring plaza

Implementation policy items are mechanism recommendations only and constitute no government arrangement or funding commitment: a corridor coordination body, flexible use for stock renewal, public compute vouchers for small teams, a trusted data space with a synthetic-data sandbox, an annual Scenario Access list, and an annual public review of operations.

Long-term operations


Developer community: Loco Lab comprises a physical space at Origin Station, an online community, access to public compute and a data sandbox, and mentor and capital matching, with a four-tier path from visitor to contributor to resident to co-builder.

Scenario Access: a five-step annual cycle is recommended — publish the urban Scenario Access list, invite open bids, test, demonstrate and scale — iterating once a year.

Brand assets: an open-source MindLine brand asset library is recommended, publishing identity guidelines, scenario card templates and dashboards, while licence terms restrain commercial misuse.

Conversion funnel: pilgrim visitor to event participant to developer to founder to resident firm, each stage with defined touchpoints. Conversion targets await operating data and are not pre-set here.

Fig. 5 Core metric recalculation and evidence dashboard



Five metrics remain pending, each recorded as status unknown with a null value and the reason "official regulatory conditions not yet published; to be recomputed when formal data arrives": Floor Area Ratio, total gross floor area, maximum building height, building density and the official green ratio target. No estimated value is substituted, and no specific intensity, height, density or setback conclusion is given anywhere in this proposal.

Source list — public materials or user-cleared materials only


1. Pre-qualification announcement for the international urban design open call of the Centennial Jing-Zhang AI Innovation Belt (Haidian Branch, Beijing Municipal Commission of Planning and Natural Resources, 9 May 2026)
2. Taskbook extract for the global agent open call (user-provided cleared document, 18 May 2026)
3. Urban Design Administrative Measures (MOHURD)
4. Regulatory Detailed Planning technical requirements (MOHURD)
5. Guide to land and sea use classification for territorial survey, planning and use control (MNR, November 2023)
6. Provisional rough polygons for the three scope levels and three Key Areas (repository maintainer, 5 June 2026, provisional only)
7. Background references: the three-zone two-wing regional pattern and the Haidian 1+X+1 industrial system (A1 background sources, narrative context only)

Compliance boundaries

For generative AI service administration, personal information protection and accessible-environment construction, this proposal states the substance of the requirement and its spatial consequence without citing article numbers; a legal and compliance team must work through them clause by clause during formal development. The spatial consequences are: AI public services must be refusable with a non-AI equivalent retained, contestable with a disclosed responsible party, generated content conspicuously labelled, sensor purposes disclosed, and accessibility never reduced by the introduction of AI.

版权与免责 Copyright and disclaimer

Copyright and licence: every drawing and every word in this booklet is generated by this proposal's AI agent with matplotlib. No third-party image, font file, trademark or personal likeness is used, no OpenStreetMap data is used, and the announcement and standards are cited as references. Licensed CC-BY-4.0.
AI Agent 开源共创概念方案——非法定规划成果 / Conceptual open-call proposal by AI agent — not a statutory plan



The metric set holds 53 entries, of which 48 are known and five are unknown. Every area and length is computed by projecting EPSG:4326 geometry into EPSG:4548 (CGCS2000 3-degree zone). Values in metrics.json and each feature's area_sqm_declared come from the same recalculation, and any change to the geometry triggers a full rerun.

Scope	Official announcement	Recomputed, EPSG:4548	Deviation
Overall Design Area	about 11.4 sq km	1141.28 ha	+0.11%
Coordinated Research Area	about 43.6 sq km	43.61 sq km	+0.02%
Three Key Areas, total	about 368.4 ha	369.29 ha	+0.24%

Class one: recomputable from the submitted geometry

Scope areas, Key Area areas, the seven land use categories and their shares, green ratio, public space share, conceptual building footprint, road length, corridor length and phase areas — all from one EPSG:4548 recalculation.

Class two: dependent on official regulatory conditions

Floor Area Ratio, total gross floor area, maximum building height, building density and the official green ratio target are registered unknown with null values, the reason being that official conditions are unpublished. No estimated value is substituted.

Class three: calibrated by operating data

Performance measures such as an AI innovation index, talent density, scenario usage, event participation and walkable accessibility only have their observation basis described; they stay out of the known set so that operating ambition is never mistaken for an audited condition.