

01 / PLACE RELATIONSHIP + DESIGN STRUCTURE

The left panel locates the place; the right panel explains the design structure.

A / PLACE RELATIONSHIP

Three public anchors and one observed walking chain.



Esri World Imagery + Amap POI + OpenStreetMap named roads / 2026-08-10 / context only
Walking QA roads: Chengfu Rd · Heqing Rd · Zhongguancun South 5th St · Dazhongsi East Rd · Beisanhuan West Rd

B / DESIGN STRUCTURE

Schematic connection, not a road redline.

HERITAGE SLOW SPINE



P1 AI Origin → S2 Translate · P2 Jingzhang Park → S1 Verify · P3 Dazhongsi → S3 Exchange · C1/C2 seams + P3 forecourt


READ ORDER 1 locate places → **2** connect the spine and seams → **3** assign a public job

02 / SPATIAL STRATEGY DIAGRAM / FIVE DESIGN BANDS

A spatial strategy diagram from package geometry: carriers, public nodes, slow connections, and the provisional boundary read together.

A / DESIGN LAYER · PROVISIONAL SITE

Public route QA labels: Chengfu Rd · Heqing Rd · Zhongguancun South 5th St · Dazhongsi East Rd



FIVE DESIGN BANDS

- A Research + verification**
models / edge devices / standards
- B Heritage park + green base**
slow movement / rain / free stopping
- C Public service ground floor**
results become usable interfaces
- D Talent + community life**
work / care / learning / daily life
- E Cultural translation + open learning**
Jingzhang, Zhongguancun, AI in dialogue

LAND-USE STATUS

Design vocabulary, not statutory land-use approval.


03 / THREE STATIONS · SPACE ACTIONS

JZ / 03

Each station explains arrival, ground-floor action, and a human fallback.

01 / VERIFY


Zhongzhi Park




B / STREET-EDGE SECTION

QA street reference: Chengfu Rd + Heqing Rd QA

A-A' / concept



C / NODE EXPERIENCE




Controlled testing, standards, safety.

- P2 / Jingzhang Park QA · C1 / Heqing Rd
- test garden + steward desk

Design proposal · tied to public QA street context

02 / TRANSLATE


AI Origin Community



B / STREET-EDGE SECTION

QA street reference: Chengfu Rd 45-1 / Wudaokou QA

A-A' / concept



C / NODE EXPERIENCE




Open learning, talent life, public explanation.

- P1 / Chengfu Rd 45-1 public anchor
- C2 / Chengfu Rd - Zhongguancun South 5th St

Design proposal · tied to public QA street context

03 / EXCHANGE


Dazhongsi




B / STREET-EDGE SECTION

QA street reference: Dazhongsi East Rd + Beisanhuan West Rd QA

A-A' / concept



C / NODE EXPERIENCE



Station-city service and multilingual guidance.


- P3 / Metro Lines 12/13 + Exit E
- P3 forecourt / Dazhongsi East Rd - Beisanhuan West Rd

Design proposal · tied to public QA street context

04 / MOBILITY + PUBLIC GROUND

Two seams connect the spine; P3 uses a station forecourt for exchange.

A / CONNECTIVITY MAP



QA CHAIN / P1 -> P2 -> P3: observed route anchors, not a proposed alignment.


Road labels: Chengfu • Zuanchu West • Zhongguancun South 5th • Dazhongsi East • Sidaokou • Beisanhuan West

B / HOW THE GROUND WORKS

Four layers make mobility civic and recoverable.

- 01 SPINE / SLOW PRIORITY**
Continuous walking and cycling along the heritage line.
- 02 SEAM / CROSSING**
Two seams repair east-west gaps and test accessibility.
- 03 NODE / PUBLIC GROUND**
Public nodes combine shade, signs, service, and feedback.
- 04 FALLBACK / HUMAN SERVICE**
Paper, fixed signs, staff, and manual service remain available.


STREET EDGE / 首层界面



Every number carries a source, a formula, and a data boundary.

A / EVIDENCE CHAIN

The package separates what is computed now from what needs official confirmation.



STATUS

KNOWN = derived from package; UNKNOWN = official control missing.

TRACE KEYS

SITE-001 • GREEN-SPINE • PUBLIC-NODE-01 • BLDG-001-018
MAP-AMAP-WALKING-QA-2026-08-10 • MAP-OSM-CONTEXT-QA-2026-08-10

B / DERIVED VALUES · NOT OFFICIAL

SITE

1,141.3 ha

DERIVED

provisional geometry

geometry/site_boundary.geojson#SITE-001

formula: polygon_area

GREEN

50.4268%

DERIVED

design-layer ratio

geometry/green_space.geojson#GREEN-SPINE

formula: area / site

PUBLIC

7.6952%

DERIVED

public interface layer

geometry/public_space.geojson#PUBLIC-NODE-01

formula: area / site

BUILDINGS

18

PROVISIONAL

concept carriers

geometry/buildings.geojson#BLDG-001-018

formula: feature_count

PHASES

03

PROVISIONAL

prove • stitch • govern

geometry/phasing.geojson#PHASE-001-003

formula: phase_count

UNKNOWN

FAR / height / redlines

UNKNOWN

official controls pending

ranges/planning_limits.json

formula: official control

Prove reversible public interfaces, stitch the space, then govern the long term.

THREE PHASES / 三个阶段

Each phase has a spatial move, a human owner, a stop condition, and a fallback service.

