



JING-ZHANG BREAKS NEW GROUND

From Frontier AI to Shared Urban Capability

Convert frontier AI into industrial capacity, urban capability and everyday public value, then turn real evidence into reusable Beijing methods.

SIX-ROLE COUPLED NETWORK | LEARN / UPDATE ACROSS THE SYSTEM



TRUSTED OPERATIONS LAYER: AI CITY API / JING-ZHANG AI CIVIC PROTOCOL

Identity, data purpose, capability limits, human takeover, appeal, interoperability, version and exit; a safety layer, not a second public brand.

Garylachina | OpenAI Codex | V0.7 | 2026-08-11

WHAT CITY MANAGERS NEED TO SEE

- 1

INDUSTRIAL CONVERSION

Move models, agents, robotics, compute and data beyond research display into first use, procurement, markets and standards.
- 2

REAL-WORLD PROOF

Use bounded 90-day trials with actors, baselines and stop routes to test whether technology can enter the city.
- 3

PUBLIC VALUE

Give residents, talent, merchants, visitors and operators understandable, contestable services with alternatives.
- 4

SPATIAL DELIVERY

Three areas host SOURCE / STACK / LIVE & MARKET; two wings host ENABLE / PROVE; the park hosts COMMONS.
- 5

BEIJING METHOD

Turn operating evidence into reusable interfaces, evaluation cards, procurement conditions, spatial prototypes and standards.

CONTENTS

- 03

1909 > 2019 > 2026
- 04

Six-role network
- 05

Three areas, two wings + COMMONS
- 06

Five flagship pilots
- 07-08

Twelve scenarios / five user groups
- 09

Public realm / mobility / journeys
- 10

90 days / one year / five gates
- 11

Metrics / standards / evidence
- 12

Trusted operations / limits

43.6 km² research coordination | ~11.4 km² overall design | three areas + two wings | five functions

1909

Independent engineering enters geography

Chinese teams surveyed, designed, built and managed the Jing-Zhang Railway. Its significance is not a track motif, but converting a global system into local engineering capability.

CAPABILITY CONVERSION

2019

Rail heritage enters public life

Jing-Zhang park turns infrastructure heritage into continuous public space, showing that a technical spine can become a civic commons.

CAPABILITY CONVERSION

2026

Frontier intelligence enters the city

Beijing links Haidian's dense research, firms, talent and scenarios as a super test field that converts AI into industry, services and standards.

Technology > Test > First use / procurement > Diffusion > Standards / method output


In 1909, engineering capability was written into geography. In 2026, machine intelligence enters society only through real use, public value and reusable standards.

JING-ZHANG BREAKS NEW GROUND | SIX ROLES TURN AI INTO SHARED URBAN CAPABILITY


01

From frontier research to industry, real-world proof and everyday public value - then into reusable Beijing methods

Not a one-way conveyor, but a coupled urban-capability network that learns together



PROPORTIONAL LOCATOR | PROVISIONAL ROUGH EXTENT



SOURCE + STACK

AI Origin supplies frontier capability; Zhongzhiyuan integrates stack, interfaces, safety and standards.

ENABLE + PROVE

The west wing enables capital, IP, talent and first use; the east wing co-tests capability in real scenarios.


LIVE & MARKET

Dazhongsì tests service, commerce, creativity and cultural adoption beyond demos.

COMMONS

Jing-Zhang park lets the public enter, observe and respond, carrying LEARN / UPDATE across the network.

FIVE CONVERSION GATES: ACTOR, EVIDENCE AND EXIT AT EVERY STEP



TRUSTED OPERATIONS LAYER (NOT A SECOND BRAND)

AI City API / Jing-Zhang AI Civic Protocol: Identity, data purpose, capability limits, human takeover, appeal, interoperability, version and exit.

1909 independent engineering into geography | 2019 railway heritage into public space | 2026 frontier AI into shared capability

PROVISIONAL DESIGN BOUNDARY · DESIGN METRICS · NOT STATUTORY / V0.7

Local generation | geometry/*.geojson + metrics.json | no external basemap / web imagery

Three Areas, Two Wing Anchors and COMMONS


Roles are functional relationships, not new districts; no official wing boundary is encoded

THREE AREAS, TWO WING ANCHORS AND THE COMMONS | FIVE FLAGSHIP PILOTS

03

Key areas host SOURCE / STACK / LIVE & MARKET; wings host ENABLE / PROVE; the park makes evidence publicly accessible

FUNCTIONAL LOCATOR | NO WING BOUNDARIES ENCODED



- Three provisional key areas
 - West-wing ENABLE anchor
 - East-wing PROVE anchor
 - COMMONS public evidence layer
- All are concept proposals, not confirmed sites, procurement, budgets, operators, approvals or schedules.

FLAGSHIP PILOT	PROPOSED OPERATOR CONSORTIUM	90-DAY GATE	ONE-YEAR OUTCOME / BOUNDARY / LIMIT
FP01 AI Origin First-Use Station S03 + S04 + S07 SOURCE + ENABLE	Research/transfer platform + first user + user panel	Register actors, baseline, limited cohort and stop route	Time-to-first-use, evaluation cards and transfers No confirmed site, procurement or budget
FP02 Zhongzhiyuan Full-Stack Open Test Yard S01 + S10 STACK	Park platform + model/compute firms + safety/standards bodies	Capability card, red-team scope, energy baseline and human stop	Interoperability pass rate, incident closure and standard items A test pass is not regulatory approval
FP03 Xiaoyuehe Scenario Co-Test Network S02 + S05 + S06 + S08 PROVE	Local authorities + scenario firms + community/professionals	Fence, on-site steward, fallback service and incident plan	Access, human takeover and repair closure East wing is a functional anchor, not a boundary
FP04 Dazhongsi Everyday AI Market S11 + S12 LIVE & MARKET	Commerce/culture agencies + operators + merchants/users	Provenance label, staffed service, rights clearance and appeal	Adoption, dispute resolution and merchant reuse No confirmed tenant, operator or investment commitment
FP05 Jing-Zhang Public Evidence Park S09 + FP01-04 observation layer COMMONS	Park/heritage operator + independent review + public panel	Rights-cleared history, access, public metrics and feedback	Participation, correction closure and method reuse Not a committed park project or event permit

FIVE SHARED CONVERSION GATES



All are concept proposals, not confirmed sites, procurement, budgets, operators, approvals or schedules.

THREE AREAS

AI Origin = SOURCE; Zhongzhiyuan = STACK; Dazhongsi = LIVE & MARKET.

TWO WINGS

Zhongguancun west = ENABLE; Xiaoyuehe east = PROVE; both are functional anchors only.

COMMONS

Jing-Zhang park provides public access, observation, feedback and shared memory, not a new enclave.

PROVISIONAL GEOMETRY

The long rectangle is a locator only; official boundaries, ownership, baseline and engineering inputs trigger full recalculation.

Five Flagship Pilots: Turn the Conversion Chain into 90-Day Action

Each exposes consortium, gate, one-year outcome and limits; none is a confirmed project

PILOT / SCENARIOS	PROPOSED OPERATOR CONSORTIUM	90-DAY GATE	ONE-YEAR OUTCOME / LIMIT
FP01 AI Origin First-Use Station S03 + S04 + S07	Research/transfer platform + first user + user panel	Actors, baseline, limited cohort and stop route	Time-to-first-use, evaluation cards and transfers No confirmed site, procurement or budget
FP02 Zhongzhiyuan Full-Stack Open Test Yard S01 + S10	Park platform + model/compute firms + safety/standards bodies	Capability card, red-team scope, energy baseline and human stop	Interoperability, incident closure and standard items A test pass is not regulatory approval
FP03 Xiaoyuehe Scenario Co-Test Network S02 + S05 + S06 + S08	Local authorities + scenario firms + community/professionals	Fence, steward, fallback service and incident plan	Access, human takeover and repair closure East wing is a functional anchor, not a boundary
FP04 Dazhongsi Everyday AI Market S11 + S12	Commerce/culture agencies + operators + merchants/users	Provenance, staffed service, rights clearance and appeal	Adoption, dispute resolution and merchant reuse No confirmed tenant, operator or investment
FP05 Jing-Zhang Public Evidence Park S09 + FP01-04 observation layer	Park/heritage operator + independent review + public panel	Rights-cleared history, access, public metrics and feedback	Participation, correction closure and method reuse Not a committed park project or event permit



Five user groups share human review, non-AI fallback, appeal/remedy and exit gates

S01

Model and Agent Safety Sandbox

STACK

VALIDATION | Red-team, audit and human stop; a test pass is not regulatory approval.

Actor + baseline + human takeover + incident record + exit

S02

Embodied AI Street Lab

PROVE

VALIDATION | Geofence, on-site steward, incident log and emergency stop.

Actor + baseline + human takeover + incident record + exit

S03

Urban Multimodal Evaluation Lab

SOURCE

VALIDATION | Co-test bias, accessibility and failure modes.

Actor + baseline + human takeover + incident record + exit

S04

AI City API Gateway

ENABLE

Register purpose, capability, human review, appeal, rollback and version.

Actor + baseline + human takeover + incident record + exit

S05

Public-Service Navigation Copilot

PROVE

Navigation only; retain staffed and non-digital routes.

Actor + baseline + human takeover + incident record + exit

S06

Inclusive Mobility Copilot

PROVE

Minimize sensing; no commercial profiling of residents.

Actor + baseline + human takeover + incident record + exit

FIVE USER GROUPS

Residents + community groups | Researchers, talent + students | Firms, founders + merchants | Visitors, consumers + global users | Government, park + frontline operators

S07

Learning and Career Studio

ENABLE

Explainable matching; no automated admission or job eligibility.

Actor + baseline + human takeover + incident record + exit

S08

Health-Service Wayfinding Assistant

PROVE

No autonomous diagnosis; escalate high-risk cases to professionals.

Actor + baseline + human takeover + incident record + exit

S09

Jing-Zhang Living Heritage Trail

COMMONS

Sourced history, multilingual access and public correction.

Actor + baseline + human takeover + incident record + exit

S10

Low-Carbon Compute and Energy Observatory

STACK

Publish measured indicators and uncertainty; no invented performance.

Actor + baseline + human takeover + incident record + exit

S11

AI-Native Commerce and Creative Market

LIVE & MARKET

Disclose generated content and provenance; retain human service and clear rights.

Actor + baseline + human takeover + incident record + exit

S12

Civic Deliberation and Evidence Observatory

LIVE & MARKET

Publish evidence, incidents, appeals and versions; support pause and exit.

Actor + baseline + human takeover + incident record + exit


Journeys follow ordered_stop_ids in public_space.geojson; links are not surveyed routes

CIVIC COMMONS SPINE | THREE HUMAN JOURNEYS RETURN THE ROLE NETWORK TO DAILY LIFE

04

COMMONS enables public access and feedback; east-west exchange links ENABLE / PROVE; journey dashes are stories, not surveyed routes

PUBLIC REALM, CONCEPT NETWORK AND HUMAN JOURNEYS



Concept slow/service links

24.15 km

Design green space

22.46%

Public interface

3.79%

Role anchors

6

Real roads, stations, accessibility and green conditions await surveys; all lines are conceptual relationships, not engineering alignments.

THREE HUMAN JOURNEYS

J01

Wheelchair user without a phone

S06 > TEST street-room > S05 > TEST return desk

Tests access, non-digital fallback and service repair

J02

Shopkeeper affected by an AI service

S11 > LIVE street-room > S12 > LIVE return desk

Tests provenance, appeal and dispute closure

J03

Maintainer responsible for failure

S01 > BUILD street-room > S10 > BUILD return desk

Tests stop authority, retest and version retirement

No human fallback, appeal or exit route means no passage to diffusion.

J01

App-Free Accessible Service Journey
S06 > TEST street-room > S05 > TEST return desk

J02

Small-Business AI Dispute and Remedy Journey
S11 > LIVE street-room > S12 > LIVE return desk



J03

Maintainer Pause and Retirement Journey
S01 > BUILD street-room > S10 > BUILD return desk

COMMONS

The public spine carries access and feedback; east-west exchange links ENABLE / PROVE.

Set actors and baselines first; scale and standardize only with complete evidence




Six roles, five pilots, twelve scenarios, three validations and four review gates share one chain


CONVERSION FUNNEL + EVIDENCE GATES | FROM FRONTIER TECHNOLOGY TO REUSABLE BEIJING METHODS

05

Six roles, five pilots, twelve scenarios and four persistent review gates share one traceable chain; missing values remain unknown



FIVE CONVERSION GATES



FOUR PERSISTENT REVIEW GATES ACROSS EVERY STAGE



ANNOUNCED APPROX. | OFFICIAL APPROX.

43.6 km ²	research coordination
11.4 km ²	overall design
368.4 ha	three key areas

EVIDENCE CHAIN



PROVISIONAL GEOMETRY | DESIGN METRIC

11.41 km ²	SITE-001
22.46%	GREEN
3.79%	PUBLIC
24.15 km	NETWORK

Announced areas are scale references only; design metrics are not statutory area, development control, approval, procurement or investment commitments.

OFFICIAL EVIDENCE REQUIRED | UNKNOWN

Total floor area, FAR, statutory coverage, height, setbacks, road area/ratio; verified roads, rail, water, ownership, buildings, heritage and engineering conditions.

First use / procurement, market diffusion, standard outputs and verified public benefit: baseline at D30; formed only after real operation.

UNKNOWN ≠ ZERO

100%

All five pilots have scenario bundles, implementation plans and five lifecycle gates.

D30 > RUN

First use/procurement, diffusion, standards and public benefit remain unknown pending baselines and operation.

EVIDENCE

Sources > judgment > GeoJSON/metrics > bilingual figures/drawings > matrices > self-check.

UNKNOWN ≠ ZERO


Floor area, FAR, height, setbacks, road ratio and engineering conditions never use zero for missing data.

PROVISIONAL DESIGN BOUNDARY · DESIGN METRICS · NOT STATUTORY / V0.7

Local generation | metrics.json + referenced GeoJSON source_files | no external basemap / web imagery

The protocol layer safeguards trials and daily use; it does not replace industry conversion or spatial design

SEVEN TRUSTED-OPERATIONS INTERFACES



POST-OPERATION OUTCOMES REMAIN UNKNOWN

First use / procurement, market diffusion, standard outputs and verified public benefit: baseline at D30 and formed only after real operation; neither zero nor achieved today.

OFFICIAL EVIDENCE STILL REQUIRED

Official boundaries, roads/rail/water, ownership, buildings, heritage, utilities/fire, accessibility, total floor area, FAR, coverage, height and setbacks.

JING-ZHANG BREAKS NEW GROUND

In the railway era, Jing-Zhang wrote independent engineering into geography. In the AI era, it tests frontier intelligence in the real city and converts it into shared, revisable and exportable capability.