

Let the City Outlive the Model.

100Y 100-Year Base

100D may not touch 100Y; it must type-check through a named 10Y carrier, and uninstall closes with accepted restoration.

10Y 10-Year Adaptive Layer

100D may not touch 100Y; it must type-check through a named 10Y carrier, and uninstall closes with accepted restoration.

100D 100-Day Plug-ins


100D may not touch 100Y; it must type-check through a named 10Y carrier, and uninstall closes with accepted restoration.

TEMPORAL FIREWALL


RAILWAY ENGINEERING → LONG-LIFE CITY → ADAPTIVE URBAN FRAME → RAPID AI EXPERIMENT → HUMAN REVIEW → URBAN MEMORY

100D may bind only a named, versioned, vendor-neutral 10Y carrier and may not touch 100Y. Admission checks interface envelope and base impact; uninstall accepts site restoration, asset/data portability and archive-or-reuse.

01 / SITE OVERVIEW
Provisional Boundary, Key Areas and Three Speeds



02 / LAND USE
Three-Speed Land-use and Functional Structure



One spine • three bays • two wings • six plug-in classes

SPINE

Jing-Zhang Long-life Public Spine

THREE BAYS

Prototype • Co-Creation • Application

TWO WINGS


Technology Service • Xiaoyuehe Scenario Enablement

03 / KEY AREAS

Three Key Areas: Prototype — Co-Creation — Application

Landmark, scenarios, human accountability and restoration on one drawing

01 Zhongzhiyuan Prototype Bay




Prototype Gantry

SC-01 / 02 / 03

P1 R&D + validation

- Closed test ≠ approval
- Non-participant bypass
- Emergency stop + human sign-off
- Device / data / site restoration

02 AI Origin Co-Creation Bay




Urban Version Hall

SC-04 / 07 / 08 / 11

P2 learning + P3 civic

- Closed test ≠ approval
- Non-participant bypass
- Emergency stop + human sign-off
- Device / data / site restoration

03 Dazhongsi Application Bay



Plug-in Dock

SC-05 / 09 / 10 / 12

P3 / P5 / P6

- Closed test ≠ approval
- Non-participant bypass
- Emergency stop + human sign-off
- Device / data / site restoration

SC-01 Reversible Robotics Test Yard

PURPOSE | Test accessibility, safety and exit capacity of low-speed delivery, inspection and cleaning robots in a real public-space setting; results are not product approval, regulatory certification or permission for routine operation.
ACCOUNTABLE | joint sign-off by the yard safety lead and each device test lead
PAUSE | failed emergency stop, boundary breach, human conflict, unauthorised collection, severe weather or safety-lead instruction
RESTORE | remove anchors and restore modular paving, drainage, planted edges and continuous passage
METRICS | test hours, incidents per 1,000 test hours, takeover success, stop response, restoration time and closure rate

SC-02 Public AI Agent Evaluation Station

PURPOSE | Enable public and professional evaluation of accuracy, bias, explainability and human takeover under controlled conditions; evaluation is not model approval.
ACCOUNTABLE | service owner, independent evaluation lead and privacy lead
PAUSE | sensitive-data leakage, persistent misinformation, discriminatory outcome, advice beyond authority or failed takeover
RESTORE | after terminal removal, return the room to ordinary public service or teaching
METRICS | cases, failure-class coverage, takeover success, correction time, withdrawal fulfilment and accessible-task success

SC-03 Edge-AI Urban Furniture Test Interface

PURPOSE | Test durability, privacy boundaries and maintainability of local computing, sensing and urban-furniture interfaces; not municipal type approval or procurement.
ACCOUNTABLE | municipal facility operator and test-device owner
PAUSE | collection beyond authority, intrusion, loose structure, blocked passage, persistent false alarms or lost maintenance contact
RESTORE | restore ordinary furniture function, paving, drainage and accessible clearance
METRICS | on-device share, unauthorised transfer, failure rate, maintenance response, removal time and obstruction incidents

SC-04 Open Model Classroom

PURPOSE | Teach model principles, limits, open tools and urban problem practice.
ACCOUNTABLE | course owner, teacher and venue operator
PAUSE | harmful content, repeated factual error, manipulative advice, privacy or copyright risk
RESTORE | remain an ordinary classroom and community room after terminal removal
METRICS | participation/completion, correction, human escalation, accessibility and anonymous access

SC-05 AI Heritage Interpretation Module

PURPOSE | Connect Jing-Zhang railway engineering, local industrial memory and current innovation through verifiable interpretation.
ACCOUNTABLE | heritage curator and rights steward
PAUSE | unsourced narrative, serious factual error, rights dispute or impact on heritage fabric
RESTORE | no permanent anchors in heritage fabric; restore surfaces and landscape
METRICS | traceable answers, expert correction, cleared material, language/accessibility and heritage impacts

SC-06 Multilingual Accessible Navigation Plug-in

PURPOSE | Provide consistent walking and interchange information for older people, disabled people, families and international visitors.
ACCOUNTABLE | transport/site operator and accessible-information owner
PAUSE | unsafe route, stale data, critical facility outage or discriminatory recommendation
RESTORE | repair surfaces after beacon removal without weakening existing wayfinding
METRICS | route success, wrong routes, freshness, staffed fallback, correction time and complaint closure

SC-07 Startup Shared Prototype Pod

PURPOSE | Offer low-barrier shared prototyping, review and demonstration space for startups and small teams.
ACCOUNTABLE | facility manager and each tenant project owner
PAUSE | unsafe making, unauthorised access, fire-load breach, isolation failure or tenancy breach
RESTORE | return to a standard shell or public workspace
METRICS | utilisation, turnover, reset time, safety events, isolation tests and exit-data delivery

SC-08 Civic Service Co-design Station

PURPOSE | Let residents and public-service staff define problems, test processes and trace responses together.
ACCOUNTABLE | public-service owner and independent facilitator
PAUSE | misrepresentation, manipulative grouping, privacy leakage or blocked human complaint channel
RESTORE | return to community meeting and consultation after device removal
METRICS | participation coverage, response, summary correction, appeal closure, human review and accessibility

SC-09 AI-native Micro-retail Prototype

PURPOSE | Test small, low-fit-out retail formats that retain staffed service.
ACCOUNTABLE | licensed retailer and venue operator
PAUSE | misleading recommendation, unfair pricing, payment failure, data misuse, food or fire risk
RESTORE | restore standard shell, continuous paving and public frontage
METRICS | transaction success, staffed fallback, price disclosure, complaint correction, waste, reuse and reset time

SC-10 Developer Public Demo Ground

PURPOSE | Provide a public, challengeable demonstration ground with explicit limitations.
ACCOUNTABLE | event producer and each demonstration owner
PAUSE | crowding, misleading claim, dangerous action, unauthorised capture or failed takeover
RESTORE | restore plaza paving, planting, drainage and accessible routes
METRICS | disclosure completeness, safety incidents, accessibility, complaint closure, setup and restoration time

SC-11 Algorithm Explanation & Public Audit Station

PURPOSE | Expose model scope, evidence, risks and correction so independent review and public appeal are possible.
ACCOUNTABLE | independent audit lead and the responsible human public decision-maker
PAUSE | insufficient evidence, trade-secret/personal leakage, deceptive explanation or failed independent reproduction
RESTORE | remain a public hearing and archive-reading room after exhibit removal
METRICS | audits, issue closure, reproducibility, appeal handling, pause response and public understanding

SC-12 Global AI Event Plug-in Kit

PURPOSE | Use reusable modules for cross-cultural exchange, exhibitions and developer events.
ACCOUNTABLE | event organiser, data-protection lead and on-site safety lead
PAUSE | crowding, severe weather, translation safety risk, cyberattack or data overreach
RESTORE | restore plaza, lawn, paving, drainage and fire access
METRICS | setup/removal, translation correction, timely deletion, module reuse, waste and drill correction

PROPOSE → TEST → REVIEW → RELEASE → OPERATE → AUDIT → ROLLBACK / UPGRADE → ARCHIVE / REUSE

01 plugin_id Humans retain release, pause and exit authority	02 version Humans retain release, pause and exit authority	03 plugin_type Humans retain release, pause and exit authority	04 location/spatial_scope Humans retain release, pause and exit authority
05 target_users Humans retain release, pause and exit authority	06 purpose Humans retain release, pause and exit authority	07 expected_lifecycle_class Humans retain release, pause and exit authority	08 carrier_interface_id Humans retain release, pause and exit authority
09 interface_envelope Humans retain release, pause and exit authority	10 base_impact_budget Humans retain release, pause and exit authority	11 operator_role Humans retain release, pause and exit authority	12 human_accountable_role Humans retain release, pause and exit authority
13 required_data Humans retain release, pause and exit authority	14 privacy_boundary Humans retain release, pause and exit authority	15 installation_condition Humans retain release, pause and exit authority	16 activation_condition Humans retain release, pause and exit authority
17 review_condition Humans retain release, pause and exit authority	18 human_override Humans retain release, pause and exit authority	19 pause_condition Humans retain release, pause and exit authority	20 rollback_condition Humans retain release, pause and exit authority
21 removal_condition Humans retain release, pause and exit authority	22 asset_data_portability Humans retain release, pause and exit authority	23 site_restoration_acceptance Humans retain release, pause and exit authority	24 archive_method Humans retain release, pause and exit authority
25 evidence_record Humans retain release, pause and exit authority	26 next_review_trigger Humans retain release, pause and exit authority		

HUMAN AUTHORITY

RELEASE, PAUSE and EXIT require a named authorised human. After exit, public space, non-digital service, accessibility, energy/network interfaces and urban memory remain continuous.

Prototype Gantry

Zhongzhiyuan / Prototype Bay

A demountable, non-monumental test gantry displaying plug-in ID, version, status, accountable human and emergency stop. The gantry is 10Y, equipment is 100D, and siting/span/foundation/load await review.

Urban Version Hall

Beijing AI Origin Community / Co-Creation Bay

An adaptable public room for deliberation, model audit, open learning, release and correction. Prioritise adaptive reuse; tenure, capacity, fire and reuse value await survey.

Plug-in Dock

Dazhongsi / Application Bay

A module docking, inspection, repair, storage, return and recovery node closing the arrival–acceptance–operation–exit–restoration loop; scale follows transport, noise, fire, heritage and public-space capacity.

Punggol Digital District

District digital base, virtual test and controlled field test with tiered data access.
LIMIT: Singapore land/regulatory integration and reported sensor scale are not transferable targets.

22@Barcelona

Mixed knowledge production, housing, facilities and public space with infrastructure recalibrated by phase.
LIMIT: Catalan planning law and historic development-right ratios cannot become Beijing controls.

Brainport / High Tech Campus Eindhoven

Triple-Helix regional governance, a professional delivery body and shared-site operations.
LIMIT: A privately managed specialist campus is not a complete mixed city; open innovation is not unconditional IP openness.

Toyota Woven City

Prototype garage, controlled field and lived-environment test sequence.
LIMIT: Operator-reported small samples are not independent long-term evidence.

Smart Kalasatama

Open call, co-development, real-world trial and evaluation, including rapid identification of dead ends.
LIMIT: Finnish pilots were often around six months and used different procurement/funding systems.

Sidewalk Toronto / Quayside Warning

Formal reviews exposed gaps in accountability, data flows, procurement, fallback, maintenance and minimum viable alternatives.
LIMIT: Privacy controversy cannot be asserted as the single direct cause of withdrawal.

Temporal Adaptability: Evidence Before Vision

Known means reproducible, unknown is never filled with false precision



SITE 11,412,825 sqm provisional-geometry area	GREEN 0.1726 conceptual union ratio	PUBLIC 0.0335 conceptual union ratio
SCENARIOS 12 / 3 TEST complete / industry test	HUMAN 12 / 12 accountability+pause+rollback	TYPE CHECK 12 / 12 carrier+base impact+uninstall acceptance

UNKNOWN UNTIL OFFICIAL OR MEASURED

FAR	DENSITY	HEIGHT	BASE DISTURBANCE	CROSS-SITE DEPLOYABILITY
-----	---------	--------	------------------	--------------------------

100Y/10Y/100D are lifecycle classes, not legal deadlines. Structured coverage of 1.0 is not real-world performance.

PROVISIONAL GEOMETRY • NOT AN OFFICIAL REDLINE

KiYouJyo • 2026-08-11

RISK / REVIEW

Nine official/professional data groups remain missing and all drawings label provisional geometry. Matrices cover 23 tasks, five mandatory standards and fifteen depth items. Four local gates do not replace statutory approval, professional sign-off, permits, real performance or human design judgement.

Phase 0 Evidence Gate

Verify boundaries, tenure, heritage, roads, buildings, utilities, facilities, planning controls and safety conditions

Phase 1 Low-regret Trials

Allow only temporary guidance, classes and closed tests that avoid permanent structural change, retain human fallback and protect public rights

Phase 2 Adaptive Framework

After professional review, build common bay interfaces, blue-green slow links, three landmarks and operations, prioritising adaptive reuse

Phase 3 Network Operation

Connect twelve scenarios in stages, link both wings and operate a periodic public release process

Phase 4 Audit / Rollback / Archive

Use evidence to continue, upgrade, pause, remove or reuse; complete physical restoration and public release notes