



100-Year Base / 100-Day Plug-ins

Jing-Zhang Three-Speed City

Let the City Outlive the Model.

100Y / 10Y / 100D

Not a permanent/temporary binary: civic base, adaptive carrier and AI plug-ins change at different speeds. Fast layers attach but never overwrite slow layers.

100Y 100-Year Base

Heritage, civic rights, blue-green systems, mobility, accessibility, services and memory

10Y 10-Year Adaptive Layer

Vendor-neutral ground floors, shared space, open interfaces and maintainable carriers

100D 100-Day Plug-ins

Replaceable agents, robots, edge devices, services and events

OFFICIAL

tasks and verbal scope

PROVISIONAL

temporary SITE/KEY polygons

DESIGN

derived geometry, figures and metrics

RECALCULATE

regenerate after official data

KNOWN / UNKNOWN


Nine gaps: overall boundary, key areas, controls, transport, parcels, buildings, heritage, utilities/safety and public facilities. Automated PASS never turns a gap into known evidence.

01 / SITE OVERVIEW

Provisional Boundary, Key Areas and Three Speeds

One spine • three bays • two wings • six plug-in classes

N ↑



Zhongguancun Technology Service Wing

Xiaoyuehe Scenario Enablement Wing

01 Zhongzhiyuan Prototype Bay

02 AI Origin Co-Creation Bay

03 Dazhones Application Bay

100Y

100-Year Base

10Y

10-Year Adaptive Layer

100D

100-Day Plug-ins

PROVISIONAL GEOMETRY • NOT AN OFFICIAL REDLINE

KiYouJyo • 2026-08-11

02 / LAND USE Three-Speed Land-use and Functional Structure

Conceptual partition covers the provisional boundary; not statutory land use or parcels



LAND-USE CODE


- 1401 Park/open-space base
- 0802 R&D and validation
- 0803 Culture and memory
- 0804 Education and talent
- 05 Industry/commercial services
- 0702 Community services

Civic spine at centre
Adaptive carriers in wings
Plug-ins released in bays

FAR / density / height / setbacks: UNKNOWN
Await official controls and building survey


PROVISIONAL GEOMETRY • NOT AN OFFICIAL REDLINE

KiYouJyo • 2026-08-11



03 / KEY AREAS Three Key Areas: Prototype — Co-Creation — Application
Landmark, scenarios, human accountability and restoration on one drawing

01 Zhongzhiyuan Prototype Bay




Prototype Gantry

SC-01 / 02 / 03

P1 R&D + validation

- Closed test ≠ approval
- Non-participant bypass
- Emergency stop + human sign-off
- Device / data / site restoration

02 AI Origin Co-Creation Bay




Urban Version Hall

SC-04 / 07 / 08 / 11

P2 learning + P3 civic

- Closed test ≠ approval
- Non-participant bypass
- Emergency stop + human sign-off
- Device / data / site restoration

03 Dazhongsi Application Bay



Plug-in Dock

SC-05 / 09 / 10 / 12

P3 / P5 / P6

- Closed test ≠ approval
- Non-participant bypass
- Emergency stop + human sign-off
- Device / data / site restoration

Prototype Gantry

Industry test/validation is not approval; public bypass, emergency stop, human sign-off and physical restoration.

SCENARIOS

SC-01 / SC-02 / SC-03

EVIDENCE GATE

Before development: official boundary/tenure, roads/rail, buildings/fire, utilities, safety, crowds and operator.

Urban Version Hall

Shared classroom, prototype pods, co-design, audit and appeal; prioritise adaptive reuse.

SCENARIOS

SC-04 / SC-07 / SC-08 / SC-11

EVIDENCE GATE

Before development: official boundary/tenure, roads/rail, buildings/fire, utilities, safety, crowds and operator.

Plug-in Dock

Demonstration is not endorsement; each event is permitted; modules exit, return and restore the site.

SCENARIOS

SC-05 / SC-09 / SC-10 / SC-12


EVIDENCE GATE

Before development: official boundary/tenure, roads/rail, buildings/fire, utilities, safety, crowds and operator.

04 / MOBILITY • BLUE-GREEN

Mobility, Blue-Green and Public Space: Complete Without AI

Physical wayfinding, accessibility and staffed service are slow; routing and sensing are fast



100Y / 10Y

physical wayfinding • passage •
staffed service

100D

routing • beacons • edge sensing •
events

EXIT

usable after isolation; restore paving,
drainage and planting

- Blue-green
- Public space
- Slow mobility
- Adaptive carrier

PROVISIONAL GEOMETRY • NOT AN OFFICIAL REDLINE

KiYouJyo • 2026-08-11

Only governs 100D compatibility, human accountability, data/device exit, site restoration and archive. Not an annual city ledger or approval.

1 plugin_id	2 version	3 plugin_type
4 location/spatial_scope	5 target_users	6 purpose
7 expected_lifecycle_class	8 carrier_interface_id	9 interface_envelope
10 base_impact_budget	11 operator_role	12 human_accountable_role
13 required_data	14 privacy_boundary	15 installation_condition
16 activation_condition	17 review_condition	18 human_override
19 pause_condition	20 rollback_condition	21 removal_condition
22 asset_data_portability	23 site_restoration_acceptance	24 archive_method
25 evidence_record	26 next_review_trigger	



HUMAN AUTHORITY

Only named, authorised humans decide RELEASE, PAUSE and EXIT. Emergency stop, appeal, staffed service and offline fallback do not depend on a model.

SC-01 Reversible Robotics Test Yard

PURPOSE | Test accessibility, safety and exit capacity of low-speed delivery, inspection and cleaning robots in a real public-space setting; results are not product approval, regulatory certification or permission for routine operation.

LOCATION | Prototype Bay at Zhongzhiyuan, linked to the Zhongguancun Technology Service Wing; exact siting awaits boundary, tenure and safety checks

THREE SPEEDS | the 100Y layer protects public passage and safety; the 10Y layer provides adjustable paving and common interfaces; robots, chargers and test fixtures are 100D

DATA | device trajectories, speed, fault codes, environmental sensing and incident records; video only where necessary

ACCOUNTABLE | joint sign-off by the yard safety lead and each device test lead

PRECONDITIONS | enclosure and egress review, geofence, emergency-stop test, public notice, insurance, accessible bypass, fire and electrical checks

AUDIT | immutable records of version, task, takeover, collision or near miss, complaints and correction

PAUSE | failed emergency stop, boundary breach, human conflict, unauthorised collection, severe weather or safety-lead instruction

RESTORE | remove anchors and restore modular paving, drainage, planted edges and continuous passage

METRICS | test hours, incidents per 1,000 test hours, takeover success, stop response, restoration time and closure rate

GAP/FOLLOW-UP | road and tenure boundaries, utilities, emergency access, baseline footfall and noise; joint review by transport, safety engineering, robotics testing, fire, electrical, accessibility and insurance specialists

SC-02 Public AI Agent Evaluation Station

PURPOSE | Enable public and professional evaluation of accuracy, bias, explainability and human takeover under controlled conditions; evaluation is not model approval.

LOCATION | Prototype Bay at Zhongzhiyuan, linked to the Zhongguancun Technology Service Wing

THREE SPEEDS | 100Y protects equal service and appeal; 10Y provides reconfigurable workstations; candidate models and test kits are 100D

DATA | versioned prompts, answers, failure classes, human review and feedback

ACCOUNTABLE | service owner, independent evaluation lead and privacy lead

PRECONDITIONS | model card, test scope, red-team test, accessible interface, content safety, consent/withdrawal and staffed fallback

AUDIT | trace the fixed test-set version, raw output, human finding, dissent, correction and appeal

PAUSE | sensitive-data leakage, persistent misinformation, discriminatory outcome, advice beyond authority or failed takeover

RESTORE | after terminal removal, return the room to ordinary public service or teaching

METRICS | cases, failure-class coverage, takeover success, correction time, withdrawal fulfilment and accessible-task success

GAP/FOLLOW-UP | real service process, eligible models, risk tiers, legal and records duties, current demand; AI assurance, public administration, privacy, accessibility, legal and domain experts to set the protocol

SC-03 Edge-AI Urban Furniture Test Interface

PURPOSE | Test durability, privacy boundaries and maintainability of local computing, sensing and urban-furniture interfaces; not municipal type approval or procurement.

LOCATION | Prototype Bay at Zhongzhiyuan, linked to the Xiaoyuehe Scenario Enablement Wing

THREE SPEEDS | 100Y keeps public space continuous; bases and utility interfaces are 10Y; sensors, edge boxes and interactions are 100D

DATA | temperature, humidity, noise, device state and aggregate flow; raw imagery stays on device by default

ACCOUNTABLE | municipal facility operator and test-device owner

PRECONDITIONS | structural, electrical, cyber, accessible-clearance, privacy-notice, maintenance and isolation review

AUDIT | record inventory, firmware/model hash, sensing envelope, data flow, faults, maintenance and removal

PAUSE | collection beyond authority, intrusion, loose structure, blocked passage, persistent false alarms or lost maintenance contact

RESTORE | restore ordinary furniture function, paving, drainage and accessible clearance

METRICS | on-device share, unauthorised transfer, failure rate, maintenance response, removal time and obstruction incidents

GAP/FOLLOW-UP | utilities, asset ownership, footfall, microclimate, furniture standards and maintenance duties; industrial design, structural, electrical, cyber, landscape, privacy and accessibility review

SC-04 Open Model Classroom

PURPOSE | Teach model principles, limits, open tools and urban problem practice.

LOCATION | Co-Creation Bay in Beijing AI Origin Community, serving the Technology Service Wing

THREE SPEEDS | 100Y protects public learning; the shared classroom is 10Y; curricula, models and terminals are 100D

DATA | open course materials, exercises, feedback and optional progress

ACCOUNTABLE | course owner, teacher and venue operator

PRECONDITIONS | curriculum review, model card, teacher presence, content safety, accessible material, child protection and teacher-led fallback

AUDIT | record course version, sampled outputs, corrections, complaints and teacher review

PAUSE | harmful content, repeated factual error, manipulative advice, privacy or copyright risk

RESTORE | remain an ordinary classroom and community room after terminal removal

METRICS | participation/completion, correction, human escalation, accessibility and anonymous access

GAP/FOLLOW-UP | age profile, demand, capacity, network/compute, school partners and guardianship; education, child protection, copyright, AI safety and accessibility specialists to set standards

SC-05 AI Heritage Interpretation Module

PURPOSE | Connect Jing-Zhang railway engineering, local industrial memory and current innovation through verifiable interpretation.

LOCATION | the long-life public spine, potentially linked to the Dazhongsi Application Bay, subject to heritage survey

THREE SPEEDS | 100Y protects fabric and memory; exhibition space is 10Y; digital content and events are 100D

DATA | rights-cleared archives, image catalogues, oral-history metadata and anonymous queries

ACCOUNTABLE | heritage curator and rights steward

PRECONDITIONS | heritage assessment, copyright clearance, expert review, non-invasive installation and required permits

AUDIT | retain source, version, expert review and public correction for every narrative

PAUSE | unsourced narrative, serious factual error, rights dispute or impact on heritage fabric

RESTORE | no permanent anchors in heritage fabric; restore surfaces and landscape

METRICS | traceable answers, expert correction, cleared material, language/accessibility and heritage impacts

GAP/FOLLOW-UP | heritage inventory, protection limits, condition, archive rights and archaeology; heritage, archaeology, history, archives, IP and accessibility review

SC-06 Multilingual Accessible Navigation Plug-in

PURPOSE | Provide consistent walking and interchange information for older people, disabled people, families and international visitors.

LOCATION | across the three bays, public spine and both wings

THREE SPEEDS | 100Y retains physical wayfinding and passage; information interfaces are 10Y; algorithms, language packs and diversions are 100D

DATA | network, slopes, barriers, entrances, works and optional current location

ACCOUNTABLE | transport/site operator and accessible-information owner

PRECONDITIONS | surveyed accessible map, retained statutory signs, staffed help, update owner and public correction

AUDIT | record route version, barrier source, failed routes, complaints, correction and human verification

PAUSE | unsafe route, stale data, critical facility outage or discriminatory recommendation

RESTORE | repair surfaces after beacon removal without weakening existing wayfinding

METRICS | route success, wrong routes, freshness, staffed fallback, correction time and complaint closure

GAP/FOLLOW-UP | official roads, entrances, slopes, barriers, transit, works and facility state; transport, GIS, accessibility, cybersecurity, privacy and multilingual field testing

SC-07 Startup Shared Prototype Pod

PURPOSE | Offer low-barrier shared prototyping, review and demonstration space for startups and small teams.
LOCATION | Co-Creation Bay in Beijing AI Origin Community, linked to the Technology Service Wing
THREE SPEEDS | 100Y protects fair access; adaptive interiors are 10Y; tenant equipment, projects and software are 100D
DATA | project files, equipment logs, tenant accounts and access records
ACCOUNTABLE | facility manager and each tenant project owner
PRECONDITIONS | tenancy rules, fire, electrical, training, insurance, IP isolation and data-exit agreement
AUDIT | record access, equipment use, safety events, data migration and pod reset
PAUSE | unsafe making, unauthorised access, fire-load breach, isolation failure or tenancy breach
RESTORE | return to a standard shell or public workspace
METRICS | utilisation, turnover, reset time, safety events, isolation tests and exit-data delivery
GAP/FOLLOW-UP | demand, rent, tenure, fire load, power, network and equipment inventory; architecture, MEP, fire, operations, IP, cyber and enterprise-service appraisal

SC-08 Civic Service Co-design Station

PURPOSE | Let residents and public-service staff define problems, test processes and trace responses together.
LOCATION | Co-Creation Bay in Beijing AI Origin Community, facing the Xiaoyuehe Scenario Enablement Wing
THREE SPEEDS | 100Y protects participation, appeal and equal service; shared community space is 10Y; themed workshops and tools are 100D
DATA | voluntary issues, meeting records, service processes and optional demographics
ACCOUNTABLE | public-service owner and independent facilitator
PRECONDITIONS | participation rules, consent, staffed/paper channels, appeal, facilitation and accessibility
AUDIT | trace original input, summary, response, decision and correction
PAUSE | misrepresentation, manipulative grouping, privacy leakage or blocked human complaint channel
RESTORE | return to community meeting and consultation after device removal
METRICS | participation coverage, response, summary correction, appeal closure, human review and accessibility
GAP/FOLLOW-UP | community profile and needs, administrative responsibility, service points and vulnerable groups; sociology, participatory planning, public administration, privacy and accessibility review

SC-09 AI-native Micro-retail Prototype

PURPOSE | Test small, low-fit-out retail formats that retain staffed service.
LOCATION | Dazhongsi Application Bay, linked to the Xiaoyuehe Scenario Enablement Wing
THREE SPEEDS | 100Y protects street life and consumer rights; adaptable ground floor and interfaces are 10Y; tenants, devices and themes are 100D
DATA | inventory, transactions, energy and complaints; loyalty data only by choice
ACCOUNTABLE | licensed retailer and venue operator
PRECONDITIONS | licensing, fire, food/consumer safety, price disclosure, privacy assessment, staffed payment and accessibility
AUDIT | record price/recommendation changes, stock, returns, complaints and anomalies
PAUSE | misleading recommendation, unfair pricing, payment failure, data misuse, food or fire risk
RESTORE | restore standard shell, continuous paving and public frontage
METRICS | transaction success, staffed fallback, price disclosure, complaint correction, waste, reuse and reset time
GAP/FOLLOW-UP | commercial demand, rent, footfall, tenure, utilities, licences and logistics; retail, architecture, fire, food/consumer protection, accessibility and privacy review

SC-10 Developer Public Demo Ground

PURPOSE | Provide a public, challengeable demonstration ground with explicit limitations.
LOCATION | Dazhongsi Application Bay, linked to the Technology Service Wing
THREE SPEEDS | 100Y protects public space and safety; support/service interfaces are 10Y; demonstrations and event fixtures are 100D
DATA | product telemetry, registration, feedback and necessary safety data
ACCOUNTABLE | event producer and each demonstration owner
PRECONDITIONS | event permit, crowd/fire, electrical, structure, insurance, accessibility, disclaimers and privacy zoning
AUDIT | record demo version, data flow, limitation disclosure, incidents, complaints and response
PAUSE | crowding, misleading claim, dangerous action, unauthorised capture or failed takeover
RESTORE | restore plaza paving, planting, drainage and accessible routes
METRICS | disclosure completeness, safety incidents, accessibility, complaint closure, setup and restoration time
GAP/FOLLOW-UP | capacity, emergency access, noise, crowd flow, power and tenure; event, crowd safety, fire, structural, electrical, privacy and accessibility review

SC-11 Algorithm Explanation & Public Audit Station

PURPOSE | Expose model scope, evidence, risks and correction so independent review and public appeal are possible.
LOCATION | Urban Version Hall in Beijing AI Origin Community, serving all bays and wings
THREE SPEEDS | 100Y fixes rights to know, appeal and human decision; audit space/archive interfaces are 10Y; audited models/issues are 100D
DATA | model cards, versions, tests, decision logs, synthetic cases and authorised appeal files
ACCOUNTABLE | independent audit lead and the responsible human public decision-maker
PRECONDITIONS | audit authority, accessible logs, conflict disclosure, evidence chain, appeal access and legal review
AUDIT | retain inputs, outputs, method, reproduction, dissent, correction and closure evidence
PAUSE | insufficient evidence, trade-secret/personal leakage, deceptive explanation or failed independent reproduction
RESTORE | remain a public hearing and archive-reading room after exhibit removal
METRICS | audits, issue closure, reproducibility, appeal handling, pause response and public understanding
GAP/FOLLOW-UP | responsible institutions, model access, legal authority, records and appeal system; algorithm audit, administrative law, privacy, records, participation and domain review

SC-12 Global AI Event Plug-in Kit

PURPOSE | Use reusable modules for cross-cultural exchange, exhibitions and developer events.
LOCATION | Dazhongsi Application Bay as main node, linked through the public spine
THREE SPEEDS | 100Y protects passage and memory; connections/storage are 10Y; each event kit is 100D
DATA | registration, schedule preference, language/accessibility needs and equipment state
ACCOUNTABLE | event organiser, data-protection lead and on-site safety lead
PRECONDITIONS | event permit, capacity, fire, emergency, translation/accessibility, cross-border data plan and staffed service
AUDIT | record kit version, module custody, data inventory, translation corrections, incidents, deletion and recovery
PAUSE | crowding, severe weather, translation safety risk, cyberattack or data overreach
RESTORE | restore plaza, lawn, paving, drainage and fire access
METRICS | setup/removal, translation correction, timely deletion, module reuse, waste and drill correction
GAP/FOLLOW-UP | event capacity, noise, utilities, storage, cross-border rules, emergency and transport; event, fire, crowd safety, data protection, international communication, accessibility and transport review

PER-01 Researcher / Engineer

Exportable data, disclosed failures, tiered confidentiality and no passive public testing.

PER-02 Student / Young Developer

Anonymous learning, withdrawal, guardian consent and accessible material.

PER-03 Startup / SME

IP separation, data portability, transparent tenancy and reliable deletion.

PER-04 Resident / Elderly / Family

Usable without a smart device, explicit consent, opt-out and a staffed alternative.

PER-05 Visitor

Anonymous access, no-camera zones, location off-switch and sourced information.

PER-06 Maintainer / Operator

Least privilege, complete logs, human override and maintainability after vendor exit.

PER-07 Professional Reviewer

Access to evidence, recorded dissent, authority to pause and a complete responsibility chain.

Prototype Gantry

A demountable, non-monumental test gantry displaying plug-in ID, version, status, accountable human and emergency stop. The gantry is 10Y, equipment is 100D, and siting/span/foundation/load await review.

Urban Version Hall

An adaptable public room for deliberation, model audit, open learning, release and correction. Prioritise adaptive reuse; tenure, capacity, fire and reuse value await survey.

Plug-in Dock

A module docking, inspection, repair, storage, return and recovery node closing the arrival–acceptance–operation–exit–restoration loop; scale follows transport, noise, fire, heritage and public-space capacity.

C01 • 10Y

Reversible Foundation Grid

C02 • 10Y

Service Spine Cabinet

C03 • 100D/10Y

Accessible Deck

C04 • 100D

Demountable Canopy

C05 • 100D

Privacy / Acoustic Screen

C06 • 100D

Edge Compute Box

C07 • 10Y

Standard Data / Power Port

C08 • 100D/10Y

Human Override Console

C09 • 100Y/10Y

Analog Fallback Sign

C10 • 10Y

Modular Paving / Utility Strip

C11 • 10Y

Rain-garden Edge

C12 • 10Y

Version Archive Rail

C13 • 10Y

Universal Street Furniture

C14 • 100D

Mobile Demo Dock

C15 • 10Y

Repair / Storage Pod

Punggol Digital District

District digital base, virtual test and controlled field test with tiered data access.

LIMIT: Singapore land/regulatory integration and reported sensor scale are not transferable targets.

22@Barcelona

Mixed knowledge production, housing, facilities and public space with infrastructure recalibrated by phase.

LIMIT: Catalan planning law and historic development-right ratios cannot become Beijing controls.

Brainport / High Tech Campus Eindhoven

Triple-Helix regional governance, a professional delivery body and shared-site operations.

LIMIT: A privately managed specialist campus is not a complete mixed city; open innovation is not unconditional IP openness.

Toyota Woven City

Prototype garage, controlled field and lived-environment test sequence.

LIMIT: Operator-reported small samples are not independent long-term evidence.

Smart Kalasatama

Open call, co-development, real-world trial and evaluation, including rapid identification of dead ends.

LIMIT: Finnish pilots were often around six months and used different procurement/funding systems.

Sidewalk Toronto / Quayside Warning

Formal reviews exposed gaps in accountability, data flows, procurement, fallback, maintenance and minimum viable alternatives.

LIMIT: Privacy controversy cannot be asserted as the single direct cause of withdrawal.

Phase 0 Evidence Gate

Verify boundaries, tenure, heritage, roads, buildings, utilities, facilities, planning controls and safety conditions

Phase 1 Low-regret Trials

Allow only temporary guidance, classes and closed tests that avoid permanent structural change, retain human fallback and protect public rights

Phase 2 Adaptive Framework

After professional review, build common bay interfaces, blue-green slow links, three landmarks and operations, prioritising adaptive reuse

Phase 3 Network Operation

Connect twelve scenarios in stages, link both wings and operate a periodic public release process

Phase 4 Audit / Rollback / Archive

Use evidence to continue, upgrade, pause, remove or reuse; complete physical restoration and public release notes

100-Day Plug-in Challenge

separate permit; not permanent implementation

Jing-Zhang Version Day

separate permit; not permanent implementation

Open Model Week

separate permit; not permanent implementation

Urban Rollback Drill

separate permit; not permanent implementation

Heritage × AI Open Week

separate permit; not permanent implementation



REMAINING HUMAN REVIEW

Remaining professional boundaries: official site/key areas, controls, transport, tenure, buildings, heritage, utilities/safety and facilities. Automated review proves package contract, topology, visual packaging and evidence structure—not approval, permits, real performance or design merit.