


A HOME IN MOTION AND AT REST - THE JING-ZHANG HOME-WORK RELAY


Convertible Homes and Short Links Between Living, Work and Services



READING ORDER AND AUTHORSHIP

- 01 Proposition, evidence boundaries and three-level scope
- 02 Global cases, regional interfaces and six contracts
- 03 Land-use continuity and three independent station blueprints
- 04 Twelve scenarios, nine states and three validation protocols
- 05 Ninety-day pilot, equitable operations and metric handover

The narrative and all visual material are jointly attributed to NearCai × OpenAI Codex. Text, geometry, metrics, figures and PDFs are generated locally; external material is used only for factual citation or background comparison, without copied images, trademarks or layouts.




WHY A HOME-WORK RELAY

An innovation belt cannot stop at arrival. When a project, household or job changes, home, workspace and essential service need a selectable, reversible and human-received next step.

01 / HOME-WORK RELAY

A RELAY THAT KEEPS DAILY LIFE CONNECTED

A spatial protocol inside provisional geometry: one line, three stations, four home types, six relays



DERIVED FROM: geometry/site_boundary.geojson + roads.geojson + key_areas.geojson

01 ONE LINE

A reversible relay connects homes, workspaces and everyday services.

02 THREE STATIONS

Project live-work, family transition and arrival transfer serve distinct stages.

03 FOUR HOME TYPES

Arrival, project rental, adaptable and long-term homes remain distinct choices.

04 SIX RELAYS

Tenure, layout, work, service, consent and return are handed over visibly.

PROVISIONAL CONSTRAINT: not an official planning boundary; recalculate the full chain when official polygons arrive.

PROVISIONAL CONSTRAINT | CONCEPTUAL RECOMMENDATION | EPSG:4548 RECALCULATION


EVIDENCE BOUNDARIES AND UNKNOWNNS

The announcement supports tasks and approximate areas; repository polygons support concept generation and gates only. Rent, supply, capacity, cost, FAR, height and field outcomes remain unknown.

05 / METRICS + EVIDENCE

EVERY NUMBER HAS A SOURCE; EVERY GAP HAS A REASON

GeoJSON -> EPSG:4548 recalculation -> metrics -> figures/HTML; unknown values never masquerade as numbers



PENDING OFFICIAL OR AGGREGATED DATA



Machine-gate and content-review readiness do not equal approval or official-geometry-dependent professional scoring eligibility.

DERIVED FROM: metrics.json + geometry/"_geojson + self_check.json

PROVISIONAL CONSTRAINT | CONCEPTUAL RECOMMENDATION | EPSG:4548 RECALCULATION


SIX GLOBAL CASES AND FIVE REGIONAL INTERFACES

Global cases contribute mechanisms for housing support, innovation intermediaries, public interfaces and renewal. Five regional links define exchange objects and decision separation without claiming a route or partnership.

06 / REGIONAL INTERFACES

FIVE INTERFACES, NOT UNVERIFIED BIG ARROWS

Exchange object, minimum asset, decision separation and evidence gaps; no route, partnership or capacity claim




SIX CONTRACTS · NINE STATES · THREE GATES

Tenure, layout, workspace, service, consent and return share a human state machine. Missing responsibility, consent, ordinary route, stop or exit evidence blocks progression.

07 / HOME-WORK RELAY CONTRACT

SIX CONTRACTS MAKE EVERY RELAY STOPPABLE AND RECEIVABLE

Nine states + three human evidence gates; a valid desktop structure is not a field outcome




LAND USE AND REVERSIBLE RENEWAL

One topology produces research, residential, service, commercial, road, green and plaza areas. Shares are design calculations within provisional geometry, not statutory controls; interfaces precede buildings.

02 / LAND-USE STRUCTURE

LAND USE AS A TEST OF CONTINUITY, NOT A STATUTORY PLAN

Every partition comes from one topology source; areas are recalculable design quantities inside a provisional boundary



DERIVED FROM: geometry/land_use.geojson + metrics.json

PROVISIONAL CONSTRAINT | CONCEPTUAL RECOMMENDATION | EPSG:4548 RECALCULATION

THREE KEY AREAS: ONE PROTOCOL, DIFFERENT STAGES

Zhongzhiyuan tests project live-work, AI Origin tests household transition and Dazhongsi tests first arrival. Every location remains provisional and is not a buildable-site conclusion.

03 / THREE STATIONS

THREE STATIONS, THREE VISIBLE HANDOVERS

Each key area tests a different stage; all locations remain constrained by provisional polygons

01

ZHONGZHIYUAN | PROJECT
LIVE-WORK

Project rental + shared lab + reversible fit-out test

Align project cycles with living, experimentation and visible exit responsibility.

02

AI ORIGIN | FAMILY TRANSITION

Adaptable home + care relay + partner work interface

A changing household stage does not require leaving the innovation network; human and no-AI paths remain.

03

DAZHONGSI | ARRIVAL
TRANSFER

Arrival stay + city services + transfer to long-term options

A conceptual first relay connects identity, housing, work and everyday services without automatic allocation.

Key-area location uncertainty is documented in Issue #1029; these diagrams make no claim about actual station footprints, official boundaries or engineering siting.

DERIVED FROM: geometry/key_areas.geojson + public_space.geojson

PROVISIONAL CONSTRAINT | CONCEPTUAL RECOMMENDATION | EPSG:4548 RECALCULATION

ZHONGZHIYUAN PROJECT LIVE-WORK STATION

The relative plan separates quiet home, shared threshold, court, controlled work and service access. Separate human decisions, lab safety and asset return form the service blueprint.

09.1 / STATION BLUEPRINT

Zhongzhiyuan Project Live-Work Station

How can research and living sit near each other without carrying laboratory risk into private homes?

RELATIVE PLAN · NOT ACTUAL SITING

QUIET HOME

COURT

CONTROLLED WORK

PROVISIONAL KEY AREA · RELATIVE INTERFACE ONLY

RELATIVE SECTION · HEIGHT UNKNOWN

quiet home

shared threshold

courtyard

controlled work

service access

FOUR-STAGE SERVICE BLUEPRINT

1 ARRIVE

compare project and ordinary options

human desk explains current rules

FALLBACK paper directory

2 REVIEW

request housing or workspace relay

two independent receipts

FALLBACK pause without losing existing rights

3 USE

enter approved space

state and help channel visible

FALLBACK ordinary workspace or closure

4 LEAVE

return access and choose future contact

human close-out

FALLBACK freeze and recount

UNKNOWN

official polygon / ownership / existing buildings / height/FAR / lab type / noise baseline / capacity

DERIVED FROM: visual/assets/station-service-blueprints.json + geometry/key_areas.geojson

PROVISIONAL CONSTRAINT | CONCEPTUAL RECOMMENDATION | EPSG:4548 RECALCULATION

AI ORIGIN FAMILY TRANSITION STATION

A no-app entrance, care porch, shared court, adaptable mock-up and private threshold create a low-disturbance sequence. Residents initiate every entry, data flow and change.

09.2 / STATION BLUEPRINT

AI Origin Family Transition Station

How can layout, care and work change with a household stage without platform scoring?

RELATIVE PLAN · NOT ACTUAL SITING

PROVISIONAL KEY AREA · RELATIVE INTERFACE ONLY

RELATIVE SECTION · HEIGHT UNKNOWN

ordinary street care porch shared court adaptable room band private threshold

FOUR-STAGE SERVICE BLUEPRINT

1 REQUEST

describe a family-stage need without diagnostic labeling

staff lists separate care, work and layout paths

FALLBACK in-person or home-visit arrangement if authorized

2 CONSENT

choose who may enter or receive data

plain-language consent and mechanical controls

FALLBACK keep existing layout and ordinary service

3 CHANGE

observe reversible change or service handover

progress and stop control visible

FALLBACK restore accepted baseline

4 REVIEW

accept, reject, withdraw or complain

human review and receipt

FALLBACK pause and retain basic services

UNKNOWN

official polygon / ownership / housing stock / care providers / family needs baseline / building safety / service capacity

DERIVED FROM: visual/assets/station-service-blueprints.json + geometry/key_areas.geojson

PROVISIONAL CONSTRAINT | CONCEPTUAL RECOMMENDATION | EPSG:4548 RECALCULATION





DAZHONGSI ARRIVAL TRANSFER STATION

Four-way arrival, The First Key, staffed bilingual help and separate housing/work/service thresholds form the first relay. Entrances, crossings, footfall, rights and supply await evidence.

09.3 / STATION BLUEPRINT

Dazhongsi Arrival Transfer Station

How can a newcomer see multiple choices, accountable people and ordinary routes rather than one recommended path?



DERIVED FROM: visual/assets/station-service-blueprints.json + geometry/key_areas.geojson

PROVISIONAL CONSTRAINT | CONCEPTUAL RECOMMENDATION | EPSG:4548 RECALCULATION


TWELVE SCENARIOS: TRIGGER TO EXIT ASSET

Every card adds minimum data, responsible/accountable roles, success evidence, stop and exit asset. AI decides no eligibility, rent, allocation, access, safety or public-service right.

07 / HOME-WORK RELAY CONTRACT

SIX CONTRACTS MAKE EVERY RELAY STOPPABLE AND RECEIVABLE

Nine states + three human evidence gates; a valid desktop structure is not a field outcome



DERIVED FROM: visual/assets/relay-contracts.json + relay-contract.validation.json

PROVISIONAL CONSTRAINT | CONCEPTUAL RECOMMENDATION | EPSG:4548 RECALCULATION


DOOR-TO-DESK AND THE BLUE-GREEN SPINE

Home-work adjacency first reduces breaks; a public spine and six links connect green space, service and staffed help. Centrelines are not road redlines or proof of accessibility.

04 / MOBILITY + BLUE-GREEN

SHORTEN THE HOME-WORK LINK BEFORE OPTIMISING TRAVEL

One public spine and six transverse relay links; conceptual centrelines are not road redlines



DERIVED FROM: geometry/roads.geojson + green_space.geojson + public_space.geojson

PROVISIONAL CONSTRAINT | CONCEPTUAL RECOMMENDATION | EPSG:4548 RECALCULATION

90 DAYS: SHADOW, MICRO-PILOT, JOINT REVIEW

Five RACI workstreams and three gates control progression. Cost and capacity have formulas, evidence needs and no-go conditions, but no operator, budget, permission or field result.

08 / 90-DAY PILOT + VALIDATION

NINETY DAYS ADVANCE EVIDENCE, NOT PREPAID OUTCOMES

Shadow rehearsal -> reversible micro-pilot -> joint review; every test has a baseline, instrument, stop and human sign-off

Day 1-30

Shadow rehearsal

Replay requests, human receipt, ordinary routes, withdrawal and missing receivers without changing eligibility, contracts or space.

DELIVERfailure ledger / accepted RACI / P2 record

Day 31-60

Reversible micro-pilot

Test three industry-validation protocols and human takeover only in authorized, reversible mock-up or service-desk settings.

DELIVERraw test / calibration / stop + recovery

Day 61-90

Joint review and retirement decision

Professionals, user representatives and operational roles decide whether to revise, continue within limits, retire or wait for evidence.

DELIVERjoint audit / equity / retire-or-wait decision

V1Reversible Fit-Out Validation

BASELINEauthorized room and component inventory

INSTRUMENTversioned drawing and component register

PROPOSED GATEno unresolved safety or egress nonconformity

STOPunexpected structural or fire issue

NOT AUTHORIZED · NOT RUN

V2Live-Work Adjacency Noise and Safety Validation

BASELINEauthorized boundary between domestic and work areas

INSTRUMENTcalibrated sound level meter used by a qualified role

PROPOSED GATEapplicable acoustic and safety thresholds set by qualified reviewers before the test

STOPapplicable threshold exceeded

NOT AUTHORIZED · NOT RUN

V3Private-Home Default-Deny Validation

BASELINEcomplete device and data-flow inventory

INSTRUMENTlocal network observation appropriate to the device

PROPOSED GATEzero unauthorized transmission while consent is off

STOPany unauthorized transmission

NOT AUTHORIZED · NOT RUN

5 RACI WORKSTREAMS | COST = STAFF + SPACE + CALIBRATION + ACCESS + SAFETY + MAINTENANCE + EXIT | CAPACITY = MIN(4 BOTTLENECKS) | ALL OPERANDS UNKNOWN

DERIVED FROM: visual/assets/pilot-protocol.json + assumptions.json

PROVISIONAL CONSTRAINT | CONCEPTUAL RECOMMENDATION | EPSG:4548 RECALCULATION

THREE VALIDATIONS: BASELINE, INSTRUMENT, STOP, SIGN-OFF

Fit-out, live-work adjacency and private-home default-deny are unauthorised protocols. Safety, privacy, boundary, withdrawal or ordinary-route failure stops the test and remains in the denominator.

08 / 90-DAY PILOT + VALIDATION

NINETY DAYS ADVANCE EVIDENCE, NOT PREPAID OUTCOMES

Shadow rehearsal -> reversible micro-pilot -> joint review; every test has a baseline, instrument, stop and human sign-off

Day 1-30

Shadow rehearsal

Replay requests, human receipt, ordinary routes, withdrawal and missing receivers without changing eligibility, contracts or space.

DELIVERfailure ledger / accepted RACI / P2 record

Day 31-60

Reversible micro-pilot

Test three industry-validation protocols and human takeover only in authorized, reversible mock-up or service-desk settings.

DELIVERraw test / calibration / stop + recovery

Day 61-90

Joint review and retirement decision

Professionals, user representatives and operational roles decide whether to revise, continue within limits, retire or wait for evidence.

DELIVERjoint audit / equity / retire-or-wait decision

V1

Reversible Fit-Out Validation

BASELINE

INSTRUMENT

PROPOSED GATE

STOP

authorized room and component inventory

versioned drawing and component register

no unresolved safety or egress nonconformity

unexpected structural or fire issue

NOT AUTHORIZED · NOT RUN

V2

Live-Work Adjacency Noise and Safety Validation

BASELINE

INSTRUMENT

PROPOSED GATE

STOP

authorized boundary between domestic and work areas

calibrated sound level meter used by a qualified role

applicable acoustic and safety thresholds set by qualified reviewers before the test

applicable threshold exceeded

NOT AUTHORIZED · NOT RUN

V3

Private-Home Default-Deny Validation

BASELINE

INSTRUMENT

PROPOSED GATE

STOP

complete device and data-flow inventory

local network observation appropriate to the device

zero unauthorized transmission while consent is off

any unauthorized transmission

NOT AUTHORIZED · NOT RUN

5 RACI WORKSTREAMS | COST = STAFF + SPACE + CALIBRATION + ACCESS + SAFETY + MAINTENANCE + EXIT | CAPACITY = MIN(4 BOTTLENECKS) | ALL OPERANDS UNKNOWN

DERIVED FROM: visual/assets/pilot-protocol.json + assumptions.json

PROVISIONAL CONSTRAINT | CONCEPTUAL RECOMMENDATION | EPSG:4548 RECALCULATION

PROVISIONAL CONSTRAINT · CONCEPTUAL RECOMMENDATION · FOR PROFESSIONAL DEEPENING

EQUITY ACCEPTANCE AND BRAND STEWARDSHIP

Six personas and six gates place no-AI, staffed, night, language and accommodation routes in one denominator. Communication uses evidence-backed status; steward, budget and SLA remain unknown.

10 / EQUITY + OPERATIONS

LEAST-SERVED ROUTES SHARE ONE DENOMINATOR; STATUS IS AUDITABLE

Six equity gates + six status levels + steward, service clocks and retirement; protocol, not performance

SIX PERSONAS × SIX ACCEPTANCE RULES

P01 New researcher

EQ-01 Equivalent core outcome

AI-off and human routes must reach the same legally available service outcome without an extra eligibility barrier.

P02 Startup team

EQ-02 No price or rights penalty

Choosing no AI, withdrawing consent or requesting accommodation must not itself increase price or remove a basic service.

P03 Young family

EQ-03 Failures and withdrawals remain in the denominator

Every registered request is classified as completed, withdrawn, failed, deferred or missing-receiver; no silent deletion.

P04 International developer

EQ-04 Human receipt and complaint closure

Every open window publishes a receiving role, ordinary channel, escalation path and review date.

P05 Service and maintenance worker

EQ-05 Reasonable accommodation works in practice

Requested accommodation is tested through the complete route and unresolved breaks stop that route from being called accessible.

P06 Older and disabled user

EQ-06 Release and receipt confirmed separately

A handover is not complete until both the releasing and receiving roles record independent confirmation or an explicit refusal.

RESULTS UNKNOWN · FAILURES STAY VISIBLE

STATUS + STEWARDSHIP

CONCEPT SUBMISSION

UNDER REVIEW

SELECTED

AUTHORIZED PILOT

APPROVED PROJECT

BUILT AND OPERATING

STEWARD

Bilingual terms

Sources + rights

Status labels

Withdrawal + credit

Failure + retirement

NOT APPOINTED · BUDGET UNKNOWN

Pause content or service on disputed status/source, broken ordinary route, failed withdrawal or absent owner.

ANNUAL RELAY WEEK = PUBLIC AUDIT, NOT A PROMOTIONAL SUMMIT

protocol clinic / ordinary-route walk audit / reversible-fit-out open review / default-deny negative test / departure-return archive session / regional interface roundtable

PROPOSED · NOT SCHEDULED · PERMISSION / INSURANCE / ACCESSIBILITY / RIGHTS REQUIRED

DERIVED FROM: visual/assets/equity-acceptance.json + brand-operations.json

PROVISIONAL CONSTRAINT | CONCEPTUAL RECOMMENDATION | EPSG:4548 RECALCULATION

PROVISIONAL CONSTRAINT · CONCEPTUAL RECOMMENDATION · FOR PROFESSIONAL DEEPENING


METRICS: RECOMPUTABLE KNOWN, EXPLAINED UNKNOWN

Geometry values derive in EPSG:4548; protocol counts derive from JSON and the tabletop ledger. Parsing does not mean approval, award, partnership, housing supply or field outcome.

05 / METRICS + EVIDENCE

EVERY NUMBER HAS A SOURCE; EVERY GAP HAS A REASON

GeoJSON -> EPSG:4548 recalculation -> metrics -> figures/HTML; unknown values never masquerade as numbers



PENDING OFFICIAL OR AGGREGATED DATA



Machine-gate and content-review readiness do not equal approval or official-geometry-dependent professional scoring eligibility.

DERIVED FROM: metrics.json + geometry/"_geojson + self_check.json

PROVISIONAL CONSTRAINT | CONCEPTUAL RECOMMENDATION | EPSG:4548 RECALCULATION


HANDOVER, PAUSE AND RETIREMENT

Release and receipt are confirmed separately.
Missing receiver, broken ordinary route, failed withdrawal or absent retirement resource stops the relay. Closure retains only a consented minimum asset; return starts a new human decision.

07 / HOME-WORK RELAY CONTRACT

SIX CONTRACTS MAKE EVERY RELAY STOPPABLE AND RECEIVABLE

Nine states + three human evidence gates; a valid desktop structure is not a field outcome



DERIVED FROM: visual/assets/relay-contracts.json + relay-contract.validation.json

PROVISIONAL CONSTRAINT | CONCEPTUAL RECOMMENDATION | EPSG:4548 RECALCULATION