

Overall concept | Intelligence in Common: railway memory to open intelligence commons

01 / OVERALL CONCEPT

VERSION 1.2 / 2024-08-07

智脉共生：从铁路遗产到开放智能公地

一条公共主脊 · 三类差异化公地 · 两翼协作接口 · 十二个可审计场景

已知 N | 北五环路

已知 W | 蓟南路 / 大钟寺东路等

已知 E | 学院路 / 西土城路等

已知 S | 西直门外大街

触发 I 众智园：安全梯度

触发 I AI原点：孔隙共享

触发 I 大钟寺：站城客厅

PROVISIONAL DESIGN AREA

01

一条主脊

京张记忆、蓝绿慢行、公共讨论与城市 AI 体验叠合为全年开放的公共底座。

03

三个公地

众智园安全治理公地、原点开源转化公地、大钟寺智能原生生活公地。

02

两翼接口

科技服务翼配置法务资本与标准，场景赋能翼连接真实问题和公众反馈。

运行底线

证据状态 | ● 已知任务书文字 ◇ 工作假设 ○ 待公开现状与现场踏勘

开放协同接口 / REGIONAL EXCHANGE

北纬社区 / 未来科学城

怀柔科学城

北京经开区

京津冀

临时粗略边界 | 仅用于生成、展示与内容审查 | OFFICIAL POLYGONS 到位后统一复算

INTELLIGENCE IN COMMON · JINGZHANG

INTELLIGENCE IN COMMON

From railway heritage to an open intelligence commons

ONE PUBLIC SPINE
Jing-Zhang memory, blue-green walking and cycling, public debate, and urban AI experience form a year-round public base.

THREE DIFFERENTIATED COMMONS
Zhongzhiyuan: safety governance. Beijing AI Origin Community: open-source translation. Dazhongsi: AI-Native everyday life.

TWO COLLABORATION WINGS
Technology Services connects legal, capital, standards, and internationalization. Scenario Enablement connects real problems and public feedback.

TWELVE AUDITABLE SCENARIOS
Every node discloses purpose, data, responsibility, human review, appeal, emergency stop, and exit.


REGIONAL INTERFACES
Beiwei Community / Future Science City: talent and prototypes. Huairou Science City: frontier research. Beijing E-Town: engineering validation. Beijing-Tianjin-Hebei: protocols and scenario translation.

ENGLISH COUNTERPART · ORIGINAL EVIDENCE RETAINED
PROVISIONAL DESIGN · NOT AN OFFICIAL REDLINE OR APPROVAL

Three levels and conceptual land use | A recalculable discussion base

完整分区不是结论，而是可复算的讨论底板

同一临时边界拓扑切分 · 七类概念用地 · 公地主脊优先于大体量增量



- 科研 0802

文化 0803

居住 0701

绿地 1401
- 教育 0804

商业 05

社区 0702

概念承载梯度，不是审定用地
official geometry 与控规到位后整体重算

临时粗略边界 | 仅用于生成、展示与内容审查 | OFFICIAL POLYGONS 到位后统一复算

空间—产业—运营的五步闭环

- 01

问题进入

由社区、企业、科研和公共部门提出真实问题，先说明公共价值与数据边界。
- 02

能力组队

三区两翼匹配模型、算力、法务、标准、运营和用户代表。
- 03

沙盒验证

隔离环境、风险分级、现场急停和人工复核先于公共部署。
- 04

公共复盘

展示方法、失败、纠错和申诉处理，不只展示技术效果。
- 05

规模转化

条件成熟后才进入专业规划、采购、审批和运营深化。

7
概念用地类别

0.8%
概念建筑覆盖

18.6%
蓝绿网络比例

UNKNOWN
法定开发强度

INTELLIGENCE IN COMMON · JINGZHANG

A RECALCULABLE DISCUSSION BASE

Complete partition is evidence, not an approved plan

SEVEN CONCEPTUAL CARRIERS
Research 0802 · Education 0804 · Culture 0803 · Commercial 05 · Housing 0701 · Community Services 0702 · Park Green 1401.

01 - PROBLEM INTAKE
Communities, enterprises, researchers, and public agencies state real problems, public value, and data boundaries.

02 - CAPABILITY TEAM
The Three Zones and Two Wings assemble models, compute, legal support, standards, operators, and user representatives.

03 - SANDBOX VALIDATION
Isolation, risk grading, on-site emergency stop, and human final review precede public deployment.

04-05 - PUBLIC REVIEW + SCALING
Publish methods, failure, correction, and appeal handling. Scale only when professional planning, procurement, approval, and operating conditions are ready.

AUDIT SNAPSHOT
7 categories · 0.8% conceptual prototype footprint ratio · 18.6% blue-green network envelope · statutory development intensity pending official data.

ENGLISH COUNTERPART · ORIGINAL EVIDENCE RETAINED
PROVISIONAL DESIGN · NOT AN OFFICIAL REDLINE OR APPROVAL

Three key areas | Distinct spatial grammars and exit conditions


03 / THREE COMMONS / SPATIAL PROTOTYPES

三种城市角色，落实为三套不同的空间语法

安全梯度 / 孔隙共享 / 站城客厅；图示为非测绘空间原型，不替代重点区总平面

01 众智园

安全治理公地



空间序列

公众花园 - 解释廊 - 测试环 - 安全后场

首期三动作

治理门厅 / 可撤测试铺装 / 公共复盘台


阶段门

G1河道消防 / G2安全沙盘 / G3限时试点

缺任一责任人、急停、申诉或专业前置条件即退出

02 AI原点社区

开源转化公地



空间序列

校园园区孔隙 - 成果街 - 共享首层 - 生活支路

首期三动作

成果橱窗 / 贡献者客厅 / 无障碍共创台


阶段门

G1边界首层 / G2内容清权 / G3时段共享

缺任一责任人、急停、申诉或专业前置条件即退出

03 大钟寺

智能原生生活公地



空间序列

站城门厅 - 四象限缝合 - 全天候街 - 申诉会客厅

首期三动作

导航服务岛 / 数据授权厅 / 可关闭路演界面

阶段门

G1站口断面 / G2人车组织 / G3可关闭试验

缺任一责任人、急停、申诉或专业前置条件即退出

VERSION 1.2 / 2026-08-07

INTELLIGENCE IN COMMON / JINGZHANG

03 / THREE COMMONS + SPATIAL PROTOTYPES

THREE ROLES, THREE SPATIAL GRAMMARS

Non-surveyed prototypes; not official master plans

ZHONGZHIYUAN · SAFETY GOVERNANCE

Sequence: public garden edge → interpretation gallery → controlled test loop → secure back-of-house. First actions: governance foyer, removable test surfacing, public review table. Exit if accountability, emergency stop, appeal, river, fire, or ownership conditions are unresolved.

BEIJING AI ORIGIN · OPEN-SOURCE TRANSLATION

Sequence: campus/park pores → Open Outputs Street → shared ground floors → everyday lanes. First actions: traceable outputs window, Contributor's Living Room, accessible co-creation table. Pilot only after rights, fire, time-sharing, and resident consultation.

DAZHONGSI · AI-NATIVE LIVING

Sequence: station-city foyer → four-quadrant ground stitching → all-weather AI-Native street → appeal and international reception hall. First actions: staffed service island, data-consent living room, closable demonstration interface.

SHARED RULE

One named accountable operator, emergency stop, appeal, and a professional exit gate are mandatory in every key area.

ENGLISH COUNTERPART · ORIGINAL EVIDENCE RETAINED
PROVISIONAL DESIGN · NOT AN OFFICIAL REDLINE OR APPROVAL

Dazhongsi 100m Public Acceptance Street | Accept before AI enters the street

06 / 100M PUBLIC ACCEPTANCE STREET


Before AI enters the street, it must pass public acceptance

A representative 100-metre prototype at Dazhongsi: visible · explainable · supported · reversible



AI-GENERATED CONCEPT IMAGE · NOT A SITE PHOTO

100 m



01 VISIBLE	02 EXPLAINABLE	03 SUPPORTED	04 REVERSIBLE
0–20m Notice Porch	20–45m Dual Service Desk	45–75m Public Acceptance Court	75–100m Appeal & Rollback Porch
purpose / data / accountability / open hours	human and AI lanes; no phone, account or face needed for basic access	residents, older and disabled people, and professionals co-test	correction / deletion / pause / exit are logged



continuous step-free route · tactile guidance · clear passage

One street turns governance clauses into a walkable civic experience

BASIC ACCESS

no phone, account or face gate

HUMAN FALLBACK

target ≤ 30 seconds

PUBLIC ACCEPTANCE

100% human-final high-impact outputs

FAILURE CAN EXIT

any red-line failure pauses pilot

Walking, cycling, and blue-green spine | Six conditions and four governance thresholds

04 / COMMONS SPINE + BLUE-GREEN

把九公里主脊设计成六种可校准的城市段落


先保证连续无障碍与公共价值，再由道路、文保、河道和消防资料确定工程断面

主脊分段 / CONDITIONAL TYPOLOGIES



段落位置待公开现状与现场步行审计确认

从问题到空间动作



A 遗产公地主脊 / 模块宽度建议



范围值是概念模块，不差道路红线或工程净宽。

B 东西缝合界面 / 过街优先



地下、桥隧和信号方案必须在专业交通资料后比选。

每个场景节点：四道治理门 + 一个退出接口



VERSION 1.2 / 2026-08-07

INTELLIGENCE IN COMMON / JINGZHANG

空间原型 / 非现场测绘 / 待 official polygons、公开现状与现场踏勘校准

04 / COMMONS SPINE + BLUE-GREEN

SIX CONDITIONAL URBAN SEGMENTS

Continuity and public value first;
engineering later

SIX SEGMENTS

01 river-park safety · 02 heritage reading · 03 campus collaboration · 04 community everyday life · 05 cross-road stitching · 06 station forecourt living room. Segment locations await field and professional verification.

FROM PROBLEM TO SPACE

Railway memory is continuous while east-west access may fragment → one spine with three stitches. AI is visible while accountability is not → four governance gates. Innovation must not stop at display → five-step open review loop.

TWO MODULAR SECTIONS

A: heritage-commons spine - existing tree conditions, 3-4 m walking and cycling, 2-6 m sponge planting, 4-8 m flexible commons. B: east-west stitching - continuous accessibility, visible crossing, cycling, staffed public-service interface.

FOUR GATES + ONE EXIT

01 Notice: purpose, accountable party, opening hours. 02 Data: minimization, no continuous tracking. 03 Decision: human final review for high impact. 04 Appeal: staffed correction and deletion. 05 Exit: stop, restore, publish review.

THREE PROTOTYPES + TWELVE SCENARIOS

A controlled tests: S02-S04. B public corridors/co-creation: S05, S06, S10. C display/service/collaboration: S01, S07-S09, S11-S12.


ENGLISH COUNTERPART · ORIGINAL EVIDENCE RETAINED
PROVISIONAL DESIGN · NOT AN OFFICIAL REDLINE OR APPROVAL

90-day exit-ready pilot | Stages, red lines, accountability, and cost bands

07 / 90-DAY PILOT READINESS

Start with a 90-day exit-ready pilot, not a mega-project

Days 0–30 baseline and co-design · 31–60 human-led assistance · 61–90 public acceptance



SIX RED-LINE KPIs · SELF-IMPOSED PILOT TARGETS

100%notice before activation

100%human-final high-impact outputs

0phone / account / face gates for basic access

≤30shuman-fallback target

1d / 5dappeal acknowledgement / target response

0serious safety incidents target

WHO OWNS IT · WHAT COST BAND · HOW TO EXIT

A · ACCOUNTABLE

site operator; incident and pause duties cannot be outsourced

R · RESPONSIBLE

human service, accessibility, safety, data and legal teams

C · CO-ACCEPT

residents, older and disabled people, independent evaluator

COST L1

operations + furniture + wayfinding; reversible and reusable first

COST L2

temporary structure + local system; only after G2

PROCUREMENT

open interfaces, data minimization, no lock-in, exit clause

Public value and evidence | Recalculable metrics, exit-ready failure

05 / PUBLIC VALUE + DELIVERY GATES

评价一个 AI 城市，不只看面积，也看责任是否闭环

空间数值保持可复算；运营目标必须有责任人、频率、伤害护栏和退出阈值

京张五段文化路径 / PLACE STORY



非控制性证据角标

11.41 km² 临时包络 | 9.4 km 概念主脊 | 18.6% 蓝绿叠加网络 | 2.0% 场景支持包络 | 0.8% 原型样本比。official geometry 到位后统一重算。

G0-G4 实施门 / 不是建设工期



公共价值试点目标 / 需基线与独立审计



空间原型 / 非现场测绘 / 待 official polygons、公开现状与现场踏勘校准

VERSION 1.2 / 2026-08-07
INTELLIGENCE IN COMMON / JINGZHANG

05 / PUBLIC VALUE + DELIVERY GATES

AREA IS NOT ENOUGH; RESPONSIBILITY MUST CLOSE

Recalculable space + accountable operating targets

JING-ZHANG PLACE STORY

01 Connection: railway trace and urban entry. 02 Learning: public learning and technical explanation. 03 Open source: traceable, rights-cleared contribution. 04 Audit: questioning appeal, and correction. 05 Coexistence: technology as everyday public capability.

G0-G4 DELIVERY GATES

G0 rights and data clearance. G1 professional review. G2 safety sandbox. G3 time-limited pilot with public success/failure. G4 independent decision to adapt, scale, or exit. These are risk gates, not a construction timetable.

PILOT TARGETS

100% named responsibility, notice, risk grading, and emergency-stop drill before launch. 100% human final decision for high-impact outputs. Zero default biometrics and continuous personal trajectory retention.

APPEAL + PUBLIC REVIEW

Appeal acknowledgement target: 1 business day; target response: 5 business days. Failed, corrected, and exited trials form a public post-mortem. Each key area retains at least one staffed public-service point.

NON-STATUTORY SPATIAL METRICS

11.41 km² provisional package area · 9.4 km conceptual spine · 18.6% blue-green network envelope · 2.0% scenario-support envelope · 0.8% prototype footprint ratio. Recalculate after official geometry.

ENGLISH COUNTERPART · ORIGINAL EVIDENCE RETAINED
PROVISIONAL DESIGN · NOT AN OFFICIAL REDLINE OR APPROVAL