


Trusted Living Line

Urban intelligence people can understand, choose, verify, and leave

One continuous public living line connects everyday resilience, three accountable cores, and six governable service-node families through a human-controlled fallback loop.




02 / DESIGN BASIS AND SCOPES

Evidence, Assumptions, and Current Self-Check Status

Source registration and access dates are controlled by sources.json. Institutional cases support mechanism comparison only; no media, marks, or promotional performance claims are copied.

OFFICIAL-ANNOUNCEMENT Prequalification Announcement for the Centennial Jing-Zhang AI Innovation Belt International Urban Design Open Call
AGENT-TASKBOOK Cleared Agent taskbook for task alignment, not official spatial conclusions
MOHURD-URBAN-DESIGN-MEASURES MOHURD Measures for Urban Design Management
MOHURD-CONTROL-DETAILED-PLANNING MOHURD Measures for Regulatory Detailed Planning
MNR-LAND-USE-CLASSIFICATION-GUIDE MNR land-use classification guide for territorial-space work
CASE-STUDIES Official material from Vector, Mila, AI Singapore, Cyber Valley, ETH AI Center, and Hub71+ AI




Overview Map: One Line • Three Cores • Six Node Families

A walking network for shelter, health, accessibility, and mutual aid along the Jing-Zhang Railway Heritage Park. Its 11.978 km conceptual alignment is not a road redline or engineering scheme.

02 Land-Use Structure: Four Conceptual Shared-Boundary Zones

Complete SITE-001 coverage; organizational intent, not approved statutory land use




Sources: submission geometry/*.geojson, metrics.json, matrices and self_check.json (baseline 3ae1dcd). Precision: SITE-001 and PROV-KEY are rough provisional constraints; relational diagram, not measurable; rebuild when official polygons arrive.

Zhongzhiyuan Trusted AI Testing Core

AI Origin Intergenerational Living Core

Dazhongsi Trusted Service Core



11.413 km²

Provisional site calculation

Low confidence • EPSG:4548

6.1498%

Concept footprint coverage

Not statutory building density

4.8529%

Concept green ratio

Not a statutory green ratio

3.7732%

Concept public-space ratio

Recalculated from public-space geometry

11.978 km

Concept road centrelines

One line + three connectors

1 / 3 / 6

Spatial structure

One line / three cores / six node families

04 / KEY AREAS


Three Key Areas

The current Dazhongsi relationship is directional: NODE-005 is inside the rough key area, PUBLIC-001 straddles its southern edge, and NODE-006 lies outside that rectangle but inside SITE-001. Recheck or relocate the complete relationship when the official polygon arrives.

03

Three Key Areas: Core Accountability + Public Interfaces

Key-area polygons are rough provisional locators; scenario relations are disclosed feature by feature



Sources: submission geometry/*.geojson, metrics.json, matrices and self_check.json (baseline 3ae1dcd). Precision: SITE-001 and PROV-KEY are rough provisional constraints; relational diagram, not measurable; rebuild when official polygons arrive.

01 Zhongzhiyuan

Trusted AI Test Gate

Place safety standards, algorithm sandboxes, robotics, and extreme-weather testing inside bounded, logged, human-accountable carriers.

PROV-KEY-001

02 Beijing AI Origin Community

Intergenerational Living Room

Use short paths and shared times to connect care, children, families, talent support, and community learning.

PROV-KEY-002

03 Dazhongsi

Algorithm Transparency Plaza

Explain digital identity, smart terminals, complaint correction, and consumer rights at a transit-accessible public interface.

PROV-KEY-003

Six Personas • Twelve AI Scenario Cards

Every scenario runs Prevent - Detect - Respond - Recover with purpose limitation, data minimization, authorization, withdrawal, logging, Human Review, and appeal.

01

Climate shelter

Residents and visitors / Line, green corridor, shelter points

Open after human confirmation; fixed guidance on digital failure

02

Accessible travel

Wheelchair and mobility-aid users / Line, connectors, staffed desks

Do not auto-route through uncertainty; provide accompaniment

03

Child-safe paths

Children and caregivers / School links, crossings, living room

Move to a staffed safe point when conflict persists

04

Fall and health support

Older and chronically ill people / Health nodes and rest points

No diagnosis; human first aid and referral take over

05

Community mutual aid

Families and people living alone / Mutual-aid nodes and desks

Voluntary registration; staff verify each request

06

Trusted robot service

Test participants / Controlled Test Gate zones

Booking, isolation, logs, and a human stop

07

Minimal-disclosure identity

Service users / Trusted Service Core

Prove only necessary attributes; keep physical credentials

08

Algorithm complaint and correction

Affected people / Transparency Plaza and human desk

Pause disputed outcomes; Human Review and appeal

09

Trusted consumer terminal

Consumers and merchants / Booked testing node

Stop test; preserve cash and ordinary terminals

10

Night safety

Late-returning families and visitors / Lighting and staffed interfaces

Fixed safe route, patrol, and accompaniment

11

Multilingual visitor service

International visitors / Core desks and offline points

Low-confidence translation goes to people and symbols

12

Public resilience drill

All users and operators / Line, cores, node families

Stop on real risk and switch to emergency procedure

01

Older people

Seating, legibility, help, and no smartphone dependency

02

Children and caregivers

Continuous sightlines, low-conflict crossings, data protection

03

Commuting families

Safe continuity among transit, school, care, and home

04

AI talent

Transparent test rules plus ordinary life support

05

International visitors

Bilingual offline information and human translation fallback

06

Front-line operators

Clear authority, handoff, stop, and appeal duties

06 / MOBILITY AND BLUE-GREEN


Mobility and Blue-Green

Floor Area Ratio, Building Height, statutory Building Coverage Ratio, statutory green ratio, and setbacks remain unknown and must not be inferred from concept geometry.

04

Slow Mobility × Blue-Green Public Space

One continuous system for daily movement, climate shelter, health, accessibility and mutual aid



Sources: submission geometry/*.geojson, metrics.json, matrices and self_check.json (baseline 3ae1dcd). Precision: SITE-001 and PROV-KEY are rough provisional constraints; relational diagram, not measurable; rebuild when official polygons arrive.

01

Trusted AI Test Gate

Make the sequence question, test, human judgment, and repair visible; this is not a certification centre.

02

Intergenerational Living Room

Share daily services while keeping personal stories, health information, and child data private.

03

Algorithm Transparency Plaza

Put service explanation, minimal disclosure, complaints, and consumer rights at a public interface.

Renewal Projects, Implementation, Operations, and Task Coverage

Every scenario runs Prevent - Detect - Respond - Recover with purpose limitation, data minimization, authorization, withdrawal, logging, Human Review, and appeal.

01

Daily service

Maintain six node families and non-digital routes

02

Quarterly testing

Controlled industry validation and fallback sampling

03

Annual public evaluation

Aggregate use, complaints, opt-outs, repair, and access

04

International Trusted AI Week

Public retrospective, professional exchange, and resilience drill

PHASE-001

Study southern open scenarios, walking safety, and the Dazhongsi public edge first

PHASE-002

Coordinate the living line, three cores, services, and reversible facilities

PHASE-003

Study western low-disturbance renewal, service gaps, and long-term governance

17

Official tasks

Current matrix: 17 addressed

6

Agent tasks

Current matrix: 6 addressed

15

Design-depth items

15 complete; data gaps disclosed separately

6

Professional standards


5 addressed; 1 source gap

Land-Use Zones and Core Model Metrics

Floor Area Ratio, Building Height, statutory Building Coverage Ratio, statutory green ratio, and setbacks remain unknown and must not be inferred from concept geometry.

05 Core Metrics × Evidence Chain × Review Gates

Numbers test model consistency; known, provisional, conceptual and missing evidence remain distinct



Sources: submission geometry/*.geojson, metrics.json, matrices and self_check.json (baseline 3ae1dcd). Precision: SITE-001 and PROV-KEY are rough provisional constraints; relational diagram, not measurable; rebuild when official polygons arrive.

11.413 km²

Provisional site calculation

Low confidence • EPSG:4548

6.1498%

Concept footprint coverage

Not statutory building density

4.8529%

Concept green ratio

Not a statutory green ratio

3.7732%

Concept public-space ratio

Recalculated from public-space geometry

11.978 km

Concept road centrelines

One line + three connectors

1 / 3 / 6

Spatial structure

One line / three cores / six node families

Floor Area Ratio, Building Height, statutory Building Coverage Ratio, statutory green ratio, and setbacks remain unknown and must not be inferred from concept geometry.

The current Dazhongsì relationship is directional: NODE-005 is inside the rough key area, PUBLIC-001 straddles its southern edge, and NODE-006 lies outside that rectangle but inside SITE-001. Recheck or relocate the complete relationship when the official polygon arrives.

Source registration and access dates are controlled by sources.json. Institutional cases support mechanism comparison only; no media, marks, or promotional performance claims are copied.