



JING-ZHANG CIVIC FOUNDRY

A CULTURAL-PRODUCTION BELT FOR CIVIC AI PRODUCTS

CULTURE TURNS AI INTO CIVIC PRODUCTS

ONE-PAGE DECISION


Jing-Zhang competes on conversion capacity, not the number of generic AI platforms.

- Keep the original name and cultural-production direction.
- Replace the abstract straight strip with an anchor-aligned urban corridor.
- Permanent works pass statutory, technical and post-occupancy gates.

V7.0 / 01 SITE EVIDENCE

JING-ZHANG CIVIC FOUNDRY | THE SITE IS NOT A STRAIGHT STRIP

One provisional base model aligns the official text extent, announced areas and four public background anchors—without pretending to be a statutory boundary.



DO NOT MIX SCALES

43.6 km² coordinated research / 11.4 km² overall design / 368.4 ha across three key areas. The 16 ha existing AI Origin core and ~3 km² influence range are background only.

FOUR ANCHORS

Xuezhiyuan-Zhongzhiyuan, Origin Building, Dazhongs Station and Juesheng Temple. Coordinates support orientation only; statutory polygons remain missing.

ONE SPATIAL PROPOSITION

Embed cultural evidence, civic commissions, public prototypes and one-year adopt-or-exit decisions into actual ground floors and public-space sequences.

RECALCULATION CONTRACT

When official polygons arrive, regenerate all nine GeoJSON layers, metrics, five figures, A3/A0 and offline HTML—not just the basemap.

TASK & SCALES


Three scope levels and three key areas require different answers.

- 43.6 km²: regional industry and coordination research.
- 11.4 km²: RDP-depth urban design.
- 368.4 ha key areas: implementation-plan depth.

V7.0 / 01 SITE EVIDENCE

JING-ZHANG CIVIC FOUNDRY | THE SITE IS NOT A STRAIGHT STRIP

One provisional base model aligns the official text extent, announced areas and four public background anchors—without pretending to be a statutory boundary.



DO NOT MIX SCALES

43.6 km² coordinated research / 11.4 km² overall design / 368.4 ha across three key areas. The 16 ha existing AI Origin core and ~3 km² influence range are background only.

FOUR ANCHORS

Xuezhiyuan-Zhongzhiyuan, Origin Building, Dazhongs Station and Juesheng Temple. Coordinates support orientation only; statutory polygons remain missing.

ONE SPATIAL PROPOSITION

Embed cultural evidence, civic commissions, public prototypes and one-year adopt-or-exit decisions into actual ground floors and public-space sequences.

RECALCULATION CONTRACT

When official polygons arrive, regenerate all nine GeoJSON layers, metrics, five figures, A3/A0 and offline HTML—not just the basemap.

SITE EVIDENCE


Four background anchors correct the gap between concept and real districts.

- Xuezh yuan/Zhongzh yuan, Origin Building, Dazhongsi Station, Juesheng Temple.
- Coordinates support orientation only.
- Recalculate the whole package when official polygons arrive.

V7.0 / 01 SITE EVIDENCE

JING-ZHANG CIVIC FOUNDRY | THE SITE IS NOT A STRAIGHT STRIP

One provisional base model aligns the official text extent, announced areas and four public background anchors—without pretending to be a statutory boundary.



DO NOT MIX SCALES

43.6 km² coordinated research / 11.4 km² overall design / 368.4 ha across three key areas. The 16 ha existing AI Origin core and ~3 km² influence range are background only.

FOUR ANCHORS

Xuezh yuan–Zhongzh yuan, Origin Building, Dazhongsi Station and Juesheng Temple. Coordinates support orientation only; statutory polygons remain missing.

ONE SPATIAL PROPOSITION

Embed cultural evidence, civic commissions, public prototypes and one-year adopt-or-exit decisions into actual ground floors and public-space sequences.

RECALCULATION CONTRACT

When official polygons arrive, regenerate all nine GeoJSON layers, metrics, five figures, A3/A0 and offline HTML—not just the basemap.

MORPHOLOGY METHOD

Classic methods become required professional drawings.

- Street-block-plot-building tissue matrices.
- FAR/GSI/OSR tables use statutory data only.
- Five sections and three serial-vision sequences.

V7.0 / 03 METHOD INTO DRAWING

TURN CLASSIC METHODS INTO REQUIRED DELIVERABLES

These books are not decorative references: every method produces a reviewable drawing or control sheet.

KROPF / PANERAI

STREET-BLOCK-PLOT-BUILDING

Existing/proposed tissue matrices for all three key areas: retain, repair, open or replace.

SPACEMATRIX

FAR × GSI × OSR × LAYERS

Parcel intensity sheets only after statutory inputs arrive; no invented regulatory values.

ALLAN B. JACOBS

MEASURE THE STREET

Five existing/proposed sections: walking, cycling, traffic, shade, frontage, loading and access.

GORDON CULLEN

SERIAL VISION

One five-minute sequence per key area tests arrival, reveal, enclosure, turn, quiet and exit.

5 张必须成对的断面 / FIVE PAIRED SECTIONS

01 Xuezh yuan-forecourt-garden/water



WIDTH / REDLINE TO SURVEY

02 Chengfu Rd-Origin-AI lane/campus



WIDTH / REDLINE TO SURVEY

03 Dazhongsi quadrants-Bluejing/Fangheng



WIDTH / REDLINE TO SURVEY

04 Jing-Zhang spine-east/west stitch



WIDTH / REDLINE TO SURVEY

05 Qinghe/Xiaoyue blue-green edge



WIDTH / REDLINE TO SURVEY

OVERALL STRUCTURE


One Line–Three Grounds–Nine Rooms is rebuilt through actual urban tissue.

- The line is an uninterrupted public baseline.
- Three grounds carry three tissues and exposure levels.
- Nine rooms are transverse repair tasks pending field verification.

V7.0 / 01 SITE EVIDENCE

JING-ZHANG CIVIC FOUNDRY | THE SITE IS NOT A STRAIGHT STRIP

One provisional base model aligns the official text extent, announced areas and four public background anchors—without pretending to be a statutory boundary.



DO NOT MIX SCALES

43.6 km² coordinated research / 11.4 km² overall design / 368.4 ha across three key areas. The 16 ha existing AI Origin core and ~3 km² influence range are background only.

FOUR ANCHORS

Xuezhiyuan–Zhongzhiyuan, Origin Building, Dazhongsi Station and Juesheng Temple. Coordinates support orientation only; statutory polygons remain missing.

ONE SPATIAL PROPOSITION

Embed cultural evidence, civic commissions, public prototypes and one-year adopt-or-exit decisions into actual ground floors and public-space sequences.

RECALCULATION CONTRACT

When official polygons arrive, regenerate all nine GeoJSON layers, metrics, five figures, A3/A0 and offline HTML—not just the basemap.

ZHONGZHIYUAN

Garden innovation superblocks.


- Open long blocks between station, forecourt, test edge and garden/water.
- Separate equipment logistics from public observation.
- Reject blank compound walls.

V7.0 / 02 THREE URBAN TISSUES

THE THREE KEY AREAS ARE NOT ONE GENERIC AI DISTRICT

Street-block-plot-building logic gives each area a different five-minute sequence, ground-floor contract and acceptance focus.

ZHONGZHIYUAN | GARDEN SUPERBLOCK
192.1 ha provisional




QUIET → TEST → OBSERVE → GARDEN → EXIT

Open long blocks: station-sunken forecourt-controlled test edge-garden/water-quiet exit. Separate logistics from public observation; reject blank compound walls.

BLOCK OPENINGS	ACTIVE GROUND FLOOR
SEPARATE LOGISTICS	REVERSIBLE PROTOTYPE

AI ORIGIN | NEAR-CAMPUS COURTYARDS
104.3 ha provisional




STREET → ARCADE → COURT → WORKSHOP → CAMPUS

Retain-repair-reuse the street-lane-court-workshop sequence. Daily retail, learning, care and human service precede programmed events.

BLOCK OPENINGS	ACTIVE GROUND FLOOR
SEPARATE LOGISTICS	REVERSIBLE PROTOTYPE

DAZHONGSI | STATION-CITY-HERITAGE
72.0 ha provisional



STATION → STREET → SQUARE → HALL → QUIET

Link all four station quadrants and cycle parking to active ground floors and civic-premiere space; form a quiet relationship to Juesheng Temple without inventing its control line.

BLOCK OPENINGS	ACTIVE GROUND FLOOR
SEPARATE LOGISTICS	REVERSIBLE PROTOTYPE

EACH AREA MUST DELIVER: existing/proposed plan + block/plot map + ground-floor interface + section + serial vision + statutory control sheet

AI ORIGIN

Fine-grain near-campus courtyards.


- Retain, repair and reuse first.
- Street-lane-court-workshop connects commissions, rights and making.
- Daily retail, care, learning and human help cannot be displaced.

V7.0 / 02 THREE URBAN TISSUES

THE THREE KEY AREAS ARE NOT ONE GENERIC AI DISTRICT

Street-block-plot-building logic gives each area a different five-minute sequence, ground-floor contract and acceptance focus.

ZHONGZHIYUAN | GARDEN SUPERBLOCK
192.1 ha provisional




QUIET → TEST → OBSERVE → GARDEN → EXIT

Open long blocks: station-sunken forecourt-controlled test edge-garden/water-quiet exit. Separate logistics from public observation; reject blank compound walls.

BLOCK OPENINGS	ACTIVE GROUND FLOOR
SEPARATE LOGISTICS	REVERSIBLE PROTOTYPE

AI ORIGIN | NEAR-CAMPUS COURTYARDS
104.3 ha provisional




STREET → ARCADE → COURT → WORKSHOP → CAMPUS

Retain-repair-reuse the street-lane-court-workshop sequence. Daily retail, learning, care and human service precede programmed events.

BLOCK OPENINGS	ACTIVE GROUND FLOOR
SEPARATE LOGISTICS	REVERSIBLE PROTOTYPE

DAZHONGSI | STATION-CITY-HERITAGE
72.0 ha provisional



STATION → STREET → SQUARE → HALL → QUIET

Link all four station quadrants and cycle parking to active ground floors and civic-premiere space; form a quiet relationship to Juesheng Temple without inventing its control line.

BLOCK OPENINGS	ACTIVE GROUND FLOOR
SEPARATE LOGISTICS	REVERSIBLE PROTOTYPE

EACH AREA MUST DELIVER: existing/proposed plan + block/plot map + ground-floor interface + section + serial vision + statutory control sheet

DAZHONGSI

Station–city–heritage composite blocks.


- Four-quadrant walking and cycle parking are the first transport task.
- Transit, street and civic-premiere space form a continuous ground floor.
- Juesheng protection boundaries await authoritative data.

V7.0 / 02 THREE URBAN TISSUES

THE THREE KEY AREAS ARE NOT ONE GENERIC AI DISTRICT

Street–block–plot–building logic gives each area a different five-minute sequence, ground-floor contract and acceptance focus.

ZHONGZHIYUAN | GARDEN SUPERBLOCK
192.1 ha provisional




QUIET → TEST → OBSERVE → GARDEN → EXIT

Open long blocks: station–sunken forecourt–controlled test edge–garden/water–quiet exit. Separate logistics from public observation; reject blank compound walls.

BLOCK OPENINGS	ACTIVE GROUND FLOOR
SEPARATE LOGISTICS	REVERSIBLE PROTOTYPE

AI ORIGIN | NEAR-CAMPUS COURTYARDS
104.3 ha provisional




STREET → ARCADE → COURT → WORKSHOP → CAMPUS

Retain–repair–reuse the street–lane–court–workshop sequence. Daily retail, learning, care and human service precede programmed events.

BLOCK OPENINGS	ACTIVE GROUND FLOOR
SEPARATE LOGISTICS	REVERSIBLE PROTOTYPE

DAZHONGSI | STATION–CITY–HERITAGE
72.0 ha provisional



STATION → STREET → SQUARE → HALL → QUIET

Link all four station quadrants and cycle parking to active ground floors and civic-premiere space; form a quiet relationship to Juesheng Temple without inventing its control line.

BLOCK OPENINGS	ACTIVE GROUND FLOOR
SEPARATE LOGISTICS	REVERSIBLE PROTOTYPE

EACH AREA MUST DELIVER: existing/proposed plan + block/plot map + ground-floor interface + section + serial vision + statutory control sheet

FIVE SECTIONS

Sections carry commitments and acceptance criteria.

- Continuous walking, access, shade and daily frontage.
- Separate cycle, loading and test equipment.
- AI occupies reversible, time-limited, removable layers only.

V7.0 / 04 INTERFACE & MOVEMENT

DELIVER STREET SECTIONS BEFORE AI DEVICES

Five section types protect continuous walking, access, shade, daily frontage, separate loading, quiet bypasses and removable interfaces.

S1 PERMANENT PUBLIC BASELINE

24/7 passage, universal access, physical wayfinding, human help, shade and seating; it works offline.

S2 REVERSIBLE CIVIC INTERFACE

Commission arcades, workshop edges, status boards and climate elements record occupation, maintenance and restoration.

S3 TIME-LIMITED AI SERVICE

Hours to 12 months; risk level, human takeover, non-digital path, stop and exit are mandatory.



SECTION ACCEPTANCE IS MEASURED: width, slope, canopy, frontage opening, conflict points, night lighting, fire access and restoration after removal.

NUMERIC RULE: when statutory redlines and intensity are unknown, state performance, data request, professional check and hold point—never invent a number.

BUILDING INTERFACES

Buildings execute block relationships, not image-led massing.

- Classify 100% of buildings after survey.
- Prioritise visible making, human service and free civic living rooms.
- Blank walls and brand-first interfaces fail.

V7.0 / 03 METHOD INTO DRAWING

TURN CLASSIC METHODS INTO REQUIRED DELIVERABLES

These books are not decorative references: every method produces a reviewable drawing or control sheet.

KROPF / PANERAI

STREET-BLOCK-PLOT-BUILDING

Existing/proposed tissue matrices for all three key areas: retain, repair, open or replace.

SPACEMATRIX

FAR × GSI × OSR × LAYERS

Parcel intensity sheets only after statutory inputs arrive; no invented regulatory values.

ALLAN B. JACOBS

MEASURE THE STREET

Five existing/proposed sections: walking, cycling, traffic, shade, frontage, loading and access.

GORDON CULLEN

SERIAL VISION

One five-minute sequence per key area tests arrival, reveal, enclosure, turn, quiet and exit.

5 张必须成对的断面 / FIVE PAIRED SECTIONS

01 Xuezh yuan-forecourt-garden/water



WIDTH / REDLINE TO SURVEY

02 Chengfu Rd-Origin-AI lane/campus



WIDTH / REDLINE TO SURVEY

03 Dazhongsi quadrants-Bluejing/Fangheng



WIDTH / REDLINE TO SURVEY

04 Jing-Zhang spine-east/west stitch



WIDTH / REDLINE TO SURVEY

05 Qinghe/Xiaoyue blue-green edge



WIDTH / REDLINE TO SURVEY

STATUTORY REGISTER

Official fact, design commitment and acceptance evidence remain separate.

- Seventeen control fields record source, approval and effective date.
- Do not invent FAR, height or density.
- Construction-critical unknowns must equal zero.

V7.0 / 05 STATUTORY DELIVERY

SCORING COMES FROM CLOSED CONTROL LOOPS, NOT MORE WORDS

Separate official facts, design commitments and acceptance evidence. Unknown is a managed status with a data request, professional owner and hold point.

CONTROL	OFFICIAL	DESIGN COMMITMENT	ACCEPTANCE EVIDENCE	GATE
Boundary / parcel	UNKNOWN	Do not cross formal redlines	Official polygons + parcel IDs	G0
Land-use compatibility	UNKNOWN	Cultural overlay never replaces statutory use	Approved use and compatibility table	G1
GFA / FAR / height / GSI	UNKNOWN	No invented concept values	Approved values + parcel recalc	G1
Public facilities	UNKNOWN	Daily services cannot be displaced by events	Type / scale / location / handover	G1
Road / public passage	UNKNOWN	Five sections + nine stitches	Position / width / opening mechanism	G2
Rail / heritage	UNKNOWN	Four quadrants + quiet relationship	Formal polygons + professional opinions	G3
Fire / sun / wind / heat / noise	UNKNOWN	Technical proof precedes imagery	Current-standard professional reports	G3
Access / municipal	UNKNOWN	Field tasks + offline baseline	Field acceptance + capacity confirmation	G3
Form / fifth facade	UNKNOWN	Block-plot-building interface controls	Control drawings + building review	G2

G0

DATA FREEZE

SOURCE / CRS / RIGHTS

G1

STATUTORY

ZERO CRITICAL UNKNOWN

G2

SPATIAL

100% BUILDINGS + SECTIONS

G3

TECHNICAL

EIGHT TECHNICAL CHECKS

G4

AS-BUILT + USE

HANDOVER + 12-MONTH REVIEW

CONSTRUCTION ISSUE CONDITION: every applicable statutory field has an official value, source, approval and effective date; construction-critical unknowns = 0.

FIVE DELIVERY GATES

Stages do not advance automatically with time.

- G0 data freeze; G1 statutory control.
- G2 spatial delivery; G3 technical proof.
- G4 as-built handover and 12-month adopt-or-exit review.

V7.0 / 05 STATUTORY DELIVERY

SCORING COMES FROM CLOSED CONTROL LOOPS, NOT MORE WORDS

Separate official facts, design commitments and acceptance evidence. Unknown is a managed status with a data request, professional owner and hold point.

CONTROL	OFFICIAL	DESIGN COMMITMENT	ACCEPTANCE EVIDENCE	GATE
Boundary / parcel	UNKNOWN	Do not cross formal redlines	Official polygons + parcel IDs	G0
Land-use compatibility	UNKNOWN	Cultural overlay never replaces statutory use	Approved use and compatibility table	G1
GFA / FAR / height / GSI	UNKNOWN	No invented concept values	Approved values + parcel recalc	G1
Public facilities	UNKNOWN	Daily services cannot be displaced by events	Type / scale / location / handover	G1
Road / public passage	UNKNOWN	Five sections + nine stitches	Position / width / opening mechanism	G2
Rail / heritage	UNKNOWN	Four quadrants + quiet relationship	Formal polygons + professional opinions	G3
Fire / sun / wind / heat / noise	UNKNOWN	Technical proof precedes imagery	Current-standard professional reports	G3
Access / municipal	UNKNOWN	Field tasks + offline baseline	Field acceptance + capacity confirmation	G3
Form / fifth facade	UNKNOWN	Block-plot-building interface controls	Control drawings + building review	G2

G0 DATA FREEZE SOURCE / CRS / RIGHTS	G1 STATUTORY ZERO CRITICAL UNKNOWN	G2 SPATIAL 100% BUILDINGS + SECTIONS	G3 TECHNICAL EIGHT TECHNICAL CHECKS	G4 AS-BUILT + USE HANDOVER + 12-MONTH REVIEW
--	--	--	---	--

CONSTRUCTION ISSUE CONDITION: every applicable statutory field has an official value, source, approval and effective date; construction-critical unknowns = 0.

CULTURAL PRODUCTION CHAIN

Cultural-industry capability enters problem framing, authorship, distribution and public return.

- Evidence and local context determine why a project exists.
- Creators, residents and frontline workers are not free data.
- Products may travel; public rights cannot be sold.

RISKS & DATA GAPS

Unknown is a hold point, not a disclaimer.

- Boundary, parcel, planning, heritage, road, building and municipal gaps have separate records.
- AI, privacy, copyright, labour, commercialisation and exit have separate gates.
- Concept precision never conceals missing professional data.

V7.0 / 05 STATUTORY DELIVERY

SCORING COMES FROM CLOSED CONTROL LOOPS, NOT MORE WORDS

Separate official facts, design commitments and acceptance evidence. Unknown is a managed status with a data request, professional owner and hold point.

CONTROL	OFFICIAL	DESIGN COMMITMENT	ACCEPTANCE EVIDENCE	GATE
Boundary / parcel	UNKNOWN	Do not cross formal redlines	Official polygons + parcel IDs	G0
Land-use compatibility	UNKNOWN	Cultural overlay never replaces statutory use	Approved use and compatibility table	G1
GFA / FAR / height / GSI	UNKNOWN	No invented concept values	Approved values + parcel recalc	G1
Public facilities	UNKNOWN	Daily services cannot be displaced by events	Type / scale / location / handover	G1
Road / public passage	UNKNOWN	Five sections + nine stitches	Position / width / opening mechanism	G2
Rail / heritage	UNKNOWN	Four quadrants + quiet relationship	Formal polygons + professional opinions	G3
Fire / sun / wind / heat / noise	UNKNOWN	Technical proof precedes imagery	Current-standard professional reports	G3
Access / municipal	UNKNOWN	Field tasks + offline baseline	Field acceptance + capacity confirmation	G3
Form / fifth facade	UNKNOWN	Block-plot-building interface controls	Control drawings + building review	G2

G0 DATA FREEZE SOURCE / CRS / RIGHTS	G1 STATUTORY ZERO CRITICAL UNKNOWN	G2 SPATIAL 100% BUILDINGS + SECTIONS	G3 TECHNICAL EIGHT TECHNICAL CHECKS	G4 AS-BUILT + USE HANDOVER + 12-MONTH REVIEW
--	--	--	---	--

CONSTRUCTION ISSUE CONDITION: every applicable statutory field has an official value, source, approval and effective date; construction-critical unknowns = 0.

OUTPUT & REVIEW


One data model drives GeoJSON, metrics, figures, HTML and PDFs.

- Nine GeoJSON layers remain topologically consistent.
- Five figures, bilingual text, A3/A0 and offline HTML stay synchronised.
- Rerun deterministic, spatial, visual and professional gates.

V7.0 / 01 SITE EVIDENCE

JING-ZHANG CIVIC FOUNDRY | THE SITE IS NOT A STRAIGHT STRIP

One provisional base model aligns the official text extent, announced areas and four public background anchors—without pretending to be a statutory boundary.



DO NOT MIX SCALES

43.6 km² coordinated research / 11.4 km² overall design / 368.4 ha across three key areas. The 16 ha existing AI Origin core and ~3 km² influence range are background only.

FOUR ANCHORS

Xuezhuyuan-Zhongzhiyuan, Origin Building, Dazhongsi Station and Juesheng Temple. Coordinates support orientation only; statutory polygons remain missing.

ONE SPATIAL PROPOSITION

Embed cultural evidence, civic commissions, public prototypes and one-year adopt-or-exit decisions into actual ground floors and public-space sequences.

RECALCULATION CONTRACT

When official polygons arrive, regenerate all nine GeoJSON layers, metrics, five figures, A3/A0 and offline HTML—not just the basemap.