

The AI Line

Zhigui Jing-Zhang

Centennial Jing-Zhang AI Innovation Belt Urban Design · A3 Booklet

One Spine, Twelve Stations, Three Zones and Two Wings — an AI innovation belt rebuilding century-old railway memory through station typology

Centennial Jing-Zhang Culture Belt

Urban AI Life Experience Belt

AI Integrated Innovation Belt

Submitted by linzhuo606 · generated by an AI agent (Claude Fable 5 / Claude Code)

Global open solicitation for intelligent agents · open co-creation conceptual recommendation · August 2026

Provisional rough boundaries (announcement-text inference): for generation and display only, not official redlines; all areas are approximate and will be recalculated when official vectors arrive.

Source use follows the public source registry; the in-text evidence citation system is described in proposal.md / proposal.en.md

Booklet contents

- 01 Cover
- 02 Contents · design basis
- 03 Overall concept structure
- 04 Spatial structure & land use
- 05 Three key areas index
- 06 Mobility & blue-green system
- 07 Key areas: one area, one policy
- 08 AI scenario cards & personas
- 09 The Accessibility Line · six principles
- 10 Brand · culture narrative · landmarks
- 11 Renewal projects & phasing
- 12 Metrics & evidence chain
- 13 Risks · copyright · pending data

Formal task basis

- Prequalification announcement (Haidian Branch, 2026-05-09)
[DATA-SRC-OFFICIAL-ANNOUNCEMENT-20260509]
- Agent taskbook excerpt (2026-05-18)
[DATA-SRC-AGENT-TASKBOOK-20260518]
- Urban design administration rules / regulatory-plan procedures
- National land-use & sea-use classification guide
- Site-package enums / ranges / schemas constraints

Provisional data & boundaries

- Provisional rough boundary polygon (provisional_rough)
used for generation / display / self-check only
- Not official redlines nor a basis for precise areas
- Full recalculation once official vectors arrive
- All metrics recomputable from GeoJSON in EPSG:4548
- Evidence chain: sources / assumptions / three matrices
/ self_check

One spine, twelve stations, three zones and two wings — continuous spine, station suturing, key-area depth, wing synergy

Overall Concept: One Spine, Twelve Stations, Three Zones and Two Wings

Zhigui Jing-Zhang · The AI Line
Fig. 1 · Overall concept structure site-overview

Jing-Zhang Heritage Park as the green spine; twelve AI scenario stations rebuild century-old station memory, linking the three key zones and the two-wing network

Centennial Jing-Zhang Culture Belt


Urban AI Life Experience Belt

AI Integrated Innovation Belt

Five functions: full-stack independent AI innovation system · world-class AI innovation ecosystem
AI+ scenario-enablement paradigm · intelligent AI vitality city · global voice in AI governance




Three-level scope framework



Provisional rough boundaries (announcement-text inference): for generation and display only, not official redlines; all areas are approximate and will be recalculated when official vectors arrive.

Structure: one spine • 12 stations • 3 zones • 2 wings



Station = plaza + AI scenario + honor display + community operations
Rebuilding AI-era public space with the century-old station typology



Concept highlights

- N-S continuity: green spine from Xizhimenwai to Qinghe Bay (5th Ring)
- E-W suturing: station units open to communities, campuses, parks
- Cultural translation: station typology → AI public-space components

Data: submissions/linzhuo606/the-ai-line/geometry/*.geojson · metrics.json (EPSG:4548 recalc)


Fig. 1 · site-overview · data: geometry/*.geojson · metrics.json

168 concept parcels fully zoned (EPSG:4548 recalculated) · dominant functions grade from south to north


Spatial Structure & Land Use: Green Spine • Weaving • Gradient Renewal

168 parcels fully zoned (EPSG:4548); functions S→N: gateway business — intelligent consumption — sci-edu transfer — open-source wellspring — full-stack acceleration

Zhigui Jing-Zhang · The AI Line
Fig. 2 · Land-use structure land-use-structure



Typical E-W section (Origin Community segment, W→E)



Intensity gradient: low-intensity transition beside the spine → mid/high-intensity clustering at station groups; heights and massing are conceptual — statutory indicators follow the approved regulatory plan.

Provisional rough boundaries (announcement-text inference): for generation and display only, not official redlines; all areas are approximate and will be recalculated when official vectors arrive.

Data: submissions/linzhuo606/the-ai-line/geometry/*.geojson · metrics.json (EPSG:4548 recalc)


Fig. 2 · land-use-structure · data: geometry/*.geojson · metrics.json

One area, one policy · station-city integration · retain / renovate / new in parallel

Three Key Areas — Design Index: One Area One Policy • Station-City Integration Zhigui Jing-Zhang · The AI Line

Fig. 3 · Key areas key-areas

Zhongzhiyuan = full-stack acceleration (national) · Origin = open-source wellspring (near-campus) · Dazhongsi = intelligent economy (urban) · retain/renovate/new in parallel



Provisional rough boundaries (announcement-text inference): for generation and display only, not official redlines; all areas are approximate and will be recalculated when official vectors arrive. Data: submissions/linzhuo606/the-ai-line/geometry/*.geojson · metrics.json (EPSG:4548 recalc)

Fig. 3 · key-areas · data: geometry/*.geojson · metrics.json

Continuous green spine · sutured breakpoints · stations as scenarios

Mobility & Blue-Green System: Continuous Spine • Stations as Scenarios


Zhigui Jing-Zhang · The AI Line

The Honor Track runs ≈9.7 km end to end; east-west corridors (Zhichun Rd / N 4th Ring / Chengfu Rd) suture breakpoints and link the two wings; 12 station plazas are open AI scenario units

Fig. 4 · Mobility & blue-green system mobility-bluegreen




Spine continuity profile (S→N): breakpoint suturing strategy



Principle: slow-mobility continuity first; vehicle corridors yield or grade-separate at the spine. All engineering forms (bridge / tunnel / underpass) are conceptual recommendations pending professional study.

Provisional rough boundaries (announcement-text inference): for generation and display only, not official redlines; all areas are approximate and will be recalculated when official vectors arrive.



Stations × AI scenario themes (S→N)

- South Gateway · urban AI inquiry & guidance
- Zhizhong · smart terminals / content consumption
- Zaojunmiao · community health sentinels
- North Film Art · generative art exhibition
- College · AI+education experimental pod
- Sidaokou · robot delivery test lane
- Origin · open-source market / Wall of Fame
- Nongda East · campus co-creation pop-up
- Shuangqing · energy-carbon agent pilot
- Acceleration · autonomous shuttle hub
- Zhongzhi · full-stack pilot demonstration
- Qinghe Bay · low-altitude logistics window

Data: submissions/linzhuo606/the-ai-line/geometry/*.geojson · metrics.json (EPSG:4548 recalcd)

Fig. 4 · mobility-bluegreen · data: geometry/*.geojson · metrics.json

Key Areas: One Area, One Policy

Mini-scheme per zone: positioning + spatial structure + building renewal + mobility + public space + AI scenarios + implementation risks

① Zhongzhiyuan AI Independent Innovation Acceleration Area

Announced ≈192.1 ha (recalc ≈192.9 ha, provisional)
Positioning: garden-type · full-stack independent innovation · national-level cluster
Structure: one hub and four clusters
+ AI Governance & Standards Center
Qinghe Innovation Bay + Qinghe Culture Living Room
+ Human Tower · strategic reserve ≈17.4 ha
for format uncertainty
Risks: 5th-Ring node works need engineering study; regulatory indicators pending official confirmation

② Beijing AI Origin Community

Announced ≈104.3 ha (recalc ≈104.3 ha, provisional)
Positioning: near-campus · open-source wellspring · talent special zone
Structure: three belts — west transfer, central open-source, east vitality
Open Source Living Room + Contributors' Wall of Fame
+ hackathon core; Wudaokou / Qinghua East Rd West dual-station access
Renewal: low-disturbance organic renewal, renovation-first retain/renovate/new
Risks: tenure & station works need multi-party consultation

③ Dazhongsi AI Industry Cluster

Announced ≈72.0 ha (recalc ≈72.0 ha, provisional)
Positioning: urban-type · intelligent economy · international exchange
Structure: one living room, two workshops
(international living room + agent works
+ AI-native consumption / digital-asset workshop)
Dazhongsi Station four-quadrant walking links
+ parking reorganization
Zhizhong ceremony field in dialogue with the Juesheng Temple heritage interface
Risks: station retrofit & heritage-control extents pending official confirmation

14 scenario cards (incl. 5 industry testing & validation) · 8 personas · human review & privacy boundaries retained throughout

Scenario cards (S→N)

- South Gateway · urban AI inquiry & guidance (service)
- Zhizhong · smart terminals / content consumption (business)
- Zaojunmiao · community health sentinels (service)
- North Film Art · generative art exhibition (culture)
- College · AI+education experimental pod (service)
- Sidaokou · robot delivery open test lane (testing)
- Origin · open-source market / Wall of Fame (culture)
- Nongda East · campus co-creation pop-up (culture)
- Shuangqing · energy-carbon agent pilot (testing)
- Acceleration · autonomous shuttle connection (testing)
- Zhongzhi · full-stack pilot demonstration (business)
- Qinghe Bay · low-altitude logistics window (testing)
- Line-wide · tactile-paving continuity AI monitoring (testing)
- Line-wide · accessibility companion & audio description (service)

User personas (8 types)

- ① Frontier researchers: pilot fields & compute access
- ② Founders / open-source developers: low-cost space + community
- ③ Industry engineers: commuting efficiency + services
- ④ International talent & families: international services
- ⑤ Original residents & seniors: age-friendly continuity
- ⑥ Teenagers & families: AI literacy + safe spaces
- ⑦ Visitors & AI pilgrims: an experientiable, understandable narrative
- ⑧ Disabled users: continuous, trustworthy paths + multi-sensory interfaces (author's first-person definition)

Unified boundaries

- No indiscriminate face recognition or trajectory tracking
- No personal data without cleared rights
- Human review & emergency stop kept in every scenario
- Test scenarios are pilot suggestions inside an apply - test - review - display process
- Never presented as approved operations
- Scenario-space-operation mapping in the proposal scenario chapter

Framework defined by the author (a blind urban user), engineered by AI — continuity first · inclusion, not segregation

Six first principles

- 1 Continuity above all: ≈9,716 m guiding strip line-wide
 - + AI monitoring of tactile-paving occupation (tickets into the 12345 complaint-response platform)
- 2 Inclusion, not segregation: no exclusive zones, only speeds separated (cycling / walking)
- 3 Sound is the interface: 36 crossings with audible signals + anti-mute operations + station sound marks
- 4 Structure must be understandable: 16 tactile model nodes
- 5 Time must be forgiving: 9 refuge islands + extended green
- 6 Digital must fit reality: last-ten-metre anchors
 - + accessibility open-data layer

Two flagships

- ◆ Continuity system
 - Guiding strip through all twelve stations
 - + AI occupation monitoring, plugged into the existing platform · per-segment resolution times public
 - Monthly blind-test sampling by disabled users (scenario card 13 · industry testing & validation)
- ◆ Open Source Tactile Model Library (original concept)
 - Full-line sand table at Origin + complex-node models
 - Publishes symbolic derived models + acceptance test cards (not raw-geometry scale copies)
 - Versioned recall system · no bare metal on tactile parts · mandatory shading
 - Learn the symbolic junction structure at home first

Priorities & component library V2

Investment priority (the author's judgment):
in-station manual guidance is mature and reliable — concentrate resources on open streets with no backup, the last kilometre from front door to metro entrance

Five laws of the component library (author-reviewed):
sound for moving, touch for staying / dual-channel & dual-language / restraint in numbers / standard interfaces only / survival first, smart later
Passive ends: battery beacons & audio buttons banned
Star item: shopfront function plaque (door side, 1.35 m braille + icon + high-recognition code · fully passive · original proposal)
Seats: station areas ≤50 m · ordinary segments ≤100 m (≈130 line-wide; method ref. DfT · compliant GB 55019)

Unified boundary: all conceptual recommendations; engineering follows the Barrier-Free Environment Development Law (2023), GB 55019 & local standards, deepened and accepted with disabled users

From the People-Shaped Track to People-Centered AI: engineering self-reliance × artificial intelligence × people first

Naming & logo direction

Main name Zhigui Jing-Zhang · English name The AI Line
Three-level naming: Belt - Stations - Path
Logo motif: the people-shaped railway's three converging lines, endpoints becoming neural nodes, together forming the Chinese character for person
Extensions: subway-map graphic language
Original concept; trademark search before formal use

Four AI pilgrimage landmarks

★ Human Tower·AI Lighthouse (Qinghe Bay north gateway)
★ Origin Memorial Field & Contributors' Wall of Fame (Origin Station)
★ Tsinghua Garden Station·Time Machine (display outside the protection perimeter)
★ Dazhongsi·Zhizhong Bell (milestone bell ceremonies)
Note: the Jing-Zhang Ring was cancelled after engineering-cost review; continuity via existing bridge openings · viewing on the riverside platforms
Honor system: Wall of Fame → track plaques → bell ringing → lighting

Long-term operations

The AI Line Global Developer Conference (annual flagship)
Global AI Governance Roundtable · AI Art Biennial
AI Line Marathon · monthly Open-Source Night
· Zhizhong bell ceremonies
Developer points - honors - space benefits linkage
Scenario opening: apply - test - review - display
Three public routes: pilgrimage / innovation / family
Conversion funnel: scenario test → landing → space → policy

Renewal Project List & Phased Implementation

19 renewal projects · three phases cover the full overall design scope (see phasing.geojson)

Near term PHASE-1 (3.67 km²)

- P01 Origin Open Source Living Room & Wall of Fame
 - P02 Wudaokou AI-native street-block interface renewal
 - P03 Sidaokou results-transformation zone, stage 1
 - P04 Dazhongsi four-quadrant at-grade crossings
 - + station plaza
 - P05 Zhizhong ceremony field & heritage interface
 - P06 South Gateway station & international AI business gateway
 - P07 Honor Track mid-section continuity + plaques
 - P19 Accessibility continuity system, stage 1
 - (guiding strip on built segments + approvable APS caliber + seats / anchors / 200-shop plaque pilot + AI monitoring into the grid + first sand table)
 - highest near-term priority
- Note: P04 station-hall borrowed-passage link moved to mid-term after review

Mid term PHASE-2 (3.12 km²)

- P08 Zhongzhiyuan acceleration hub
 - + shared compute platform
- P09 AI Governance & Standards Center
- P10 Qinghe Culture Living Room + riverside Innovation Bay
- P11 Human Tower honor lighthouse
- P12 Qinghe slow-mobility bridge + waterfront greenway
- P13 International talent community & services

Long term PHASE-3 (4.62 km²)


- P14 Mid-belt housing & research renewal band
 - P15 North Film Art AI synergy area
 - P16 Xueyuan Rd university interface opening
 - P17 Human-Character Gates: bridge-opening nodes made legible (the overpass Ring was cancelled)
 - P18 Belt-wide component library & scenario facility iteration
- Implementation policies: station-unit renewal packages / university-district co-building / scenario opening permits / Honor Track charitable fund

All 33 known metrics recalculated from GeoJSON in EPSG:4548 · pending regulatory conditions managed separately

Metrics & Evidence Chain: Every Number Traceable and Reviewable

All spatial metrics recalculated from GeoJSON in EPSG:4548 and written to metrics.json; matrices and self-check results cross-reference the proposal text

Zhigui Jing-Zhang · The AI Line
Fig. 5 · Metrics evidence metrics-evidence



Full-chain disclosure: no faked official redlines, no invented regulatory indicators, no claimed government commitments

Key risks & mitigations

- ① Boundary precision: provisional rough boundary → flagged end-to-end + full recalculation after official redlines arrive
- ② Missing tenure baseline: retain/renovate/new is directional guidance only
- ③ Engineering feasibility: bridges / tunnels / station works all marked conceptual
- ④ Missing regulatory plan: unknown metrics + pending-data list
- ⑤ Scenario ethics: privacy boundaries + human review up front

Copyright & licence

Text and figures CC-BY-4.0 (attribution linzhuo606)
Naming / logo / drawings are original concepts
No unauthorized trademarks, fonts or images used
Formal IP arrangements follow clause 8.1 of the announcement
Details in report/copyright_statement.md

Pending official data

- Official redlines & precise polygons of the three key areas (prequalification drawing package)
 - Approved regulatory plan: FAR / height / density / green ratio
 - Existing building stock & tenure baseline
 - Heritage protection & construction-control vectors
 - Road redlines & municipal utilities data
- Post-arrival recalculation list: proposal.md
metrics chapter