


A civic library for AI prototypes

One spine • three libraries • two wings • twelve units

CENTENNIAL JINGZHANG AI INNOVATION BELT / FORMAL CONCEPT

THE BORROWABLE CITY



01 ONE CIRCULATION SPINE

AI prototypes move through a public circulation route.

02 THREE PUBLIC PROTOTYPE LIBRARIES

Test • translate • adopt, each with a steward and return date.

03 TWO SERVICE WINGS

Zhongguancun services and Xiaoyuehe urban test circulation.

04 TWELVE BORROWABLE UNITS

Each has purpose, data boundary, human fallback and exit record.

DESIGN AREA (PROVISIONAL CALC.)

11.41 km²

THESIS

AI becomes public infrastructure only when a named steward can check it out for a bounded purpose, a human can stop it, a maintainer can repair it, and the city can return or retire it.

STATUS


Formal concept package; precise siting waits for official geometry.

Evidence before precision

Task authority, provisional geometry, and explicit unknowns

CENTENNIAL JINGZHANG AI INNOVATION BELT / FORMAL CONCEPT

THE BORROWABLE CITY



01 ONE CIRCULATION SPINE

AI prototypes move through a public circulation route.

02 THREE PUBLIC PROTOTYPE LIBRARIES

Test • translate • adopt, each with a steward and return date.

03 TWO SERVICE WINGS

Zhongguancun services and Xiaoyuehe urban test circulation.

04 TWELVE BORROWABLE UNITS

Each has purpose, data boundary, human fallback and exit record.

DESIGN AREA (PROVISIONAL CALC.)

11.41 km²

KNOWN

Official tasks, approximate areas, submitted design objects, and recalculated geometry metrics.

UNKNOWN

Official polygons, controls, ownership, surveys, heritage, transport, and utility capacity.

TRIGGER


Replace geometry, reclip every layer, recalculate, rerender, and recheck.

The circulation model

Catalogue • checkout • test • review • repair • return

FORM FIRST • GOVERNANCE EMBEDDED

SPATIAL OPERATING SYSTEM



- BORROW** A civic institution or team checks out a bounded AI prototype.
- TEST** Six validation units expose performance, equity and safety thresholds.
- REPAIR** A visible repair desk records incidents, maintenance and version change.
- RETURN** The prototype expires, transfers, scales or is removed without sunk-space lock-in.

ONE CYCLE, MANY STEWARDS

BORROWING CARD

Purpose, borrower, data boundary, version, steward, human fallback, term, thresholds, maintenance cap, and return route.

WHY URBAN DESIGN

Space makes accountability visible and allows a prototype to leave without locking the city.

Six cases, six mechanisms

Primary institutional sources; background only

TEST

Helsinki opens authentic urban settings.

CHALLENGE

Singapore links problem owners to prototype validation.

NETWORK

Paris-Saclay networks innovation places and demonstrators.

TRANSLATE

Mila joins research, learning, open science, and industry.

ADOPT

MaRS combines support, adoption, convening, and space.

RULES

Hetao separates a centre and two wings for experimentation and translation.

Three Public Prototype Libraries

Test • translate • adopt

KEY AREAS • PROVISIONAL INDEX

THREE PUBLIC PROTOTYPE LIBRARIES

01

ZHONGZHIYUAN / TEST LIBRARY

Full-stack benchmarks, safety sandbox, low-carbon compute court and global protocol forum.

CHECK OUTTESTRETURN

02

AI ORIGIN COMMUNITY / TRANSLATION LIBRARY

Open-source release room, research translation, talent commons, civic review and learning.

CHECK OUTTESTRETURN

03

DAZHONGSI / ADOPTION LIBRARY

Model market, edge-device lending, international adoption room and AI-native commerce.

CHECK OUTTESTRETURN

DATA GATE
Dazhongsi provisional centroid is disputed in repository Issue #1029. No station, parcel or engineering claim is derived from it.

ZHONGZHIYUAN
Open benchmarks, model safety, low-carbon compute, repair and retirement.

AI ORIGIN
Open-source release, research translation, data contracts, learning and civic review.

DAZHONGSI
Model market, device lending, first users, maintenance and accountable adoption.

Twelve borrowable scenarios

Six are explicit testing-and-validation units

PUBLIC

Market, care, learning, heritage, data contracts, and protocol forum.

TVS

Devices, accessibility, open-source reproducibility, model safety, low-carbon compute, and autonomous logistics.

STOP


No human fallback, rights, maintainer, or threshold means no checkout.

Mobility without dependency

The place still works when AI fails

MOBILITY • BLUE-GREEN • ACCESSIBILITY

SIX LINKS + ONE CIRCULATION SPINE



CONTINUITY

Walk and cycle continuity first; rail and road capacity claims wait for official data.

ACCESSIBILITY

Every borrowed service keeps a non-digital path, rest points and manual assistance.

LOW-INTRUSION

Edge processing and aggregate counts; no identity tracking for public-space operations.

REVERSIBILITY

At-grade, modular and removable by default; bridge/tunnel feasibility is not claimed.

16.0 km • CONCEPTUAL CENTERLINES

ONE SPINE

Walking, cycling, orientation, prototype carts, and repair access.

SIX LINKS

At-grade and accessible first; no bridge or tunnel claim.

HUMAN BASE


Staffed help and non-digital routes precede optimisation.

Public ground and urban character

Blankness is an asset

MOBILITY • BLUE-GREEN • ACCESSIBILITY

SIX LINKS + ONE CIRCULATION SPINE



CONTINUITY

Walk and cycle continuity first; rail and road capacity claims wait for official data.

ACCESSIBILITY

Every borrowed service keeps a non-digital path, rest points and manual assistance.

LOW-INTRUSION

Edge processing and aggregate counts; no identity tracking for public-space operations.

REVERSIBILITY

At-grade, modular and removable by default; bridge/tunnel feasibility is not claimed.

16.0 km • CONCEPTUAL CENTERLINES

BLUE-GREEN

A continuous green corridor, pocket gardens, library gardens, and rain-garden links.

RETURNABLE

After a prototype leaves, shade, seating, shelter, and human service remain.

CHARACTER

Legible structure, durable repair, restrained media, and visible time layers.

Twelve projects in three phases

Protocol first • nodes second • network last

2026-2028

Protocol, mobile prototypes, three first nodes, first spine segment, six TVS.

2029-2032

Three libraries, six links, two service wings.

2033+

Cross-library records and systematic reversible renewal; sequence, not commitment.

Metrics that can be recalculated

No pseudo-precision

METRICS • EVIDENCE • RELEASE GATES

MEASURE WHAT CAN BE RECALCULATED

PROVISIONAL SITE 11.41 km²	DESIGN GREEN 12.0 %	DESIGN PUBLIC 6.0 %
SCENARIO NODES 12 units	VALIDATION UNITS 6 units	PROJECT REGISTER 12 projects

1 OFFICIAL DATA

Replace polygons; recalculate every dependent layer and ratio.

2 OPERATOR + BUDGET

No prototype without a steward, maintenance cap and return route.

3 RIGHTS + SAFETY

Ownership, heritage, accessibility, privacy and transport review.

4 PUBLIC EVIDENCE

Publish incidents, repair history, stop criteria and decision record.

GEOMETRY

EPSG:4326 exchange and EPSG:4548 area/length; union before measurement.

COUNTS

Three libraries, twelve nodes, six validation units, six links, twelve projects.

UNKNOWN

FAR, height, density, approved green ratio, setbacks, and building-by-building RRD.

Four release gates

Official data • operator • rights and safety • public evidence

METRICS • EVIDENCE • RELEASE GATES

MEASURE WHAT CAN BE RECALCULATED

PROVISIONAL SITE

11.41 km²

DESIGN GREEN

12.0 %

DESIGN PUBLIC

6.0 %

SCENARIO NODES

12 units

VALIDATION UNITS

6 units

PROJECT REGISTER

12 projects

1 OFFICIAL DATA

Replace polygons; recalculate every dependent layer and ratio.

2 OPERATOR + BUDGET

No prototype without a steward, maintenance cap and return route.

3 RIGHTS + SAFETY

Ownership, heritage, accessibility, privacy and transport review.

4 PUBLIC EVIDENCE

Publish incidents, repair history, stop criteria and decision record.

GATE 1

Replace and recalculate on official geometry.

GATE 2

Name steward, whole-life budget, maintenance cap, and return route.

GATE 3

Ownership, heritage, access, privacy, transport, fire, and utilities.

GATE 4


Publish incidents, repair, stop thresholds, and decisions.

A city that can say no

Return is a design capability

CENTENNIAL JINGZHANG AI INNOVATION BELT / FORMAL CONCEPT

THE BORROWABLE CITY



01 ONE CIRCULATION SPINE

AI prototypes move through a public circulation route.

02 THREE PUBLIC PROTOTYPE LIBRARIES

Test • translate • adopt, each with a steward and return date.

03 TWO SERVICE WINGS

Zhongguancun services and Xiaoyuehe urban test circulation.

04 TWELVE BORROWABLE UNITS

Each has purpose, data boundary, human fallback and exit record.

DESIGN AREA (PROVISIONAL CALC.)

11.41 km²

SUCCESS

Enough evidence to continue, modify, transfer, or stop.

FAILURE

Preserve the record, notify affected people, repair the space, and retire safely.

INVITATION

Treat the city as a steward of bounded prototypes, not a permanent showroom.