


Jing-Zhang Intelligence Commons V6

Urban form first / embedded algorithm evidence / three key areas



V6 responds to the 74/100 review by shifting from concept-evidence diagrams to urban-design drawings: fabric, station-city relations, building clusters, public-space continuity, frontage intensity, landscape sections, and algorithm gates are drawn together.


JZ/URBAN-FORM · 01

Overall Urban Design Masterplan V6

Urban form first: fabric, station-city links, building clusters, public interfaces, algorithm evidence

geodesic architecture

open source urban design



Provisional boundary - not a statutory redline - all metrics require official data review

Evidence rail

M01	11.413 km²	provisional scope not an official redline;
D01	KEEP	must retain rail skeleton, reusable fabric, site
D02	OPEN	must open walls, ground floors, east-west seams
D03	3 + 12	civic stages three civic courts host twelve AI+
D04	G0-G4	exit gates human review and rollback for every

Jury from afar

Read the urban skeleton, three civic stages, east-west stitches, and station-city edges first.

Evidence close-up

Every line has data, rule, responsibility, and stop condition.

V6 urban-form first / evidence-at-edge

provisional geometry - not official redline

Read urban structure from afar; inspect design decisions and computational evidence close-up.

Land Use and Intensity Decisions

geodesic / V6


JZ/URBAN-FORM · 02

Land Use and Building-Intensity Decisions

geodesic architecture

Not abstract zoning: keep, open, intensify, and activate public edges

open source urban design



Four spatial decisions

- KEEP**
rail skeleton, memory edges, reusable buildings
- OPEN**
walls, parking edges, closed ground floors
- INTENSIFY**
R&D, talent, civic service around courts
- REPAIR**
shade, rain, walking, public learning
- Review reading**
Land use is not color fill; it answers what stays, what opens, where intensity goes, and where civic stages are made.

Provisional boundary - not a statutory redline - all metrics require official data review

V6 urban-form first / evidence-at-edge

provisional geometry - not official redline

Read urban structure from afar; inspect design decisions and computational evidence close-up.

Three Key-Area Detailed Designs

geodesic / V6

JZ/URBAN-FORM · 03

Three Key Areas - Rules Converted to Urban Form


geodesic architecture

open source urban design

Each key area has plan, section, ground interface, and operating sequence

Consensus Court

low-density test campus



Plan: streets, buildings, entries, routes, accessible civic ground



Section: station-bridge-street-court-ground floor

utility - rain/flood/walk - civic ground - R&D/living - roof energy



Ground-floor public interface




Operation gates

G0 evidence - G1 mock-up - G2 controlled pilot - G3 public run - G4 keep/modify/remove

Origin Commons

diagonal exchange hall



Plan: streets, buildings, entries, routes, accessible civic ground



Section: station-bridge-street-court-ground floor

utility - rain/flood/walk - civic ground - R&D/living - roof energy



Ground-floor public interface




Operation gates

G0 evidence - G1 mock-up - G2 controlled pilot - G3 public run - G4 keep/modify/remove

Dazhong Future Plaza

station-city double hall



Plan: streets, buildings, entries, routes, accessible civic ground



Section: station-bridge-street-court-ground floor

utility - rain/flood/walk - civic ground - R&D/living - roof energy



Ground-floor public interface



Operation gates

G0 evidence - G1 mock-up - G2 controlled pilot - G3 public run - G4 keep/modify/remove

Provisional boundary - not a statutory redline - all metrics require official data review

V6 urban-form first / evidence-at-edge

provisional geometry - not official redline

Read urban structure from afar; inspect design decisions and computational evidence close-up.


geodesic / V6 / provisional geometry

JZ/URBAN-FORM · 04

Station-Bridge-Street-Court Mobility and Blue-Green System

geodesic architecture
open source urban design

Mobility is a network of stations, cross-links, ground fronts, shade, and rainwater



Provisional boundary - not a statutory redline - all metrics require official data review

V6 urban-form first / evidence-at-edge

provisional geometry - not official redline

Read urban structure from afar; inspect design decisions and computational evidence close-up.


JZ/URBAN-FORM · 05

Metrics at the Edge, Urban Structure at the Center

Compress metrics into evidence rails; keep only form-making thresholds on the main drawing

geodesic architecture

open source urban design



Edge evidence

site_area_sqm	11.413 km ²	site_area_sqm
green_ratio	16.11%	green_ratio
public_space_ratio	1.41%	public_space_ratio
road_centerline_length_m	27.46 km	road_centerline_length_m
buildings / nodes	17 / 12	buildings / nodes

Form thresholds

Porosity, public-frontage length, slow-mobility gaps, shade coverage, and reversibility directly alter lines and envelopes.

Provisional boundary - not a statutory redline - all metrics require official data review

V6 urban-form first / evidence-at-edge

provisional geometry - not official redline


Read urban structure from afar; inspect design decisions and computational evidence close-up.

JZ/URBAN-FORM · 06

Algorithmic Rules Overlaid on Spatial Drawings

geodesic architecture
open source urban design

Algorithms are not flowcharts; they constrain lines, areas, nodes, fronts, and phases



Four spatial algorithms

- A1 walkability repair**
gaps generate east-west stitches
- A2 public frontage first**
closed ground fronts open or enter repair list
- A3 shade-rain coupling**
heat and flood risk place trees/swales
- A4 pilot retirement gate**
incident, appeal, bias, or maintenance failure triggers G4

Read urban structure from afar; inspect design decisions and computational evidence close-up.



Climate Engineering as Visible Public Realm

Shade, rainwater, roof energy, and walk comfort enter sections instead of slogans

geodesic architecture

open source urban design

Typical section: utility - rain court - civic ground - R&D/living - roof energy



Review standard

Climate is not a separate ecology layer. It changes section depth, ground-floor buffer, tree rows, inlets, paving, and night operation.

Provisional boundary - not a statutory redline - all metrics require official data review

V6 urban-form first / evidence-at-edge

provisional geometry - not official redline

Read urban structure from afar; inspect design decisions and computational evidence close-up.

Implementation Roadmap


geodesic / V6

JZ/URBAN-FORM · 08

From Vision List to Auditable Project Portfolio

Each project has owner, cost band, spatial object, KPI/SLO, and exit condition

geodesic architecture
open source urban design



provisional geometry - not official redline

Read urban structure from afar; inspect design decisions and computational evidence close-up.

JZ/URBAN-FORM · 09

Cases Transfer Digital Rules, Not Styles


AA/Foster/Arup/MIT inform mechanisms only, not imagery, branding, layouts, or endorsement

geodesic architecture

open source urban design

AA LU


GIS + script



rule cartography

Foster


infrastructure



public armature

Arup


systems



systems integration

MIT


innovation



open ecosystem

NIST

AI RMF



risk gates

Transfer matrix

Method	multi-scale mapping, systems engineering, public infrastructure, AI risk gates
Spatial entry	spine, three courts, two wings, station-city edges, public ground fronts
Not reused	external images, marks, layouts, endorsement, uncleared data
Local limits	Beijing rules, provisional boundary, unknown controls, participation gaps

Provisional boundary - not a statutory redline - all metrics require official data review

V6 urban-form first / evidence-at-edge

provisional geometry - not official redline

Read urban structure from afar; inspect design decisions and computational evidence close-up.


JZ/URBAN-FORM · 10

Public-Value Passports Pinned to Spatial Objects

Passports are minimum delivery contracts for spaces, fronts, and algorithmic pilots

geodesic architecture

open source urban design



JZ-05 public-value passport

public problem model safety and public trust

spatial object Origin Commons + data sandbox court

service floor 24h pass, non-digital service, human appeal

data contract authorized/synthetic data; no profiling

stop condition incident, bias, appeal, maintenance failure

exit asset logs, audit, removal interface, public notice

Provisional boundary - not a statutory redline - all metrics require official data review

V6 urban-form first / evidence-at-edge

provisional geometry - not official redline

Read urban structure from afar; inspect design decisions and computational evidence close-up.

V6 self-audit and review repairs

- 01 A0 first board becomes a dominant masterplan
- 02 Three key areas show plan, section, frontage, phasing
- 03 Algorithm rules shape routes, fronts, green, phasing, exits
- 04 Metrics move to the edge as evidence
- 05 geodesic typography, linework, color, and legend unified

Read urban structure from afar; inspect design decisions and computational evidence close-up.