



Railway memory to a public innovation corridor

Translate a century of railway self-reliance into a walkable, testable and reversible public innovation corridor.



| Area figures are official text facts; boundaries are provisional and buildings/spatial actions are concept design pending survey, statutory and multidisciplinary review.



Concept visualization | not site photography, geographic evidence or an approval basis.


OFFICIAL TEXT FACTS

43.6 km² coordinated research / 11.4 km² overall design. 192.1 ha Zhongzhiyuan / 104.3 ha AI Origin / 72.0 ha Dazhongsi.

Area figures are official text facts; boundaries are provisional and buildings/spatial actions are concept design pending survey, statutory and multidisciplinary review.

Overall masterplan: one continuous public interface

The Jingzhang heritage line becomes one continuous public innovation interface connecting three different AI urban districts.



L-B01-01, L-B01-02 | Area figures are official text facts; boundaries are provisional and buildings/spatial actions are concept design pending survey, statutory and multidisciplinary review.

A1 | Heritage retention and reuse

A2 | Continuous public walk-cycle spine

A3 | Open ground-floor interfaces

A4 | Blue-green rainwater seams

A5 | Transit and service interfaces


A6 | Phased renewal

Labeled ratios refer to the original A0 drawing. This reading edition is resized; use the graphic scale bars.

Urban renewal and industry-space plan

Use public orientation as the base, concept placement as action, and professional handoff as the boundary for verifiable, adjustable and reversible renewal.

Renewal and Functional Layout Plan
Jingzhang corridor | concept renewal



Gray is public orientation context; color is participant concept placement; dashed boundaries and all renewal, owner, intensity and delivery relationships remain pending survey, statutory and multidisciplinary confirmation.

R02-01 | Jingzhang retained public spine

R02-02 | Dazhongsi station-city public ground

R02-03 | AI Origin learning-transfer ground

R02-04 | Zhongzhiyuan verification commons


R02-05 | Blue-green public-ground seam

R02-06 | Survey, statutory and exit gate

Labeled ratios refer to the original A0 drawing. This reading edition is resized; use the graphic scale bars.

Public ground floors, massing and phased interfaces

Gray is public orientation context; color is participant concept placement; dashed boundaries and all renewal, owner, intensity and delivery relationships remain pending survey, statutory and multidisciplinary confirmation.



Public Ground–Street–Service Interface | Concept Section 1:200



Gray is public orientation context; color is participant concept placement; dashed boundaries and all renewal, owner, intensity and delivery relationships remain pending survey, statutory and multidisciplinary confirmation.

B02 | Ground-floor and dimensioned relationships derive from B02 and remain concepts pending verification.

Heritage park, slow mobility and blue-green network

Six interface repairs connect railway memory, inclusive travel and blue-green public space



L-B03-01 | Concept alignments / widths | pending survey

R03-01 | South gateway

R03-02 | Third-ring interface

R03-03 | Fourth-ring interface

R03-04 | Wudaokou transfer


R03-05 | Fifth-ring interface

R03-06 | Qinghe north edge


Labeled ratios refer to the original A0 drawing. This reading edition is resized; use the graphic scale bars.

Six interfaces: spatial repairs and dimensioned sections


1:200 concept target dimensions | not surveyed; access, structure and water review pending




R03-01 | South gateway




R03-02 | Third-ring interface




R03-03 | Fourth-ring interface



R03-04 | Wudaokou transfer




R03-05 | Fifth-ring interface





R03-06 | Qinghe north edge

Continuous corridor long section | H 1:10,000; vertical relationships illustrative, no surveyed levels




Zhongzhiyuan: node, ground floor and section

Boundaries, renewal classes, heights and dimensions are provisional concepts. Survey and professional review must confirm river setbacks, Fifth Ring access, traffic and fire safety.



04 A-A River-garden research cluster | 1:200
Typical module dimensions and concept clear height, not a surveyed engineering section. Refer to A-A in the node.



1:200 / All widths, heights, drainage and safety provisions require survey, code and professional review.
04 A-A River-garden research cluster | 1:200

Zhongzhiyuan: located view and operating limits

L-ZZ-01 | Registered concept atmosphere; viewpoint at the public threshold, not a site photograph or approved design.



PUBLIC GROUND | Proposed 06:00-22:00 access; promenade and staffed desk need no account or algorithm.

TESTS + SERVICE | Booked, staffed tests only; proposed 07:00-09:00 service access uses a separate gate.


STOP RULE | Failed separation, noise or records triggers a physical stop; withdraw testing and retain public access.

Boundaries, renewal classes, heights and dimensions are provisional concepts. Survey and professional review must confirm river setbacks, Fifth Ring access, traffic and fire safety.

L-ZZ-01 | Registered concept atmosphere; viewpoint at the public threshold, not a site photograph or approved design.

AI Origin: district structure and interfaces

104.3 ha: learning courts and a slow loop connect private work, shared transfer and public life.



104.3 ha | PROV-KEY-002 | L-AI-01

LOW-DISRUPTION RENEWAL | Retain first, retrofit second; infill is conceptual. Learning proposed 08:00-21:00; private rooms can close.



NON-AI EQUIVALENT ENTRY | A mentor, accessible door, paper consent / withdrawal and phone booking; community access needs no login.

RELEASE STOP RULE | Failed consent, privacy, child protection or safety halts release and matching; return to private and staffed processes.


5/10/15-minute budgets follow registered concept routes at 72 m/min, not radius circles. Transit connections, campus access and step-free continuity remain unverified.

AI Origin: node, ground floor and section

5/10/15-minute budgets follow registered concept routes at 72 m/min, not radius circles. Transit connections, campus access and step-free continuity remain unverified.



04 A-A Campus, park and community interface | 1:200
Typical module dimensions and concept clear height, not a surveyed engineering section. Refer to A-A in the node.



1:200 / All widths, heights, drainage and safety provisions require survey, code and professional review.

04 A-A Campus, park and community interface | 1:200

AI Origin: located view and operating limits

L-AI-01 | Registered learning-court atmosphere, located at the threshold plan; not a reconstruction of existing conditions.



LOW-DISRUPTION RENEWAL | Retain first, retrofit second; infill is conceptual. Learning proposed 08:00-21:00; private rooms can close.

NON-AI EQUIVALENT ENTRY | A mentor, accessible door, paper consent / withdrawal and phone booking; community access needs no login.


RELEASE STOP RULE | Failed consent, privacy, child protection or safety halts release and matching; return to private and staffed processes.

5/10/15-minute budgets follow registered concept routes at 72 m/min, not radius circles. Transit connections, campus access and step-free continuity remain unverified.

L-AI-01 | Registered learning-court atmosphere, located at the threshold plan; not a reconstruction of existing conditions.

Dazhongsi: district structure and interfaces

72.0 ha: public, commercial, quiet and service layers; actual-station quadrants are located separately.



72.0 ha | PROV-KEY-003 | L-DZ-01

PUBLIC + COMMERCIAL | Quiet passage first; activities proposed 10:00-20:00. Ground floors retain non-purchase seating and staffed desks.

CYCLES + SERVICE | Grouped racks stay outside clear paths. Loading proposed 07:00-09:00, physically separated and stopped on conflict.


STATION HANDOFF | The provisional area is about 2.2 km from the public station anchor. No bridge, tunnel, entrance or connection is approved.

The public station and provisional key area do not coincide and are mapped separately. Spaces, hours, heights and dimensions are participant concepts pending official data.


Dazhongsi: node, ground floor and section

The public station and provisional key area do not coincide and are mapped separately. Spaces, hours, heights and dimensions are participant concepts pending official data.

02 Actual Dazhongsi station: four-quadrant proposal | 1:1000




03 Provisional-area public ground | 1:500



04 A-A Conditional transit, street and public ground | 1:200

Typical module dimensions and concept clear height, not a surveyed engineering section. Refer to A-A in the node.



1:200 / All widths, heights, drainage and safety provisions require survey, code and professional review.

04 A-A Conditional transit, street and public ground | 1:200

Dazhongsi: located view and operating limits

L-DZ-01 | Registered atmosphere of provisional public ground; not the actual Dazhongsi station facade or station works.



L-DZ-01 | Registered atmosphere of provisional public ground; not the actual Dazhongsi station facade or station works.

PUBLIC + COMMERCIAL | Quiet passage first; activities proposed 10:00-20:00. Ground floors retain non-purchase seating and staffed desks.

CYCLES + SERVICE | Grouped racks stay outside clear paths. Loading proposed 07:00-09:00, physically separated and stopped on conflict.

STATION HANDOFF | The provisional area is about 2.2 km from the public station anchor. No bridge, tunnel, entrance or connection is approved.

The public station and provisional key area do not coincide and are mapped separately. Spaces, hours, heights and dimensions are participant concepts pending official data.



Three district types, one public commitment

Area figures are official text facts; boundaries are provisional and buildings/spatial actions are concept design pending survey, statutory and multidisciplinary review.



F03 | Three key areas: a spatial comparison

B04 / B05 / B06 | Recomposed source-board plans, nodes, sections and located views. Printed ratios change; use scale bars.


B04 | 192.1 ha



B05 | 104.3 ha



B06 | 72.0 ha



B04 | 192.1 ha

192.1 ha: a public river-garden and gallery; research, controlled tests and service stay distinct.

L-ZZ-01 | Registered concept atmosphere; viewpoint at the public threshold, not a site photograph or approved design.

B05 | 104.3 ha

104.3 ha: learning courts and a slow loop connect private work, shared transfer and public life.

L-AI-01 | Registered learning-court atmosphere, located at the threshold plan; not a reconstruction of existing conditions.


B06 | 72.0 ha

72.0 ha: public, commercial, quiet and service layers; actual-station quadrants are located separately.

L-DZ-01 | Registered atmosphere of provisional public ground; not the actual Dazhongsi station facade or station works.

Projects to implementation: verify, then trial

Conditional concept priorities | approvals, survey and operations are gates; not an approved schedule or investment plan.



EARLY E | verify and open reversibly

R02-01 / R02-02 / R02-06 Survey, access rights, staffed entry and safety accountability first

MIDDLE M | limited service trials

R02-03 / R02-04 / R02-05 Pass early review; confirm actors, funds and public safeguards

LONG L | revalidate, replicate or exit


R02-06 If evidence fails, reduce and restore public ground; no automatic expansion

The public Dazhongsi station and provisional area are about 2.2 km apart; mapped separately, not a promised connection.

Six located everyday scenarios with stop rules

A: consent; C: public routing; B: professional review; L: lawful decisions. All operator classes remain candidates.


S1 | Service without an account



R02-02 / B06

Resident without a smartphone | Dazhongsi provisional public ground
Keep free seating, level entry and a staffed desk
Local public service class (unconfirmed)
Non-AI: Counter, phone and paper receipt
Success: Audit completed no-login service and equivalence
Stop: Stop collection on forced login or excess data


S2 | Learning to a real handoff



R02-03 / B05

Student or reskilling learner | AI Origin learning court and mentor desk
Link the court to workshops; private rooms can close
Campus-community mentor class (unconfirmed)
Non-AI: Mentor, phone booking, paper portfolio
Success: Verify mentor handoff and learner confirmation
Stop: Halt matching on failed consent or child safeguards


S3 | Validate before scaling



R02-04 / B04

Small research team and safety steward | Zhongzhiyuan controlled test spine
Separate testing, public gallery and service access
Innovation-safety operator class (unconfirmed)
Non-AI: Staff booking, physical stop, human takeover
Success: Verify test gates and independent repeatability
Stop: Physical stop on failed separation, noise or records


S4 | The creator decides to release



R02-03 / B05

Student creator and collaborator | AI Origin private-to-public threshold
Closable studio, consent desk, cleared display only
Creative-space / rights review class (unconfirmed)
Non-AI: Paper permission, human review and removal
Success: Audit granular permission, credit and receipt
Stop: Halt release on withdrawal, unclear rights or consent


S5 | Quiet passage keeps priority



R02-02 / B06

Wheelchair user, older resident and carer | Dazhongsi provisional quiet route
Keep a clear path; racks and loading stay outside
Public-ground / logistics class (unconfirmed)
Non-AI: Paper signs, staff assistance and detour
Success: User walk-through acceptance, not radius coverage
Stop: Stop events on blockage, collision risk or noise

S6 | River reports become maintenance



R02-05 / B04

Walking resident and maintenance steward | Qinghe-Zhongzhiyuan buffer
Keep floodable planting, sampling access and detour
Water-ecology upkeep class (unconfirmed)
Non-AI: Phone reports, paper patrol, professional sampling
Success: Verify reports, samples and maintenance closure
Stop: Close the segment on warning or verified threshold

Appendix A: accountability, evidence and unknowns

43.6 km² / 11.4 km² / 368.4 ha are official text facts; 22.5% green and 14.0% public space are provisional-model ratios only. FAR, budgets, rights, approvals and performance are unconfirmed; recompute with official data.

Accountability is not automatic authority

A: consent; C: public routing; B: professional review; L: lawful decisions. All operator classes remain candidates.

Recomputable models, unverified outcomes

43.6 km² / 11.4 km² / 368.4 ha are official text facts; 22.5% green and 14.0% public space are provisional-model ratios only. FAR, budgets, rights, approvals and performance are unconfirmed; recompute with official data.

Project / actor	Approval / funds	Operation / indicator	Status / review
R02-01 Public-realm / heritage class	Access and heritage review / Public upkeep option	Staff patrol; retain passage / Walk audit; reroute on closure	Owner, budget and approval unknown. Professional review before start.
R02-02 Station / local operator class	Boundary, traffic and fire / Owner retrofit + public service	Quiet passage; timed loading / No-login use; stop conflicts	Owner, budget and approval unknown. Professional review before start.
R02-03 Campus / community class	Access pact, privacy and fire / Shared space / pilot option	Mentor; paper consent / exit / Real handoff; consent or stop	Owner, budget and approval unknown. Professional review before start.
R02-04 Innovation / safety class	Test limits, safety, ecology / Controlled-test service option	Staffed; tests separate / Gates complete; physical stop	Owner, budget and approval unknown. Professional review before start.
R02-05 Ecology / public-works class	Water, ecology, bank access / Ecological upkeep option	Sample; close and detour / Verify reports; halt on breach	Owner, budget and approval unknown. Professional review before start.
R02-06 Lawful review / asset class	Review each stage; no default / Restoration funds before start	Revalidate; take over / restore / Restore; no actor, no start	Owner, budget and approval unknown. Professional review before start.

22.5% / 14.0% = provisional model green / public-space ratios; not approved targets or measured performance.

Appendix B: 0+13 evidence crosswalk (00-06)

Every unit points to frozen judgments, sources, spatial references and metrics. Model values are not statutory findings.

0+13-00 Overall Thesis	Make ordinary people's daily intentions and dignity the subject of the city. Translate the century-long Jingzhang engineering ethos of autonomy, verification and maintenance into one spine, two blue-green interfaces, three key areas, two wings and six seam types. A stays in front for expression and consent, C behind for public routing, B at the side for professional review, and L remains accountable for lawful decisions, joining all eight capabilities into one spatial, service and evidence structure ... OFFICIAL-ANNOUNCEMENT RD-01 site_area_sqm
0+13-01 Mobility	Mobility starts not by drawing more roads but by asking whether an older resident, disabled traveller, student or worker can complete a real journey at a stated time. The concept Jingzhang spine joins station-city transfer, continuous walking and cycling, accessibility, curb tasks, blue-green refuge and human takeover, while every line remains a direction for field verification rather than an official road alignment. OFFICIAL-ANNOUNCEMENT RD-01 walk_connectivity_ratio
0+13-02 Land Use	Land use is organised through ten continuous concept cells and twelve design cells across the three key areas, combining industry, everyday life, learning, public service, heritage commons and blue-green resilience. Shared ground floors, daily reach and reversible validation take priority. The categories explain functional coordination and the next professional review only; they do not determine statutory land use, FAR, ownership or retain-renovate-demolish decisions. OFFICIAL-ANNOUNCEMENT LU-01 site_area_sqm
0+13-03 Spatial Structure	The spatial structure transfers decisions through three scales: the coordinated research area addresses the Jingzhang innovation belt and city networks; the overall design area links three key areas and two wings through one spine and two blue-green interfaces; key-area design uses commons halls, concept cells, shared ground floors and scenario nodes as verifiable interfaces. Six seam types are questions for field verification, not predetermined engineering sites, and five spatial carriers host the human ... OFFICIAL-ANNOUNCEMENT RD-01 site_area_sqm
0+13-04 Ecology	Ecology treats the Qinghe, Xiaoyuehe and Jingzhang commons spine as a blue-green, stormwater, heat, habitat and everyday-use interface that requires cross-season verification. Continuous space, observation routes and stop conditions come before engineering. The eight concept green areas and their 22.5% model ratio support internal recalculation only; they are not official green land, water control lines, ecological baseline or attained performance. CHECKPOINT-V09 GS-01 green_ratio
0+13-05 Education	Education does not pre-place a school or campus. In the AI Origin community it joins the learning commons hall, reversible building interfaces, accessible connections and Final Scenario 03 into a continuous path from learning, portfolio and mentoring to practice, opportunity and portable exit. Admission, assessment, discipline and credentials remain with accountable education bodies, while portfolios stay private by default and safeguarding minors precedes technical convenience. AGENT-TASKBOOK SN-03 education_goal_confirmation_rate
0+13-06 Health and Care	Health and care do not invent a hospital, clinic or service radius where evidence is missing. The everyday commons spine, Final Scenario 02, accessible connections and rule-data-service dependency cells form a continuous interface from need expression and danger-signal stop through human intake, professional judgement, care handoff, emergency escalation and data exit. Dignified care and equivalent non-AI routes remain visible throughout. AGENT-TASKBOOK SN-02 health_need_confirmation_rate

Digest shows the first source / geometry / metric reference. See the packaged JSON for complete multi-reference evidence.

Appendix B: 0+13 evidence crosswalk (07-13)

Same evidence version as the preceding page. The complete chains accompany this booklet in zero_plus_thirteen.json.

0+13-07 Industry	Industry is not an investment-attraction roster or a pile of buildings. It embeds learning and portfolios, verified opportunity, one-door entrepreneurship, research and open-source transfer, a replaceable sovereign AI stack, controlled physical testing, procurement markets and compliant exit across the three key areas and two wings. Concept land-use cells and building prototypes carry interfaces and a public floor only; enterprises, investment, jobs, licences and operational performance are never ... OFFICIAL-ANNOUNCEMENT LU-02 industrial_test_scenario_count
0+13-08 Culture	Culture combines Jingzhang engineering memory, Zhongguancun open innovation and ordinary people's contemporary creation as a participatory everyday narrative, avoiding isolated monuments and technology worship. Three concept landmarks and the commons spine provide interfaces for preservation, co-creation, display, attribution, name withdrawal and benefit return only. History, heritage, naming, rights and operations remain subject to provenance and professional confirmation. AGENT-TASKBOOK PS-01 creativity_attribution_accuracy_rate
0+13-09 Data	Data follows a city evidence structure of traceable source, purpose limitation, minimum necessity, domain-separated consent, time-limited use, correction and revocation, audit and exit. Private exploration never enters city systems by default, a public-data catalogue does not grant project authority, and model values stay separate from real operational performance. Known values are limited to design counts and areas uniquely recalculable from provisional geometry. SITE-PACKAGE PH-03 identity_authorized_reuse_receipt_rate
0+13-10 Governance	Governance separates automatic intake from real resolution through one equivalent entrance, a responsibility directory, seven-loop status, six gates and independent remedy. A helps a person express and track, C only routes, synchronises, flags conflicts and audits, B supplies professional evidence, and L retains authority, procedure, signature, enforcement, emergency and adjudicative responsibility. Majorities, popularity and model confidence never replace rights or safety. AGENT-TASKBOOK PH-01 governance_first_route_accuracy_rate
0+13-11 Community	Community uses a walkable everyday commons spine to connect housing, repair, care, learning, work, small businesses, mutual aid, co-creation and emergency continuity, rather than reducing community to an app entrance or event venue. Shared halls prioritise non-commercial stay, accessibility, human service and minority voices. Commercial, event and test uses remain secondary to everyday rights and can be paused or withdrawn. AGENT-TASKBOOK PS-01 housing_community_service_reachability_rate
0+13-12 Implicit Spatial Order	Implicit order translates traditional spatial experience only into testable hierarchy, axes and sequence, directional connection and access, openness and enclosure, active and quiet conditions, blue-green ventilation, landmark legibility and human scale. One spine establishes hierarchy, two blue-green interfaces modulate openness and activity, and commons halls and landmarks create rhythm. It explicitly rejects auspicious claims, divination, mystical orientation and any statutory feng-shui assertion. SUBMISSION-LEDGER RD-01 walk_connectivity_ratio
0+13-13 Risk, Safety and Resilience	Risk, safety and resilience are not an end-note disclaimer but start conditions for every service chain and spatial interface. Six gates-lawful authority, minimum data, model applicability, professional decision, physical execution and emergency recovery-combine with daily, alert, emergency and recovery states across all eight capabilities. Concept space reserves safe stop, human takeover, offline continuity, site restoration and independent remedy. AGENT-TASKBOOK PH-01 identity_emergency_human_takeover_rate

Digest shows the first source / geometry / metric reference. See the packaged JSON for complete multi-reference evidence.

Appendix C: rights, generated media and professional handoff

Basemap © OpenStreetMap contributors • ODbL. Human-Agent concept drawings; no new generated photos. COMMUNITY-DISPLAY-ONLY covers our composition only; third-party rights are not transferred.

01 | Public context and ODbL

Basemap © OpenStreetMap contributors • ODbL. Human-Agent concept drawings; no new generated photos. COMMUNITY-DISPLAY-ONLY covers our composition only; third-party rights are not transferred.

02 | Generated media and truth

Reuses registered corridor and three key-area concept visualizations. These are not site photographs, surveyed terrain or approved designs. This publication creates no new generated photos and makes no claim about identifiable site participants.

03 | Masters and text representation

A0 submission PDFs retain native 150 ppi dimensions with JPEG compression. Lossless archival PDFs are retained separately in the production package. Board text is not vectorized or searchable. A3 editorial text is searchable; drawings remain raster at 150 ppi or above. Use graphic scale bars after resizing.

04 | Unknowns and professional handoff

43.6 km² / 11.4 km² / 368.4 ha are official text facts; 22.5% green and 14.0% public space are provisional-model ratios only. FAR, budgets, rights, approvals and performance are unconfirmed; recompute with official data. The public Dazhongsi station and provisional area are about 2.2 km apart; mapped separately, not a promised connection.

05 | COMMUNITY-DISPLAY-ONLY

Applies only to participant-owned content and composition. Third-party context, fonts and source materials retain their own rights. No construction, investment, operation or external submission is authorized by this package. Recompute and update all drawings when authoritative data arrives.

Appendix D: six global cases and local transfer

Compare problems, mechanisms, local destinations and transfer limits. Precedents do not approve this project.

CASE-01 | Barcelona Decidim and participatory 22@ renewal

Industrial renewal and public-space change cannot be decided only inside development and technology organizations. Decidim connects online proposals, debate, support, face-to-face meetings, and progress tracking through reusable open-source participation infrastructure. Jingzhang can translate this into C maintaining public issues, responsibilities, and state, with paper/community meetings and digital routes sharing one case number. It cannot copy local planning, property, or political procedures or treat online counts as representation. Destination: AI Origin Community, Dazhongsi renewal, and SC-FINAL-11.

CASE-BARCELONA-DECIDIM

CASE-02 | Helsinki Smart Kalasatama agile district

A smart-city program can begin with a grand system without proving whether daily life improves. City officials, firms, residents, and researchers tested small solutions in a real district; “one more hour a day” returned value to resident time. Jingzhang can translate reversible low-disturbance pilots, stop conditions, and resident time/task evidence. It cannot turn a successful pilot directly into permanent deployment or use visitor interest as outcome evidence. Destination: Xiaoyuehe Scenario Wing, SC-FINAL-09, and SC-FINAL-12.

CASE-HELSINKI-KALASATAMA

CASE-03 | Singapore Punggol Digital District

Industry, a university, community life, and district operations are often built as separate systems. Punggol combines an adjacent university/business district, an Open Digital Platform, and digital-twin testing. Jingzhang can translate interface-based infrastructure, segregated test environments, simulation before physical operation, and industry-education collaboration. It cannot copy centralized collection, boundaryless real-time data, or biometric access; every call still needs necessity, authorization, and an accountable actor. Destination: Zhongzhiyuan verification, AI Origin learning-to-work, SC-FINAL-06, and SC-FINAL-10.

CASE-SINGAPORE-PDD

CASE-04 | Seoul Digital Media City

Digital-content and information-industry concentration requires more than buildings: infrastructure, eligible activities, public support, and ongoing responsibilities must be defined. Seoul uses a municipal ordinance to define the district, core industries, and support functions. Jingzhang can translate the simultaneous design of spatial carriers, responsibility catalogues, and operating rules, plus a Dazhongsi mix of digital content, AI-native consumption, and enterprise service. It cannot copy Seoul's industry list, land development, incentives, or government commitments. Destination: Dazhongsi and SC-FINAL-06.

CASE-SEOUL-DMC

CASE-05 | Paris-Saclay open innovation ecosystem

Universities, laboratories, firms, start-ups, and urban life remain islands unless resource density is actively connected. Paris-Saclay combines an urban campus, innovation-place network, research-industry links, public transport, and natural/agricultural protection. Jingzhang can translate a Zhongguancun B-side network, Zhongzhiyuan engineering verification, and a shared venue catalogue while treating water, ecology, and quality of life as constraints. It cannot copy a large greenfield district, airport access, investment scale, or development conditions. Destination: Zhongzhiyuan and the Zhongguancun Professional-Service Wing.

CASE-PARIS-SACLAY

CASE-06 | Toronto Quayside digital-governance lesson

A technology partner's urban-data and spatial proposal can conflict with public authority, privacy, project scope, and democratic accountability. Waterfront Toronto created an independent Digital Strategy Advisory Panel; after withdrawal, the lasting lesson was that governments must remain central and digital innovation must meet democratic-accountability standards. Jingzhang can translate authority/data/model gates and independent review before technology enters public space. It cannot copy an “urban data” construct, allow a vendor to replace government, or reduce the withdrawal to one privacy cause. Destination: Capability Eight, SC-FINAL-10, and SC-FINAL-11.

CASE-TORONTO-QUAYSIDE

Appendix E: six personas and equivalent participation

Goals, barriers, privacy, non-AI alternatives, success and worst-case failure. These are design personas, not personal profiles or capability scores.

PERSONA-01 | Older resident with limited digital confidence

Goal: complete service, complaint, and care tasks without complex AI. Barriers: jargon, codes, handoffs, and hearing/vision change. Non-AI: phone, counter, community, paper, lawful proxy. Only task materials are processed; no permanent capability score. Success: one case, understandable state, human takeover. Worst failure: algorithmic denial with no accountable person. Scenarios: SC-FINAL-01/02/08.

Design persona / not personal data

PERSONA-02 | Disabled user and chosen carer

Goal: complete journeys, services, and participation independently or with chosen help. Barriers: broken accessible routes, single-format information, and systems overriding the person. Non-AI: accessible phone, staffed service, paper/large print/sign language, lawful proxy. Support needs are minimal and revocable. Success is equivalent outcome, not merely a channel. Worst failure: the system reports access while the physical route fails. Scenarios: SC-FINAL-05/09/10.

Design persona / not personal data

PERSONA-03 | Young student or researcher

Goal: connect learning, research, and ideas to verification, collaboration, and opportunity. Barriers: fragmented resources, unclear provenance, and minor/campus boundaries. Non-AI: teachers, school counters, libraries, physical labs. Work is private by default and distinguishes human, third-party, and AI contributions. Success: explainable matching, portable work, and failure feedback. Worst failure: permanent labeling or unauthorized training. Scenarios: SC-FINAL-03/07.

Design persona / not personal data

PERSONA-04 | Service worker or small-shop operator

Goal: use one sentence to find real administrative, procurement, workforce, and operating help. Barriers: repeat forms, false opportunities, and limited time. Non-AI: enterprise counter, chamber/community service, accountable advisor. Secrets and labor data are segregated; no enterprise/talent total score. Success: accurate first routing, fewer repeat materials, recoverable exit. Worst failure: an Agent makes a final hiring, finance, license, or procurement decision. Scenarios: SC-FINAL-04/06/11.

Design persona / not personal data

PERSONA-05 | Developer or start-up member

Goal: test, reproduce, comply, and reach markets on a sovereign replaceable stack. Barriers: compute/tool lock-in, unclear test-site responsibility, and compliance cost. Non-AI: professional panel, paper test plan, human acceptance. Code, models, data, and secrets are segregated. Success: cross-stack reproduction, complete gates, retained negative results. Worst failure: a demo skips into human/physical operation. Scenarios: SC-FINAL-06/07/10.

Design persona / not personal data

PERSONA-06 | Community worker coordinating accountable handoffs

Goal: route issues to the true responsible body and explain waiting, conflict, and closure. Barriers: changing catalogues, multi-department handoffs, offline records, and inconsistent emergency information. Non-AI: duty phone , paper ledger, on-site meeting, human command. Only duty-necessary information is used with source/version. Success: closed handoffs, retained minority opinions, and reconciled offline recovery. Worst failure is misattributed responsibility; C cannot approve and cannot exercise emergency command. Scenarios: SC-FINAL-01/08/11/12.

Design persona / not personal data

Appendix F: twelve scenarios and three landmarks

Reading index of twelve deduplicated formal cards. All three landmarks need rights, site and professional review; none counts as a deployment.

ID	Formal scenario	People and spatial interface
SC-FINAL-01	Paper complaint routing and remedy	Personas PERSONA-01/06; community-subdistrict
SC-FINAL-02	Health/care navigation with human escalation	Personas PERSONA-01/02; home-community-health network
SC-FINAL-03	Learning to real opportunity with minor safeguards	Persona PERSONA-03; campus-community-park
SC-FINAL-04	Housing/community repair co-governance	Personas PERSONA-01/04/06; building-community
SC-FINAL-05	Continuous accessible station-city journey	Persona PERSONA-02; station-street-public space-destination
SC-FINAL-06	Idea to first verified paid task	Personas PERSONA-04/05; person-park-Three Areas/Two Wings
SC-FINAL-07	Private idea preservation and granular licensing	Personas PERSONA-03/05; private space-trusted meeting-public display
SC-FINAL-08	Extreme rain, outages, and lifeline continuity	All personas; city-district-community-facility
SC-FINAL-09	Blind-route issue to spatial correction	Personas PERSONA-02/06; street-station-public space
SC-FINAL-10	Public-space robot near miss, stop, and review	Personas PERSONA-02/04/05; controlled test site-public edge
SC-FINAL-11	Contested shared-space design with minority-opinion retention	Personas PERSONA-01/04/06; community-key-area public space
SC-FINAL-12	River ecological anomaly verification and long-term feedback	Persona PERSONA-06 and nearby residents; Qinghe/Xiaoyuehe-community-professional network

LANDMARK | Three conditional public landmarks; full scenario chains remain in the narrative and offline HTML

LANDMARK-01 | Jingzhang Open-Source Origin

A public node for self-reliant engineering, open release, and ordinary people's ideas, with small launches, version archives, paper/accessible expression, and contributor-chosen attribution. It is neither a giant monument nor an official award. Rotating curation, community/campus stewardship, and rights inventory support operation; people can participate without digital recording. Siting waits for heritage, access, ownership, fire, and crowd review.

LANDMARK-02 | Symbiosis Verification Station

A transparent interface where residents, developers, professionals, and lawful actors observe that testing can stop and roll back, displaying positive/negative results, takeover, data scope, and exit. It is not a routine face-collection site or unauthorized human experiment. Risk-tiered access, failure-first disclosure, safety separation, accessibility, emergency stop, medical response, and withdrawal are prerequisites; siting waits for formal spatial/professional review.

LANDMARK-03 | Century Engineering Memory Corridor

A continuous narrative connecting Jingzhang engineering history, ordinary life, and contemporary innovation through the heritage park, communities, and innovation nodes. Sound, text, models, and revocable resident contributions support it; historic images/slogans do not replace spatial design. Operation requires copyright/portrait clearance, rotation, offline interpretation, and accessible guidance. Fixed installations remain subject to heritage, railway, water, ecology, and public-space procedures.

Appendix G: industrial validation and an operating year

Three concept validation subcards of SC-FINAL-06/10; thresholds, results and performance remain unmeasured. The calendar is a future operating year, not held events or government commitments.

IND-TEST-01 | Autonomous full-stack Agent toolchain reproduction and migration

Place / people: B04 controlled-test back-of-house for PERSONA-03/05, deepening SC-FINAL-06. Only cleared results reach the public gallery.

Object / inputs: Replaceable models, tools and permissions; version-locked code, licensed/synthetic tasks, human baselines and fault cases. Unauthorized production systems stay disconnected.

Acceptance targets: Replay and trace cross-interface migration. Record completion, reproduction, unauthorized requests, takeover and exit. Professionals lock thresholds first; no achieved performance is claimed.

Accountable roles: Candidate park operator controls site/logs; researchers maintain versions; data/cyber/AI-safety and industry experts review independently. Accountable actors or L retain procurement and permits.

Stop / non-AI: Stop for unclear rights, failed reproduction, unauthorized calls or lost rollback. Isolate credentials, retain necessary logs and use offline manual/paper acceptance. A demo is not admission.

IND-TEST-02 | Embodied-intelligence/robot tasks in a closed test space

Place / people: B04 closed test back-of-house/public boundary for PERSONA-02/04/05; deepens SC-FINAL-10. Public paths are not default test sites.

Object / inputs: Transport, obstacle response, handover and return on a verified closed-site map; authorized/synthetic tasks and stop records. The provisional plan is never a robot control map.

Acceptance targets: Trace tasks and handovers inside the authorized test boundary. People, obstacles, lost communication or uncertain localization invoke a validated stop/takeover response; retain near misses and retests.

Accountable roles: Candidate operator and site safety lead control entry/stopping. Robotics teams supply evidence; engineering/access/fire/medical experts review. L retains statutory closure, rescue and resumption matters.

Stop / non-AI: Boundary breach, near miss, failed stop chain or absent staff halts physical testing. Separate hazards; use manual transport/guidance or simulation. No restart before review; keep negative results.

IND-TEST-03 | Public-service and SME Agent task delivery

Place / people: B06 staffed public ground and B05 transfer desk; PERSONA-01/04/06, deepening SC-FINAL-06 and linking SC-FINAL-01.

Object / inputs: Request-to-materials-to-directory-to-human-review-to-receipt task; use versioned public directories, minimal chosen materials, anonymous/synthetic cases and a same-task manual baseline.

Acceptance targets: One ID connects online, phone, counter and paper; declining AI preserves equivalent service. Record routing, repeated materials, time, escalation and exit, not approvals or income.

Accountable roles: Candidate community/business operators maintain counters; teams update directories; labor/contract/tax/IP/access experts review. L or accountable actors retain eligibility, adverse decisions, permits and remedy.

Stop / non-AI: Conflicting directories, wrongful refusal, leakage or withdrawn consent stops automation and alerts staff. Preserve originals; use phone, paper , counter or professional correction. No permanent score.

Annual rhythm | future operating year; hosts, sites, funds and dates unconfirmed

Q	Theme / concept places	Outputs, responsibility and entry gate
Q1	Open-source reproduction and needs / AI Origin and Zhongzhiyuan	Anonymous/paper needs, cleared tasks and versioned plans. Candidate campus/park and IP/data teams verify rights, sites and non-AI entry.
Q2	Safety validation and urban tests / controlled Zhongzhiyuan back-of-house	Three staged tests, positive/negative results and takeover drills. Candidate operator/safety lead checks gates; no unauthorized public-crowd testing.
Q3	Public innovation and railway culture / heritage memory and Dazhongsi	Cleared releases, opt-in exhibits, offline interpretation and segmented experience. Candidate culture/community teams verify heritage, access, fire safety and restoration.
Q4	International exchange, transfer and review / AI Origin, gallery and professional network	Cleared bilingual cases, independent retests, voluntary matching and contract follow-up. Legal/IP and candidate operators verify claims; no investment or procurement quotas.

Weekly: developer reproduction clinic and non-digital resident consultation. Monthly: scenario opening/closure, accessibility/maintenance review and a cleared safe experience day. Paper/phone/in-person share an ID; cancel without staff or stop/restoration capacity.

Experience/communication: open Dazhongsi-memory-AI Origin-Zhongzhiyuan/Qinghe segments only after access/weather checks. Use cleared bilingual versions and positive/negative results; retain chosen attribution and withdrawal.

Conversion: needs > rights/site/duties > versioned test > independent retest > cleared publication/voluntary matching > accountable contract/permit > delivery and review. Failed tests are not attraction success; values remain unmeasured, with stop, takeover, withdrawal and restoration.