

CENTENNIAL JINGZHANG AI INNOVATION BELT • AGENT OPEN CALL

JZ • RETURN

JINGZHANG CIVIC RETURN LINE

Return AI capacity to civic life.

Put technical validation into accountable, correctable and exit-ready urban interfaces.

This is not a new transport line. It is a civic-value loop connecting railway heritage, AI innovation networks and everyday public life.

OPEN TRACK

THREE DISTRICTS

HUMAN REVIEW

REVERSIBLE PILOTS

0 → 10 → 100 → 0+

JINGZHANG CIVIC RETURN LINE



CONCEPT // EVIDENCE // EXIT

01 / TARGET

The future AI district is not a park, but a complete urban ecosystem

Work, learning, living, socializing, industry, ecology and governance support each other; a single AI landmark cannot replace the complete system.



WORK

LEARN

LIVE

CONNECT

INDUSTRY

ECOLOGY

LOWART CONCEPT - NOT GEOGRAPHIC EVIDENCE

05

PART 01 · FUTURE AI ECOSYSTEM

GOAL | What the Future District Should Be

The future goal is not to add AI facilities, but to bring innovation resources into daily urban life

Whether the goal is achieved depends on whether talent, enterprises, residents and the city simultaneously obtain perceivable and sustainable value.



TALENT: Cross-institutional collaboration + Complete lifestyle support



ENTERPRISES: Real problems + Test scenarios + First-use opportunities



RESIDENTS: More convenient services + Right to participate + Right to exit



CITY: Reusable capabilities + Traceable governance



Not a technology display → It's urban capability



VALUE PROPOSITION | SOURCE: LOVANT REGENERATION

06

PART 01 / FUTURE AI ECOSYSTEM

GOAL | What the Future AI District Should Be

Universities, research, enterprises, communities and cities must form a continuous cycle, not adjacent islands

Every experiment should enter feedback, evaluation and exit mechanisms, then return to research and product iteration.



MECHANISM / MULTI-STAKEHOLDER FEEDBACK VERIFICATION

07

PART 01 • FUTURE AI ECOSYSTEM

Knowledge production is no longer separated by office and campus boundaries, but forms a cross-institutional collaboration network

Spaces need to support formal research, temporary teams, open courses, 成果展示 and low-barrier entrepreneurship simultaneously.



SHARED R&D:

Cross-institutional use of experiments, computing power and data resources



PROJECT TEAMS:

Rapidly build short-cycle teams around urban issues



OPEN COURSES:

Courses, exhibitions and discussions enter public spaces



LOW-BARRIER ENTREPRENEURSHIP:

Services, capital and scenarios meet at walking scale

GOAL | What the Future AI District Should Be

CO-CREATE
OPEN
CONNECT
FUTURE

AI for City

PART 01 - FUTURE AI ECOSYSTEM

GOAL 1 Global Case Insights

What 7 cases truly teach is not form, but making three organizational capabilities the urban foundation

Research, industry, heritage, public life, data, governance, ultimately becoming fluid synergy of eight elements.


one-north · KENDALL SQUARE · WOVEN CITY · MASDAR CITY · 22@ Barcelona · King's Cross · QUAYSIDE

01 RESEARCH × INDUSTRY ADJACENCY = KENDALL SQUARE



Research × Industry Adjacency

02 HERITAGE × PUBLIC LIFE = KING'S CROSS



Heritage × Public Life

03 IT × DATA × GOVERNANCE BOUNDARY = QUAYSIDE WARNING



Data × Governance Boundary

Eight Resources Must Collaborate On-site!

Not eight separate indicators, but an operable public innovation chain

LAND → SPACE → INDUSTRY → CAPITAL → TALENT → COMPUTING → DATA → SCENARIOS

04 RESIDENTS

Planning goal: Self-reported data and independent evidence recorded separately; Quayside serves as governance warning.

CASE EVIDENCE | EVIDENCE-DRIVEN GENERATION

INFORMAL EXCHANGE IS INFRASTRUCTURE

INFORMAL EXCHANGE

Cannot rely only on meeting rooms and commercial consumption

Serendipity, lingering, discussion, sports and
curation require public spaces usable
without consumption.

SERENDIPITY

LINGERING

DISCUSSION

SPORTS

CURATION

PUBLIC LIFE / LOW-THRESHOLD / NON-CONSUMPTIVE



Linger without consumption



Enter without login



Use without profiling

LOVART CONCEPT - PUBLIC RIGHTS

10

11



PART 01

Innovative talent needs complete life support, and the ability for short-term stay and rapid urban integration

From 'finding a job' to the complete life chain of 'arrival—housing—family—health—social'.

- **ARRIVAL** Station transfer / Bilingual guidance / Fast registration
- **HOUSING** Short-term stay / Affordable options / Daily dining
- **FAMILY** Childcare education / Sports culture / Community integration
- **HEALTH** Primary care / Mental support / Accessibility services

Housing scale, specific projects and service capacity to be determined after reviewing current data and implementation scope.

LIFE SUPPORT - CAPACITY PENDING VERIFICATION

11

PART 01 - FUTURE AI ECOSYSTEM

Future industrial ecosystem must turn real urban problems into testing, evaluation and first application scenarios

Industry is not simple occupancy: must go through boundary definition, technical verification, human review and public feedback.

- 01 **PUBLIC ISSUES** (Urgent or long-term needs raised by citizens or government)
- 02 **BOUNDARY DEFINITION** (Clear technical, temporal, spatial and ethical constraints)
- 03 **CONTROLLED TESTING** (Conducted in small-scale, enclosed or low-risk environments)
- 04 **HUMAN REVIEW** (Results and process review by experts or public representatives)
- 05 **SCALE OR EXIT** (Decide to expand application or stop project based on results)

Any stage can be paused, any conclusion can be traced to responsible person and evidence.

PRIVACY

HUMAN REVIEW

Boundary definition, technical verification, human review and public feedback are illustrative, not approved testing routes.

GOAL | What the Future AI District Should Be



BOUNDARY TESTING - NOT AI APPROVED ROUTES

PART 01 - FUTURE AI ECOSYSTEM

GOAL | Continuous Slow-traffic Public Corridor

Continuous slow-traffic spine must truly land at station, heritage site and park interfaces

Use Amap controlled base map to identify real road networks and resource anchors, then implement connection principles as accessible, stayable, verifiable public interfaces.



A STATION INTERFACE

Station plaza, covered walkway, accessibility and smart guidance



B HERITAGE INTERFACE

Connect 24 heritage points, implant AI guided tours and heritage activation facilities.



C BLUE-GREEN INTERFACE

Park entrances, slow-traffic corridors and ecological patches form stayable public spaces

RESOURCE ANCHORS

Stations / Heritage points / Commercial / Parks

DESIGN ACTIONS

Continuous spine / East-west stitching / Accessibility

CONSTRUCTION BOUNDARY

Approx. 1.09 km corridor connection; engineering measures and approval pending verification

AMAP CONTROLLED - FIELD EVIDENCE - PROVISIONAL DESIGN

PART 01 - FUTURE AI ECOSYSTEM

GOAL | Five Capabilities and Next Chapter

Open, mixed, continuous, accountable, iterable - five capabilities forming Jingzhang future ecosystem

These five capabilities are not slogans, but shared criteria for next chapter 'Future Needs' and subsequent spatial diagnosis.

01 OPEN

Cross-institutional
sharing / Public access

02 MIXED

Work / Study /
Life coexistence

03 CONTINUOUS

Unbroken space /
service / feedback

04 ACCOUNTABLE

Privacy /
Human review / Exit

05 ITERABLE

Traceable data /
Recomputable metrics

NEXT / PART 02

What new needs for future living,
socializing and working?

TARGET CRITERIA - VALUES PENDING METRIC VERIFICATION

02 / NEEDS

Understand **future people** first, then **decide** future spaces

Researchers, startup teams, young students, residents and visitors have different temporal, service and spatial needs in the same innovation belt.

“

Spatial design shifts from 'function list' to 'people's tasks and rights'. ”

USER-CENTRED DESIGN PREMISE

15

PART 02 - FUTURE USERS & NEEDS

NEEDS | How Future People Work, Live and Socialize

Five user groups share the same innovation belt, but need different access methods

01 RESEARCHERS:
Equipment, peers and
cross-institutional collaboration



02 STARTUP TEAMS:
Low-cost residency, first scenario
and capital interface



03 YOUNG STUDENTS:
Learning, expression and
long-term participation



INNOVATION BELT

05 VISITING TALENT:
Fast arrival, short-term work
and flexible services



04 RESIDENT FAMILIES:
Convenience, safety and
digital alternatives



FIVE USER GROUPS - NO FICTIONAL INTERVIEWS


16

PART 02 · FUTURE USERS & NEEDS

NEEDS | How Future People Work, Live and Socialize

A cross-institutional team needs to complete meetings, testing, presentations and life transitions within one day

| Space and services must be continuous, not requiring re-entry at every step.



Century Jingzhang AI Innovation Belt · Part 02

SCENARIO SCRIPT · NOT OPERATING EVIDENCE

17

Task script for testing spatial continuity, not representing operational projects or existing statistics.

PART 02 • FUTURE USERS & NEEDS
NEEDS | How Future People Work, Live and Socialize

Youth need not just activities, but the right to long-term participation

— From short-term activities to long-term mechanisms

05 • REVIEW

Enter annual review mechanism
Establish youth review seats for youth voices in urban planning and service improvement agendas.



01 • LEARN

Low-cost learning and working
Provide low-cost learning spaces, workshops and lightweight sharing platforms for continuous youth growth in connections.



02 • LINGER

Usable without consumption
Create public spaces without consumption pressure for spontaneous lingering, rest and socializing.



03 • EXPRESS

Apply for space, initiate activities
Open space application mechanisms for youth to autonomously initiate activities, exhibitions and community projects.



04 • QUESTION

Query public AI scenarios
Establish public AI scenario query systems for youth participation in technical decisions and ethical discussions.



PART 02 FUTURE USERS & NEEDS

The premise of residents obtaining convenience is not being excluded by technology

Public AI services must retain informed consent, human review, appeals, non-digital alternatives and exit paths.



Design principles need to continue comparing applicable regulations, technical boundaries and responsible entities in specific scenarios.



PART 02 · FUTURE USERS & NEEDS

Century Jingzhang AI Innovation Belt · Part 02

NEEDS

How Future People Work, Live and Socialize

First-time arrivals need to quickly enter the innovation network and urban life from station identification



Arrival is not a sign, but a **continuous, accessible, bilingual service-accessible entry chain.**

01 STATION IDENTIFICATION



Rail exit /
Bus transfer

02 CONTINUOUS ARRIVAL



Walking / Accessibility /
Bilingual guidance

03 INNOVATION ENTRY



Short-term work /
Exhibition / Enterprise services

04 LIFE INTEGRATION



Parks / Dining / Sports /
Community info



Universities and Beihang auxiliary road: Amap location control map.



Base map and anchors controlled by deterministic mapping; routes and engineering interfaces require professional deepening.

CONTROLLED MAP - ROUTE TO BE VERIFIED

20

PART 02 / FUTURE USERS & NEEDS

NEEDS | How Future People Work, Live and Socialize

Continuous use from 08:00-22:00 requires work, study, socializing and life to no longer be fragmented

The same public spine must support from morning commute to safe evening departure



Century Jingzhang AI Innovation Belt - Part 02

DAILY USE SCRIPT - NOT FOOTFALL DATA

21

PART 02 • FUTURE USERS & NEEDS

NEEDS | How Future People Work, Live and Socialize

Future needs can be summarized as six types of public capabilities, not an infinitely expanding function list

Six capabilities serve five user groups together, and become criteria for subsequent spatial diagnosis.



Century Jingzhang AI Innovation Belt · Part 02

Researchers • Startup Teams • Young Students • Resident Families • Visitors & International Talent

SIX PUBLIC CAPABILITIES


22

PART 02 - FUTURE USERS & NEEDS

NEEDS | How Future People Work, Live and Socialize

Every future need must correspond to spatial carrier, service provider and verification method

Subsequent design uniformly uses a seven-question contract to avoid disconnection between scenarios, space and operations.



PART 03

Today's physical space cannot yet support tomorrow's innovative life

The question is no longer just 'whether there are parks, stations and enterprises,' but whether these resources can be continuous, open and usable in daily time.




Current diagnosis supported by public data, route-level surveys and self-reported field verification, striving for academic rigor, incorporating 'diagnostic meaning and factual boundary notes'.

SCOPE / CONTROL / TRACEABILITY

Lock real locations first; keep scope and metrics controlled

Amap provides geographic context. Statutory boundaries, zoning controls and ownership remain pending official records.



11.41 km²

provisional overall design model area

12.34%

green ratio

7.33%

public-space ratio

Still UNKNOWN: statutory lines, zoning metrics, ownership, municipal capacity, engineering approval and operating performance. No official polygon or confirmed area is asserted for the three focus areas.

WMF-2-621-02 - 4/28/2024 - 4/28/2024 - 4/28/2024 - 4/28/2024

CONTROLLED EVIDENCE - NOT STATUTORY PLANNING

PART 3 - 03

DIAGNOSIS | Gap Between Goals and Current Physical Space

Jingzhang is not short of resources, but lacks public systems that convert resources into open interfaces

Universities, enterprises, rail, parks and communities are dense along the line, but institutional boundaries, road discontinuities, entrance misalignment and scattered services make it difficult to form a continuous network accessible to the public.

Resource Density and Open Interface Matching Analysis



PHYSICAL DIAGNOSIS

Do not quantify 'insufficient openness' as unmet social value

26

Six future public capabilities encounter three types of ruptures in current state: network, place and organization

01

Network Rupture Affects Accessibility



Network Road Analysis

02


Place Rupture Affects Lingering and Socializing



Urban Public Space Node Analysis

03

Organization rupture affects cross-institutional collaboration, scenario operations and accountability loops; three ruptures reinforce each other, cannot be solved with single nodes.



Organizational Relationship Network

Century Jingzhang AI Innovation Belt

Rupture types are design strategy framework, specific points and extent to be continued verification.


PART 03 - 28 Century Jingzhang AI Innovation Belt

Physical-space diagnosis | Interface between institutions and public spaces

Universities and enterprises are close in distance, but cross-institutional collaboration still lacks accessible, bookable public interfaces

Spatial proximity does not equal true openness of equipment, courses, problems, test scenarios and services; innovation teams still need to cross entry, permission, information and operation boundaries.

University-Enterprise-Public Space Current Interface Analysis



DATA TO HIGHLIGHT

Institutional openness willingness and distance differences to be verified through interviews

Source: Century Jingzhang AI Innovation Belt Research

PART 03 - 29 | Gap Between Goals and Current Physical Space

Parks are built, but sustainable lingering, non-consumption socializing and nighttime use still need verification

01

Current assessment shifts from 'whether facilities exist' to 'whether sustainably usable': can entrances be easily found

02

Can stay for extended periods

03

Whether supports youth learning and discussion

04

Whether safe at night

05

Whether still has daily use after activities end

📍 Jingzhang Railway Heritage Park

Do not... with 'no toilet' and other known defects and photo negative conclusions

29

| DIAGNOSIS | Gap Between Current and Planned Space

30

Detours, entrance misalignment and final distance make continuous corridors fail in daily use

Three-segment diagnosis finds: same problems, different forms; the final segment determines whether corridors are used daily.


01 SOUTH SEGMENT: Focus on station front connection and road crossing



- Station square and urban interface are fragmented; detours required
- Multiple road crossings create physical and psychological barriers
- Rail corridor and ground systems lack continuous interface

Key issues: Breaks occur at key nodes; detours become defaults

02 MIDDLE SEGMENT: Focus on visible but hard-to-access resources



- Resources are scattered, but entrances are blocked or hidden
- Interface clutter and inconsistent management limit accessibility
- Poor visibility and information gaps make route choice uncertain

Key issues: Resources are visible, but entrances are not directly in front

03 NORTH SEGMENT: Crossing, railway and university compound barriers, common issue is missing connection standards for final segment



- Complex barriers and long distances increase detours
- Lack of unified connection standards and interface control
- Final segment lacks clear destination and connection conditions

Key issues: More crossings, more breaks; the final segment lacks standards

① Research conclusions are not a substitute for formal approval of road or public transit engineering projects.



PART 03 - 31

DIAGNOSIS | Distance Between Goals and Current Physical Space

Life services and short-term stay cannot be concluded by experience, must enter formal supply verification checklist

“

Verify housing and short-term rental, childcare, medical, dining, night services, sports culture and international talent services item by item for supply, accessibility, price and opening hours; keep **unknown** when data insufficient, not fill in imagined numbers.

”


Jingzhang Railway Line Life Service Supply Verification Map

Service Facility Types

- Housing & Short-term Rental
- Childcare
- Medical
- Dining
- Night Services
- Sports & Culture
- International Talent Services
- Other Services

LEGEND

- Verified Supply Point
- Insufficient Data / unknown
- Major Transfer Station
- Study Area Boundary
- Accessibility (15-min walk)**
- Highly Accessible
- Moderately Accessible
- Low Accessible
- Not Accessible
- Outside Study Area



U Data Gap Notes

Data related to this area is insufficient, including facility, supply, price, opening hours, etc., all marked as unknown.



0 1 2 3 4 5 km

Jingzhang Railway
— 1909 —

DESIGN STRATEGY ROADMAP



Supply, price and hours based on formal data and field surveys.

Origin Community, Zhongzhi Park and Dazhong Temple Face Different Problems

PART 03 · 32

01 ORIGIN COMMUNITY

Needs to connect campus, youth life and low-barrier innovation services



02 ZHONGZHI PARK

Needs to transform R&D and verification capabilities into open interfaces



03 DAZHONG TEMPLE

Needs to organize transfer, business and public life into an urban gateway




i Three area scopes and building uses on this page are location deductions

32

Three Types of Ruptures Need a Common Foundation, Not More Isolated Projects

01 SPATIALLY NEEDS Continuous Public Spine

Build a north-south and east-west connective corridor to form a continuous public backbone that supports diverse activities and functional integration.



02 SERVICE-WISE NEEDS Unified Entry

Establish a unified portal and service entry, integrating information, guidance, and service system to reduce access barriers and improve usability.



03 SCENARIO-WISE NEEDS Common Access and Exit Rules

Set clear and transparent access and exit rules to ensure fair participation for diverse stakeholders and promote market vitality and sustainable iteration.



04 OPERATION-WISE NEEDS Cross-district coordination, leading to "Jingzhang Physical Line → Open Track"

Use the physical line as the backbone to establish cross-district coordination mechanisms, realize resource connectivity, activity linkage, and brand co-building, forming sustainable system operation.



DESIGN STRATEGY

Concepts and strategies are design propositions,
next chapter enters systematic interpretation



URBAN INNOVATION ECOSYSTEM DESIGN
BASED ON RAILCITY'S IMPACT OF
THE BEIJING-ZHANGJIAKOU RAILWAY

Six Tasks Together Answer How Future **Innovation Ecosystem** Establishes in Real Cities

01 OVERALL CONCEPT Define Common Direction



- Establish the overall vision and long-term goals for the innovation ecosystem
- Clarify stakeholder roles and collaboration principles
- Form a shared direction for urban innovation

02 INNOVATION ECOSYSTEM ORGANIZATION Connect Elements



- Define the roles of stakeholders in the innovation ecosystem
- Build collaboration networks and resource-linking mechanisms
- Design an adaptive governance and management framework

03 AI SCENARIOS Enter Real Testing



- Build AI application scenarios based on real contexts
- Establish practical testing and validation mechanisms
- Iterate solutions to achieve scalable implementation

04 PUBLIC SPACE Support Daily Life



- Build open and inclusive public networks
- Meet diverse daily needs
- Activate spaces and strengthen community bonds

05 CULTURAL NARRATIVE Form Urban Consensus



- Explore the historical value and narrative of the railway
- Construct a shared identity and urban story
- Enhance brand image through cultural recognition

06 ACTIVITIES & OPERATIONS Transform Innovation into Implementation Capability



- Plan multi-form activities to attract resources and talent
- Establish market-oriented operations and sustainable financial models
- Cultivate local teams and community participation for long-term growth



CONCLUSION

Six Tasks Together Form an Operable Urban Innovation System

“Jingzhang Return Line”

Redirect Century Engineering Innovation Toward Contemporary Public Value

01 CHINESE NAME

Jingzhang
Return Line



02 ENGLISH

Jingzhang
Civic Return Line



A CENTURY OF ENGINEERING
INNOVATION RETURNING TO
PUBLIC VALUE

03 SHORT ID

JZ-RETURN



04 NAMING EXTENSION

For return lounge, return station, return landmark, return frame and return archive.

Logo uses J-shaped track forming open entrance, gap represents public entry.

 Return Lounge

 Return Station

 Return Landmark

 Return Frame

 Return Archive

Open Track

Use one public spine to coordinate land functions, three zones two wings and corridor resources



01



ONE PUBLIC SPINE, Activate Linear Space Value

Rely on the Beijing-Zhangjiakou Railway heritage resources to build a connected public spatial framework, linking south and north nodes and diverse functions.

02



EAST-WEST STITCHING INTERFACE, Connect Urban Corridors

Set up east-west interfaces at key nodes to link the two communities and functions, promoting the integration of pedestrian flow and vitality.

03



THREE-ZONE LINKED DEVELOPMENT, Shape Diverse Cores

Link Zhongzhi Park, Yuan Point Community, and Dashansi to form diverse cores of innovation, living, culture, and industry, driving coordinated regional development.

04



TWO-WINGS COORDINATED EMPOWERMENT, Release Innovation Energy

Empower Zhongguancun Science and Technology Service Zone and Xiaoyuehe Riverside Landscape Wing to form dual support for technological services and ecological innovation.

05



INDUSTRIAL HERITAGE CONNECTION, Continue Place Memory

Protect and revitalize industrial heritage nodes, embedding public space and functional scenarios to continue a century of railway industrial legacy.

Century Jingzhang AI Innovation Belt

36

SOLUTION 1 — Integrated Solution

P37

Three Positionings, Five Functions, Three Zones Two Wings and Stay-Innovate System Form Overall Spatial Organization

01 THREE POSITIONINGS




AI Innovation Ecosystem Corridor



Responsible AI City Test Line



Global-facing AI Public Culture Destination




02 FIVE FUNCTIONS



03 SPATIAL COORDINATION SYSTEM

Zhongzhi Park, Origin Community, Dazhong Temple and Two Wings
Coordinated through three public systems: "Move, Stay, Innovate"



Century Jingzhang AI Innovation Belt

Positioning and function-oriented proposal, not subject to government-approved legal planning

37

04 - 2.2

SOLUTION | Eight Elements Activation and Accountability Loop System

Eight Element Types Must Form a Closed Loop from Basic Research to Industry Conversion Back to Urban Issues



Century Jingzhang AI Innovation Belt

Each element marked with source to ensure verifiability; unmarked data does not represent completeness.

38

SOLUTION 1 — Six Tasks Together Form Urban Innovation System

39

Land Functions, Spatial Carriers and Industry Chain Carried by Three Zones

Two Wings, Subject to Area Recalculation



**Century Jingzhang
AI Innovation Belt**




Classification codes, area balance and recalculation process enter A04, A12;
do not constitute enterprise positioning or industry scale

Zhongzhi Park Forms Full-stack Innovation Foundation with R&D, Computing, Data, Models, Tools and Verification Interfaces

01

CAPABILITY LAYER

Organize R&D, computing, data, models and tools



02

SPATIAL LAYER

Configure controlled test scenarios, shared facilities, garden test lounge and public display interfaces



03

GOVERNANCE LAYER

Set data boundaries, human review, evaluation and exit



Origin Community Completes Near-campus Conversion, Zhongguancun Tech Service Wing Fills Incubation, Capital and Professional Services

Century Jingzhang AI Innovation Belt

Beijing Qinghe Changping Yangling Huairou Zhongguankou

01 ORIGIN COMMUNITY

University achievements enter public space

02 TEAM FORMATION

Teams complete formation in Origin Community, prototype and talent life access

03 TECH SERVICE WING

Tech Service Wing provides IP, legal, capital and enterprise services

04 R&D FEEDBACK

Controlled testing and scenario applications return to R&D



Spatial Connection and Place Memory

Leveraging the industrial legacy of the Jingzhang Railway, we connect campus, communities, and industry spaces to build an AI-driven innovation belt with distinctive place identity.



SOLUTION 1 — Six Tasks Together Form Urban Innovation System

Five User Groups Enter Same Scenario Open System from Different Entrances



Transportation, Medical, Education, Commercial and Robot Scenarios **Must First Answer Who to Serve and Where to Locate**

01 AI+ SLOW TRAFFIC



- Who to serve: citizens, tourists, commuters, pedestrians
- Where to locate: roadside zones, slow-traffic lanes, waterfront promenades, historic districts, community hubs
- Key values: safe, convenient, low-carbon, friendly

02 AI+ MEDICAL HEALTH



- Who to serve: residents, patients, elderly people with disabilities
- Where to locate: community health stations, clinics, hospitals, health checkup centers, elderly care community, sports parks
- Key values: accessible, connected, preventive, caring

03 AI+ EDUCATION CULTURE



- Who to serve: students, teachers, parents, lifelong learners
- Where to locate: campuses, libraries, museums, cultural venues, maker spaces
- Key values: fair, inclusive, diverse, innovative

04 AI+ COMMERCIAL SERVICES



- Who to serve: consumers, merchants, entrepreneurs, industrial workers
- Where to locate: commercial streets, complexes, industrial parks, transport hubs, exhibition venues
- Key values: convenient, vibrant, collaborative, value-creating

05 ROBOT GUIDE

Each robot is labeled with user ID, location, operator, data, algorithm, evaluation and retirement for human review and oversight



Autonomous Driving, Unmanned Delivery, Inspection, Enterprise Services and Public AI Registration Must Accept Same Accountability Rules



ACCOUNTABILITY RULES: Trustworthy Purpose | Minimum Data | Human Takeover | Exit Available

Robots, autonomous driving and unmanned delivery do not constitute licensed safe scope deployment

3 Types of Industry Test Scenarios

Complete Scenario-Space-Operation Loop Along Xiaoyue River Public Experience Path

01



PHYSICAL AI TESTING

Focus on real environment, safety boundaries and human takeover

02



PUBLIC SERVICE AGENT TESTING

Focus on accuracy, non-digital alternatives and appeals

03



URBAN OPERATION ASSISTANCE TESTING

Focus on separation of suggestion and decision rights, three test types connect to six research projects along Xiaoyue River, forming public experience, professional evaluation and exit review



Roads, Rail, Slow-traffic and Blue-green Systems Together Support North-south Connectivity and East-west Stitching

01 NORTH-SOUTH CONTINUOUS ORGANIZATION OF DAILY SLOW-TRAFFIC

02 EAST-WEST INTERFACE STITCHES RAIL STATION GATES, URBAN ROADS, CAMPUSES, COMMUNITIES AND BLUE-GREEN SPACES

03 UNIFIED HANDLING OF TRANSFERS, CROSSINGS, RAMPS, DISCONTINUITIES, LINGERING, ACCESSIBILITY AND FEEDBACK

04 EVENT DAYS, DAILY TRAFFIC AND HERITAGE PARK PUBLIC LIFE ARE MUTUALLY COMPATIBLE



Century Jingzhang AI Innovation Belt

SOLUTION | Six Tasks Together Form Urban Innovation System

Sit-able, Learn-able, Display-able, Test-able, Recover-able Form Basic Units of **AI-native Public Space**


01 RETURN LOUNGE

Support lingering and joint curation



02 OPEN TEST INTERFACE

Support landing, integration, power, network
interface human takeover



03 K01-K06 COMPONENT SYSTEM

Create seating, display, signage, test interfaces,
power and mobile services, allowing flexible
assembly and independent use

K01 Seating Component



K02 Display Component



K03 Signage Component



K04 Test Interface Component



K05 Power Component



K06 Mobile Service Component



Components are conceptual configurable items, not for structural, foundation, MEP and other statutory uses

SOLUTION | Six Tasks Together Form Urban Innovation System

— 48

Dual Stations, Open Interface and Shared Lounge Enable Origin Community to Simultaneously Support Innovation Conversion and Youth Life



01 DUAL STATIONS CONNECTION

Connect Wudaokou Station and Chengfu Road West Intersection dual stations, linking innovation buildings, communities, parks and campus outreach.



02 SHARED LOUNGE

08:00-22:00 all-day service supporting learning, working, exchange, display, co-creation and community services.



03 NEAR-TERM ACTIONS

Open launch, connection restoration, public issues list and small-scale low-damage renovation.



Century Jingzhang AI Innovation Belt | Integrated Solution

C04-L1-6 are conceptual scheme illustrations, not final design or architectural deliverables

PART 04 - 4.4 - 49

SOLUTION | Six Tasks Together Form Urban Innovation System

Dazhong Temple Converts Transfer Efficiency into Morning-Noon-Evening-Night Continuous Intelligent Consumption and Business Portal



Exemplary, innovation and link support are conceptual suggestions

4.4 - 50

SOLUTION | Six Tasks Together Form Urban Innovation System

Three Public Landmarks Use Same Honor and Component Language to Record Issues, Achievements and Global Connections

01 ORIGIN RETURN LIGHTHOUSE



Record issues and receive public feedback

Three locations jointly provide agent contribution honor roll and annual contribution archive

02 OPEN SOURCE MILESTONE



Record replicable achievements and developer contributions

03 DAZHONG TEMPLE AI COMPASS



Connect market and international communication

Landmark locations are work candidates, forms are conceptual directions

———— 50 ————

Wayfinding System, Cultural Routes, Bilingual Content and Annual Archives Enable Continuous Urban Narrative Growth


01 DISTAL DIRECTION WAYFINDING ESTABLISHES FULL-CHAIN IDENTIFICATION

02 NODE DECISION WAYFINDING EXPLAINS SPACE AND CULTURAL CHOICES

03 CONTINUOUS CONFIRMATION WAYFINDING ENSURES DAILY WALKING

04 CHINESE-ENGLISH CONTENT ROUTES CONNECT RAIL NODES, INNOVATION INSTITUTIONS, PUBLIC SCENARIOS AND THREE INDICATORS

05 ANNUAL ARCHIVES CONTINUOUSLY UPDATE OPEN SOURCE CLUES, PUBLIC FEEDBACK AND CONTRIBUTOR RECORDS



English names and translations to be uniformly verified before formal publication

Annual Activities, Developer Community and International Communication Must Enter a Continuous Conversion Chain

PART 04 | INTEGRATED SOLUTION



① Activity names and times are scheme suggestions

P53

PART 04 | INTEGRATED SOLUTION

P54

Open Scenario Application, Public Experience and Urban Landmarks Continuously Operated by Layered Accountability System

01



CORRIDOR-LEVEL COORDINATION PLATFORM

Coordinate brand, data boundaries, annual plans and cross-district resources

02



DISTRICT OPERATION UNIT

Responsible for space, services, activities and funding

03



SCENARIO ACCOUNTABLE PERSON

Responsible for technology, human review and exit

04



PUBLIC INTERFACE

Responsible for disclosure, application, complaints and annual review

Century Jingzhang AI Innovation Belt

Operation architecture is conceptual framework, not representing existing institutions and responsibilities

54

PART 04 - 4.6

Six Tasks Together Form Planning Innovation System

Update Project List and Policy Tools, Organize 100-day Pilots into Reviewable Phased Actions



55

PART 04 - 4.6

SOLUTION 1 Key Tasks Together Form Planning Innovation System

24 Field Samples and 12 Failure Drills Can Only Be Converted to Performance After Real Collection

Three sample belts × Two date types ×
Four time periods

Form **24** planned samples;

12 failure drill types check network disconnection, misidentification, equipment failure, human takeover, complaints, data deletion and site restoration, etc.

Current field samples are **field_not_collected**,
Real personnel takeover and timing are **not_run**

Sampling Matrix and Failure Drill Status Panel

SAMPLING MATRIX (3 × 2 × 4 = 24)


TIME PERIOD	WORKDAY				HOLIDAY			
	06-09	09-13	13-17	17-21	06-09	09-13	13-17	17-21
THREE SAMPLE BELTS								
Sample A Node 1/Workday								
Sample B Industrial Heritage/Holiday								
Sample C Node 2/Workday								

12 Failure Drill Status Types (Example)

01 NETWORK DISCONNECTION Not Run	02 MISIDENTIFICATION Not Run	03 EQUIPMENT FAILURE Not Run	04 HUMAN TAKEOVER Not Run
05 COMPLAINT HANDLING Not Run	06 DATA DELETION Not Run	07 SITE RESTORATION Not Run	08 POWER OUTAGE Not Run
09 SYSTEM CRASH Not Run	10 SAFETY INCIDENT Not Run	11 PRIVACY BREACH Not Run	12 SERVICE DEGRADATION Not Run

Not Run
 In Progress
 Completed
 Abnormal

Industrial Heritage Site Plan (Plan View)



DATA OVERVIEW (Plan vs. Actual)



Century Jingzheng AI Innovation Belt

56

方案 04 · 4.2 · 57

Continue, Pause or Exit Must Be Jointly Decided by Public Value, Risk Standards and Evidence

01

WHETHER ACCESSIBILITY
AND DAILY SERVICES
ARE IMPROVED

02

WHETHER NON-DIGITAL
ALTERNATIVES ARE
MAINTAINED

03

WHETHER UNACCEPTABLE
SAFETY, PRIVACY OR
EQUITY RISKS EXIST

04

WHETHER HUMAN
TAKEOVER IS POSSIBLE

05

WHETHER COMPLAINT
HANDLING AND DATA
DISPOSAL ARE COMPLETED

06

WHETHER SITE CAN
BE RESTORED, ANY
BREACH TRIGGERS
PAUSE OR EXIT

Decisions must rely on verifiable public value, risks and evidence

PART 04 | 4.6 - 58

Not a Set of Future Scenarios, But an Operable, Verifiable, Exitable Urban Public Innovation Framework

01

MAKE IT EASIER
FOR PEOPLE TO ARRIVE,
LINGER AND COLLABORATE



02

LET UNIVERSITIES,
ENTERPRISES AND
COMMUNITIES JOINTLY
RAISE QUESTIONS



03

LET AI ENTER
REAL CITIES UNDER
OPEN, CONTROLLED AND
REVERSIBLE CONDITIONS



04

LET JINGZHANG RAILWAY'S
ENGINEERING INNOVATION
SPIRIT CONTINUE SERVING
NEXT GENERATION
PUBLIC LIFE



Century Jingzhang AI Innovation Belt



DESIGN STRATEGY

Overall conclusion is scheme framework,
not substituting completed or operational achievements


58

PART 05 / EVIDENCE INDEX

Evidence Chain Must Fall Back to Same Real Urban Base

Planning scope, three zones, two wings, innovation corridor and Jingzhang Railway heritage must be located, associated and compared on same controlled base map.

A01



A03—A14
SCOPE AND
BOUNDARIES

Planning scope,
three zones, two wings

A15—A25
RESOURCES AND
FACILITIES

Rail, universities,
enterprises, parks

A26—A30
EVIDENCE AND
COMPARISON

Global cases, diagnosis basis,
scheme prototypes

Source: LOWART | Data: GD-02 | Base map: Controlled base map | ©2020.03

PART 05 / BASIS

A02

The Value of Jingzhang Railway Is to Return Innovation to Public Life

源

1.1 PLANNING CONTEXT

Century railway leaves historical clues of engineering innovation and urban connection

Today, universities, research, enterprises, communities and parks coexist highly along the line

The new question of AI era is how to let innovation enter daily cities under safe, transparent, participatory conditions

Design responds with 'Jingzhang Return Line—Open Track': let engineering innovation capability return to people's movement, lingering, collaboration and public life.

From independent railway engineering origin, toward responsible public innovation community.

MORE ACCESSIBLE ORIGIN

Look back at Jingzhang Railway's significance as origin of China's independent railway engineering, explore turning spiritual core toward contemporary urban renewal.

REALITY CONDITIONS

Analyze complex current fabric along railway, including high-density built areas, diverse property rights and potential functional mix prerequisites and infrastructure constraints.

ERA PROPOSITION

Facing rapid development of AI and digital technology, explore how to empower safe governance innovation with new technology, guide technology smooth integration into urban life.

PROJECT GOALS

Aim to build a safe, open, inclusive innovation community, move engineering innovation from closed laboratories to real urban spaces, dialogue of vitality between technology and humanities.

Century Jingzhang AI Innovation Belt | Reference Materials and Evidence

CONTROLLED EVIDENCE - VERIFY BEFORE SUBMISSION

JINGZHANG RETURN LINE

THREE DISTRICTS · TWO WINGS

0 — 10 — 100 — 0+

ZHONGGUANCUN TECHNOLOGY SERVICE WING

RESOURCE INPUT

B BEIJING AI ORIGIN COMMUNITY
ORIGIN-TO-APPLICATIONSCENARIO
VALIDATION
FEEDBACK LOOP

XIAOYUEHE SCENARIO ENABLEMENT WING

C ZHONGZHIYUAN AI INNOVATION ACCELERATOR

FULL-STACK VALIDATION

A DAZHONGSI AI INDUSTRY CLUSTER
INDUSTRY LAUNCH

OVERALL DESIGN AREA

THREE FOCUS AREAS

OPEN-RAIL SPINE

Evidence boundary: concept proposal · provisional geometry · not an official redline, statutory plan or approval · professional development pending; exact locations and metrics remain controlled by AMap, GeoJSON and official records.

REGIONAL INTERFACES / PROPOSAL ONLY

Five regional capabilities enter one auditable collaboration chain

Capabilities come from public records; interfaces are proposed here. No implementation without a named owner, written authorisation, data licence and exit condition.

01 ZGC AI North Latitude PUBLIC CAPABILITY AI-native firms and lightweight-team ecosystem PROPOSED OUTPUT Problems, teams and early products enter bounded-street tests INTERFACE Register → screen → pilot → public evaluation	02 Future Science City PUBLIC CAPABILITY Technology innovation and transfer ecosystem PROPOSED OUTPUT Specialist demand and transferable results enter validation INTERFACE Topic list → proof of concept → referral	03 Huairou Science City PUBLIC CAPABILITY Major science facilities and original innovation platforms PROPOSED OUTPUT Scientific questions and instrument demand become civic topics INTERFACE Public capability → match → human review	04 Beijing E-Town PUBLIC CAPABILITY Engineering validation, open scenarios and industrialisation PROPOSED OUTPUT Mature results connect to pilot production and demonstration INTERFACE Record → assessment → scenario referral	05 Beijing-Tianjin-Hebei PUBLIC CAPABILITY Regional transfer, demand matching and industry coordination PROPOSED OUTPUT Replicable public-AI rules, records and service components INTERFACE Evidence pack → demand list → off-site retest
---	--	--	---	--

This match is not a collaborative commitment; implementation requires a signed accountable named institution with location, data licence, attributes, action, boundary and exit condition.

SOURCE INDEX SRC-NORTH-LATITUDE · SRC-FUTURE-SCIENCE · SRC-HUAIROU-SCIENCE · SRC-BDA-INNOVATION · SRC-JJJ-INNOVATION

SRC-NORTH-LATITUDE · SRC-FUTURE-SCIENCE · SRC-HUAIROU · SRC-BDA · SRC-JJJ

PUBLIC CAPABILITY = CONFIRMED PARTNERSHIP

PART 05 / BUILDINGS

1.4 PLANNING STATUS & EFFECT

STATUS & EFFECT

效

A05

ACHIEVEMENT ATTRIBUTES |
REGULATORY PLAN

APPLICABLE PROCEDURE |
PLANNING PERMIT

DATA AND MANAGEMENT
BOUNDARIES |
BUILDING FOOTPRINT

SUBSEQUENT CONVERSION PATH |
CONSTRUCTION PROJECT
PLANNING PERMIT

Retention is default option, demolition and reconstruction must wait for legality and performance evidence



RETAIN | Default option,
no additional evidence needed



RENOVATE | Need to provide
renovation plan and performance
improvement evidence



DEMOLISH | Need to provide
legality evidence (government
appraisal, etc.) and necessity evidence



NEW CONSTRUCTION | Need to
provide land legality evidence and
construction necessity evidence

Building footprint: current building land occupation scope. In planning management, building footprint serves as spatial management unit for buildings, carrying floor area ratio, building density, building height and other core indicators.

Century Jingzhang AI Innovation Belt | Reference Materials and Evidence

CONTROLLED EVIDENCE - VERIFY BEFORE SUBMISSION

PART 05 / CONNECTIVITY / INTERFACES

Traffic Judgments Fall on Six Real Interfaces, Not Abstract Color Blocks

Rail, roads, slow-traffic, transfers, connections and parking must accept real accessibility and transfer time verification.



CONCEPTUAL PLANNING - VERIFY BEFORE EXPLANATION. | Data Source: Baidu Map, OpenStreetMap, Bing Map, Google Maps | 1/26/2024

A06



SIX INTERFACES

- 1** **Peking University Third Hospital / Rail Station Interface**
Integrates long-distance transport, directly rail and urban transit, covers comprehensive interchange capacity.
- 2** **Dazhong Temple / Transportation Hub Interface**
Connects functional zones at the entry, improves inbound flow and pedestrian accessibility.
- 3** **Zhongguancun / East-West Ring Belt Interface**
Bridges the east-west ring corridor, optimizes continuous traffic flow and spatial connectivity.
- 4** **Jinyuan Bridge / Entry Hub Interface**
Connects functional zones at the entry, improves inbound flow and pedestrian accessibility.
- 5** **Liuliqiao / Transportation Hub Interface**
Connects rail, Airport Express Line and urban rail, supports multi-mode transfers.
- 6** **Beijing North Station / Airport Line Interface**
Connects Airport Express Line and city rail, provides high-efficiency service lines between airport and urban core.

— Rail Line — Pedestrian Path — Road Connection — Key Node

© 2024 JZ GROUP. ALL RIGHTS RESERVED.

MUNICIPAL AND PUBLIC SERVICES PRE-CONSTRUCTION VERIFICATION CHECKLIST

THREE-STAR LINKAGE: From Research Judgment to Implementable Projects

PROJECT TYPE	RESEARCH CONTENT
 MUNICIPAL INFRASTRUCTURE SUPPORT	Verify power supply, water supply and drainage, communications, computing and emergency capacity item by item
 PUBLIC SERVICE FACILITIES SUPPORT	Record childcare, medical, dining, cultural activities, short-term stay and international talent services item by item for service radius, opening hours, capacity, price and accountable entity
 LAND AND SPACE MATCHING	Land use planning, surrounding development intensity, landscape/ecology/transportation capacity matching
 IMPLEMENTATION CONDITIONS AND ACCOUNTABILITY	Clarify implementing entity, gap remediation accountability and trigger conditions



01



Verify power supply, water supply and drainage, communications, computing and emergency capacity item by item

02



Record childcare, medical, dining, cultural activities, short-term stay and international talent services item by item for service radius, opening hours, capacity, price and accountable entity

03



Projects currently lacking formal capacity and supply data remain **unknown**, with gap remediation accountability and trigger conditions clarified

PART 05 / BLUE + GREEN

A08

Blue-green Public Space Continuous Along Real Corridor, Area Still Awaiting Formal Boundary Recalculation

Blue-green public space continuous along real corridor, area still awaiting formal boundary recalculation.
Use ecology and continuity indicators as development basis, not statutory or planning land boundaries.



Century Jing/Sang AI Innovation Best | Reference Materials and Evidence | CONTROLLED EVIDENCE - VERIFY BEFORE SUBMISSION

Urban Character Implemented Through Six Reviewable Control Categories, Not Just Renderings


PUBLIC SPACE, CULTURAL NARRATIVE AND AI SCENARIO TASKS

For real streets and public spaces, establish reviewable, implementable control systems. Through coordination of spatial interfaces, materials and colors, information guidance and activity scenarios, shape continuous, perceptible, memorable urban experiences, supporting cultural narrative and AI-empowered urban lifestyles.



BUILDING GROUND FLOOR AND STREET INTERFACE

Control ground floor functions, interface transparency, depth and openness, strengthen street continuity and pedestrian experience, activate public life.



COLOR AND MATERIALS

Establish color themes and material libraries, control tone, contrast and heritage, enhance street interface quality within regional context.



WAYFINDING AND BILINGUAL CONTENT

Improve wayfinding systems and information hierarchy, unify design language, enhance Chinese-English bilingual content, improve accessibility and international friendliness.



HEIGHT AND SKYLINE

Establish district height control and skyline shaping rules, protect sightlines and landmark relationships, form layered, rhythmic urban profiles.



NIGHTTIME LIGHTING

Formulate lighting grading and scenario strategies, balance safety, comfort and character, shape nighttime identity and urban vitality.



RAILWAY HERITAGE AND NEW SPACE RELATIONSHIP

Identify and protect railway heritage, clarify protection scope and new construction boundaries, form symbiosis and scenario continuity between old and new spaces.



Current stage only proposes directions: control values to be formed after heritage inventory, character zoning and statutory heights are obtained.


Renewal Projects Must Simultaneously Record Space, Accountability, Preconditions and Exit Thresholds

A10

CORE ELEMENTS PROJECT LIST SHOULD RECORD



SAME CODE PROJECT



 Project lists without preconditions and exit standards cannot enter implementations sequencing.

OPERATION, ACTIVITIES AND ENTERPRISE CONVERSION TASKS

TALENT AND ORGANIZATION OPERATION

- Clarify talent needs and capability profiles, support project implementation
- Establish talent introduction, cultivation and incentive mechanisms
- Form cross-enterprise and laboratory joint teams
- Form sustainable talent supply and organizational capability building

ENTERPRISE CONVERSION AND INDUSTRY DRIVING

- Clarify target enterprise profiles and investment attraction strategies
- Promote docking between innovative enterprises and laboratory achievements
- Support enterprise landing, growth and industry clustering
- Form industry clustering and regional economic contribution



Phasing Does Not Write False Years, But Is Triggered by Evidence and Approval Maturity



MILESTONES BASED ON REAL SCENARIOS AND APPROVAL MATURITY

Do not preset fixed years, each stage triggered by verifiable evidence and key approval nodes, ensure evidence-based matching between input and output capability, scenario iteration, gradual advancement.

01



NEAR-TERM

Priority to low-cost interfaces, navigation, shared lounge, scenario applications and rule prototypes

- ✓ Sort out key interfaces and data channels, complete low-cost pilots
- ✓ Improve navigation capabilities and pedestrian organization optimization
- ✓ Advance shared lounge, pilot diverse spaces
- ✓ Initiate scenario applications and compliance pilots
- ✓ Form rule prototypes and ethics sandbox



TRIGGER CONDITIONS (EXAMPLES):
Interface list completion; pilot launch; obtain relevant scene approval/permit.

02



MID-TERM

Advance key stitching, municipal inspection, public services and district operation

- ✓ Connect key stitching and data interfaces
- ✓ Advance municipal inspection and compliance evaluation
- ✓ Launch public services and convenience functions
- ✓ Establish district operation mechanisms and indicator systems
- ✓ Expand application scenarios and data loops



TRIGGER CONDITIONS (EXAMPLES):
Pass municipal inspection; form scalable operation mechanism.

03



LONG-TERM

Form cross-regional innovation network, international brand and stable governance assets

- ✓ Form cross-regional innovation coordination network
- ✓ Cultivate international brand and influence
- ✓ Form sustainable regulation and governance systems
- ✓ Precipitate standards, tools and governance assets
- ✓ Export experience, drive regional common development



TRIGGER CONDITIONS (EXAMPLES):
Form stable governance assets, achieve external output standards and influence.



POLICY TOOLKIT

Policy portfolio supporting landing and operation of innovative scenarios, covering spatial supply, data openness, funding incentives and risk regulation.



REFORM PILOT SANDBOX

Pilot test within controllable scope, accumulate experience, improve rules, gradually promote.



FUNDING AND FINANCING SUPPORT

Diversified funding sources and financing models, reduce funding pressure on innovation entities, drive project landing.



DATA AND STANDARDS OPENNESS

Promote public data openness and standard formulation, lower entry barriers, promote ecosystem prosperity.



COMPLIANCE AND RISK MANAGEMENT

Establish compliance review and risk early warning mechanisms, ensure safety, controllability and sustainability.



CULTIVATION AND INDUSTRY CLUSTERING

With cultivating innovative entities and industry clustering as goals, build good industrial ecology.

PART 05 / CONTROLLED METRICS

Metrics Become Reviewable Only With Geometry, Formula and Triggers

Corrects the misplaced digit in the former building-footprint appendix; all values return to metrics.json.

PAIR 067 / EN

ENTENNIAL JINGZHANG AI INNOVATION BELT

Metrics, Evidence and Governance Loop

ONLY THREE FORMAL CORE METRICS - ALL OTHER CONTROLS REMAIN EXPLICITLY UNKNOWN



EVIDENCE CHAIN



Still UNKNOWN: statutory redlines, control indicators, ownership, utility capacity, engineering approvals and operating performance.

WARN: metrics data is derived from provisional GeoJSON - confidence low - triggers official polygon-based data

METRICS.JSON ← GEOJSON

11.41 km²

Provisional design-model area
site_boundary.geojson

310,808 m²

Building footprint area
buildings.geojson

12.34%

Green-space ratio
green_space / site

7.33%

Public-space ratio
public_space / site

Key-area count: 3, from key_areas.geojson

FAR, official boundaries and statutory controls: UNKNOWN

Recalculate every bilingual figure after official polygons are released

All values are low-confidence provisional design-model outputs, not official boundaries, zoning controls, ownership findings or approvals.

CONCEPT / PROVISIONAL / TRACEABLE

Competition Tasks, Professional Standards and Design Depth Have Established Machine Feedback Chain



23 ITEMS

Competition requirements enter coverage matrix



5 ITEMS

Required references all marked addressed



13 ITEMS

Non-mandatory architectural design depth basis retains data_gap due to data gaps



15 ITEMS

Design depth items complete structured check

1.3 PLANNING BASIS



This planning and design is based on the following national standards, local standards and relevant documents, all references are from publicly valid versions, and serve as the basis for scheme compliance and rationality.

- **NATIONAL LAWS, REGULATIONS AND POLICY DOCUMENTS**
 - Urban and Rural Planning Law of the People's Republic of China (2019 Amendment)
- **NATIONAL STANDARD SPECIFICATIONS**
 - GB 50180-2018 (2016 Edition) Code for Urban Residential Area Planning and Design
 - GB 50052-2009 Code for Design of Electric Power Supply Systems
 - GB 50189-2015 Design Standard for Energy Efficiency of Public Buildings
- **LOCAL STANDARDS AND TECHNICAL SPECIFICATIONS**
 - DB31/T 543-2011 Shanghai Urban Design Technical Standards
- **COMPETITION BRIEF AND SUPPLEMENTARY DOCUMENTS**
 - 2024 Deep Learning Competition Brief (Urban Design Direction) and Related Supplementary Instructions
- **OTHER REFERENCE MATERIALS**
 - Related historical research materials, excellent cases and international common practices (all for reference)



Covered does not equal final approval: each item still needs to return to corresponding chapters, drawings and data files for manual review.

Generated Images Only Responsible for Visual Direction, Key Judgments Must Retain Human Takeover



**Do Not Package as Definitive
Conclusions When Encountering
Boundaries and Unknown Situations**

Public AI adopts minimum data, public disclosure, human review, complaints, revocable and exit



MINIMUM
DATA



PUBLIC
DISCLOSURE



HUMAN
REVIEW



COMPLAINTS



REVOCABLE



EXIT



1.4 PLANNING STATUS AND EFFECT



Source registration permission, use and restrictions



Map anchor points, scale, road names and indicators
must not be rewritten by generated images



**MUST RUN AGAIN BEFORE
FORMAL SUBMISSION**



manifest



SELF-CHECK



SPATIAL
PRE-CHECK



VISUAL
PRE-CHECK



PROFESSIONAL
QUALITY CHECK



Old results
cannot substitute
current version

PART 05 / DIAGNOSIS

A15

OVERALL DIAGNOSIS: Resources Are Dense, But Open Interfaces, Continuous Networks and Operation Accountability Still Ruptured



SPATIAL PROBLEMS

Manifested as station-park disconnection, road-crossing detours, entrance misalignment, institutional boundaries and insufficient lingering



ORGANIZATIONAL PROBLEMS


Manifested as invisible resources, scattered applications, unclear accountability and lack of daily operation after activities end



Diagnosis is not labeling districts, but establishing problem lists for **A16-A25** item-by-item verification

DETOUR RATIO DIVIDES PROBLEMS INTO FOUR SPATIAL MECHANISMS

Detour Ratio (larger means more prominent problem)


Q1

ROAD-CROSSING DETOUR TYPE

Severe road network barriers, must detour far


Q2

ENTRANCE MISALIGNMENT TYPE

Entrance misaligned with main arrival points, poor accessibility


Q3

BOUNDARY SEGMENTATION TYPE

Institutional boundary barriers, passage and lingering obstructed


Q4

INSUFFICIENT LINGERING TYPE

Insufficient space and facilities, cannot linger with peace of mind

Tsinghua Tongheng · AI Planning / Reference Image Recognition

Xizhimen—Jiaoda: Station-Park Connection and Road Barriers Determine Whether South Section Is Continuous

Xizhimen—Jiaoda: Railway and Interchange Take 25–30 Minutes

- 01

Check actual walking path from railway exit to heritage park
- 02

Identify crossings, fences, gate positions, ramps and accessibility breakpoints
- 03

Record differences between daytime, nighttime, weekdays and weekends
- 04

Route gap research evidence, does not substitute formal traffic engineering drawings and approved gate positions



PART 05 / ROUTE EVIDENCE

A17

Xueyuan South Road: East-West Stitching Depends on Continuous Crossing and Entrance Identification



01

Focus on verifying lateral connections between parks, roads, communities and universities




02

Record detour length, crossing waiting, entrance visibility, shade and lingering nodes



03

Do not use straight-line distance to substitute real walking time



STILL NEED UPON ARRIVAL



17-19 MINUTES

19 min

MORE DETOURS

Multiple crossings and detours, route not direct

18 min

MODERATE DETOUR

1-2 crossing waits exist, but some entrance identification is better

17 min

BETTER CONDITIONS

Fewer crossings, clear entrances, sufficient lingering nodes

① Estimated based on external pedestrian observation data (9:45-20:00)



PEDESTRIAN OBSERVATION 05 Xueyuan South Road | Mingguangcun North Station Section



Liudaokou—Xueqing Road: Road-crossing, Park-crossing and Cross-institutional Barriers Superimpose in North Section

- Cross-rail connection, themed crossings, park continuity, campus-park interface and community service entrances
 - Record accessibility, visibility, enterability and lingerability separately
 - North section cannot solve compound barriers with one landmark or single project
- ① Estimated based on external pedestrian observation data (9:45-20:00)

Liudaokou—Xueqing Road: Enclosed Plots and Entrance Orientation Continuously Amplify Walking Distance



— Tsinghua Tongheng · AI Innovation Harbor | Reference Time Comparison Chart —

Cross-facility Connection: Distance, Permission, Time and Accountability Are All Indispensable



Schools, enterprises, parks, stations and communities may lose connection due to entrances, reservations, opening hours, identification and operation accountability even when spatially adjacent

- Each connection needs both **spatial** and **organizational** evidence

**Spatial adjacency does not equal
resource openness**

Cross-facility connections also not smooth: 21 of 30 routes need attention

2 SEVERE DETOUR

Average detour 1.7 km,
detour distance ratio
exceeds 70%

Representative section:
Three Main Streets
25—30 min
Detours and buses form
time breakpoints



8 SIGNIFICANTLY INCONVENIENT

Need to detour 1-2 more
blocks, total detour 0.5-1 km,
and need multiple crossings

Representative section:
Erdaozhuang 4 routes
Detour rate 1.50-1.99
Large dark areas during
artificial lighting periods



11 NEEDS ATTENTION

Potential detours exist,
need further observation

Representative section:
7 routes
Detour 15-19 min
Rail station system service
bottleneck



High-level POIs and walking nodes considered; research scope excludes internal roads
within gated communities; ensuring map consistency

**Representative screening: 30 routes, not equivalent to 2388 POI pairwise relationships;
judgment threshold is not official control standard**

South Section Evidence: First Clearly Record the Real Transition Process of Station-Road-Park

Site photos, trajectories and time records should cover exit identification, road crossings, entrance wayfinding, accessibility detours and final lingering conditions

Current images can only illustrate observation objects, cannot substitute complete time-period sampling



Old railway tracks and Line 13 form narrow hard boundary

PART 05 / FIELD EVIDENCE

A21

Middle Section Evidence: Resources Visible Does Not Mean Services Accessible



Verify ground floor openness, shared spaces, public issues list, reservation entrances, prices, time periods and non-consumption lingering



Distinguish between display interface and truly usable service interface



"Visible" and "Usable" must be recorded separately



Yehu Road Entrance Open
But Station Exit External
Still Conflicts

Problem description about
entrance openness but
usage conflicts exist



Tsinghua Tongheng X Amap etc. Cooperation Information



CONFIRMED EVIDENCE - VERIFY BEFORE SUBMISSION

PART 05 / FIELD EVIDENCE

A22

North Section Evidence: Complex Barriers Need Interface-by-Interface Review, Not Overall Impression



RAIL STATION ENTRANCE

Record barrier type, duration, affected population, visited barriers and accountable entity



MAIN ROAD

Record barrier type, duration, affected population, visited barriers and accountable entity



BRANCH ROAD

Record barrier type, duration, affected population, visited barriers and accountable entity



CAMPUS/PARK

Record barrier type, duration, affected population, visited barriers and accountable entity



COMMUNITY INTERFACE

Record barrier type, duration, affected population, visited barriers and accountable entity



RECORD time, location, barrier type and waiting time



LOCATION
Yehu Road



TIME
2024-06-18 10:42



If public toilets are already open, we cannot write 'no toilets'. Our work is not to repeat common sense, but to use accurate, verifiable information to record real accessibility issues and drive specific improvements

— 'Urban Accessibility Facilities Assessment Manual' Chapter 3 Site Recording Principles

A22

PART 05 / FIELD EVIDENCE

A23

Youth-friendly Does Not Equal Increased Consumption, But Supporting Safe, Long-duration and Non-consumption Linger



Core seating, shade, drinking water, restrooms, nighttime lighting, outlets, network, accessibility, study discussion and sports culture



Problems already negated by field evidence must not continue to be repeated



Usage experience needs to be re-observed by time period, weather and different populations



INSIGHT 01

Entrance Openness Cannot Prove University and Enterprise Resources Are Already Flowing

Photos only prove some spaces are open with people entering, but 80-90% of interactions remain superficial, resource flow still to be recorded



Scenario open entrances, reservation thresholds and actual openness

Estimated doctoral pause flow, shared facility permissions and conversion records

Facility supplement, scenario audit, open services, cooperation ledger

COPYRIGHT © LOVART

Municipal, Public Services and Short-term Stay Are Still Evidence Gaps That Must Be Filled

Supply, capacity, service radius, price, opening hours, accountable entity and emergency mechanisms have not yet formed complete evidence chain



Data gaps themselves are also design inputs, but cannot be covered by empirical values



Current problems have shifted from “whether exists” to “whether continuously usable”



Whether supply is stably available



Whether capacity matches demand



Whether service radius is accessible



Whether price is affordable



Whether opening hours are continuous



Whether accountable entity is clear



Whether emergency mechanisms are effective

PART 05 / FOCUS-AREA STATUS

Three Focus Areas Publish Roles, Evidence Status and the Next Gate

Removes unsupported composite scores and replaces them with verifiable implementation status.

PAIR 080 / EN



Zhongzhiyuan

Full-stack validation and safety governance

CURRENT EVIDENCE

Candidate location, scenario protocol and exit conditions exist; field performance is unverified.

NEXT GATE

Named owner, data permission, controlled test room and third-party evaluation.

CONCEPT / NOT RUN



Origin Community

Near-campus translation and talent life

CURRENT EVIDENCE

Civic-service and staffed-fallback protocols exist; no partnership is claimed.

NEXT GATE

Written authorization, service owner, non-AI equivalent and appeal drill.

CONCEPT / NOT RUN



Dazhongsi

Intelligent terminals and continuous operation

CURRENT EVIDENCE

Experience scenarios and public-safety checks exist; routine operation has not begun.

NEXT GATE

Professional mobility, fire, accessibility, ownership and device-safety review.

CONCEPT / NOT RUN

NO COMPOSITE SCORE WITHOUT EVIDENCE

ONE-OWN TRACK / THREE-RESPONSIBILITY UNITS

one-north and Kendall Square Show: Innovation Density Must Be Transformed into Open Network

01



one-north forms knowledge clusters through multiple districts, research institutions, universities, enterprises and living facilities, and uses districts as living lab

02



Central Street and plaza connection as core, while establishing urban connections through public spaces, pocket parks and continuous streets

03



Haidian should not only pursue enterprise clustering, but turn research, incubation, capital, community and public space into accessible innovation infrastructure

Woven City / 城市与 Masdar

Turn Cities into Test Beds, But **Open Boundaries** Are Equally Important

»»»» **LIVING LAB** / # CLOSED CAMPUS



Woven City

Woven City uses Living Laboratory to organize inventors, residents and visitors to jointly test and feedback in daily life



Masdar City

Masdar City uses free zones, enterprises, universities and research institutions to support R&D and pilots

Both remind us: testing qualifications, privacy, human takeover and public visibility must be clear



Jingzhang's advantage is not closed parks, but embedding controlled testing into **real public cities**, with **exit and appeal** retained

...

PART 05 / CASE TRANSLATION

A28

22@ and Quayside Remind: Innovation Renewal Must Simultaneously Answer Equity, Public Space and Governance



01.

22@ integrates industry, innovation plans, local residents and organizations into urban renewal



02.

Quayside equally emphasizes housing, affordable rental, public space and governance innovation; innovation districts lose urban vitality if only providing industrial space



03.

Haidian scheme needs to write youth-friendly, non-consumption space, public services and long-term governance into the same implementation mechanism

FIELD BASELINE / REAL PHOTOS

Site photos establish a visual baseline, but structured samples remain 0/24

499 transferred photos, 495 unique after SHA-256 deduplication, Missing readable EXIF time and GPS prevent automatic promotion to structured samples.

0 / 24

field_not_collected | structured field samples


What the photos support

- Visits to the Origin Community and visible Jingzhang Park conditions
- Visual reading of edges, shade, lighting, walking and activity
- Clues for the next sampling locations and issue register

Still required

- Sample ID, time, coordinate, observer, weather and direction
- Illuminance, temperature, noise, flow or repeatable observations
- One-to-one links among image hash, sample sheet and map point

Evidence boundary: photos are not 24 standardised samples and do not prove operating performance, service compliance or field-tested failure drills.



UNOFFICIAL FIELD PHOTOS - COMMUNITY DISPLAY ONLY

VISUAL BASELINE - STRUCTURED SAMPLES

FAILURE REHEARSAL / EVIDENCE GATE

12 tabletop protocols passed; field and operational validation remain 0/12

JINGZHANG CIVIC RETURN LINE / FAILURE REHEARSAL EVIDENCE

12/12 tabletop protocols complete · field validation remains 0/12

MOVE · 4 fault modes

Network fail · broken server

Cloud outage · wrong accessible route

Scale ramp · method inaccessible to block

STAY · 4 fault modes

No account · profile refused

Storage cooling · night capacity exceeded

Scale non-AI server · capacity stop

APPEAL · 4 fault modes

Scale notice · staff unavailable

Appeal overdue · decision overdue

Space · demand exceed · staff fully remedy

Protocol 12/12

Safe stop · non-AI fallback · server down · auto finish · recovery / exit full

Field 0/12

Receiver time · route continuity · capacity · lighting · appeal SLA · server unmeasured

Decision rule

No decision without evidence · failed, overrated or unresolvable cases are rerun, local judge retired

EVIDENCE BOUNDARY

Accountability · protocol & real-time performance · failure and recovery, metrics definition, result JSON and removal timer

simulation · json · definitions · recall · JSON · future

Travel, space and appeal failures are covered. Any field failure, missing owner or missing raw evidence blocks expansion.

12 / 12

tabletop protocol checks

0 / 12

field / operational tests

Safe stop, non-AI fallback, human accountability and audit chain are written into the protocol; takeover time, real routes, capacity, illuminance and appeal SLA remain unmeasured.

Evidence required in the next run

- Timestamp, place, participants, raw input and output for every drill
- Failure trigger, human takeovers, exit action and recovery time
- Hash consistency across video/photo/log and result JSON
- Retest condition, accountable owner and signed scale/no-scale decision

TABLETOP PASS · FIELD PASS