


DIRECT ENGLISH FIGURE COMPANION

FROZEN SOURCE FIGURE - SPATIAL / EVIDENCE CONTENT UNCHANGED



- **01** ONE AXIS — Jing-Zhang Railway  
Heritage Park vitality corridor.
- **02** THREE ZONES — Zhongzhiyuan,  
Beijing AI Origin Community and  
Dazhongs.
- **03** NINE EAST-WEST CORRIDORS —  
concept directions stitching both sides of  
the railway corridor.
- **04** MULTIPLE NODES — rail-city interfaces,  
public services, innovation tests and  
cultural gateways.
- **05** NORTH-SOUTH CONTINUITY —  
walking, cycling, blue-green space and  
railway-memory interpretation.
- **06** PROVISIONAL — not official red lines,  
approved sites or property boundaries.

DIRECT ENGLISH FIGURE COMPANION

FROZEN SOURCE FIGURE - SPATIAL - EVIDENCE CONTENT UNCHANGES




## ENGLISH TRANSLATION KEY

- 01 INTEGRATED STUDY SCOPE — regional industry, ecology, mobility and innovation links.
- 02 OVERALL DESIGN SCOPE — the continuous Jing-Zhang corridor used for the concept plan.
- 03 KEY AREA 01 — Zhongzhuyuan AI Autonomous Innovation Source Area; approx. 3.44 km<sup>2</sup>.
- 04 KEY AREA 02 — Beijing AI Origin Community; approx. 1.03 km<sup>2</sup>.
- 05 KEY AREA 03 — Dazhongsai AI Industry Cluster; approx. 2.21 km<sup>2</sup>.
- 06 PROVISIONAL — calibrated from writer limits, order and approximate areas; not official boundaries.

Direct translation of the design-reading labels. Provisional, conceptual, rights and professional-review limits are unchanged.

DIRECT ENGLISH FIGURE COMPANION

FROZEN SOURCE FIGURE - SPATIAL (EVIDENCE CONTENT UNCHANGED)



ENGLISH TRANSLATION KEY

- 01 Eight resources – land, space, industry, capital, talent, computing power, data and scenarios.
- 02 1) Multiple actors – government, universities, institutes, enterprises, communities and the public.
- 03 2) Eight-factor resource pool – registered, authorized and routed inputs.
- 04 3) AI decision support – identify needs, match resources and simulate alternatives.
- 05 4) Three spatial carriers – Zhongzhiguan, AI Origin Community and Dazhongzhi.
- 06 5) Future-city scenarios – innovation, public culture and ecology.
- 07 Feedback – public response, operational evaluation, data return and iterative exit/redeployment.

Direct translation of the design-reading labels. Provisional, conceptual, rights and professional-review limits are unchanged.

DIRECT ENGLISH FIGURE COMPANION

## FROZEN SOURCE FIGURE - SPATIAL / EVIDENCE CONTENT UNCHANGED



ENGLISH TRANSLATION KEY

- 01 ONE AXIS · THREE ZONES · TWO WINGS · MULTIPLE AI CROSSINGS.
- 02 Axis — Centennial Jing-Zhang AI Innovation Belt.
- 03 Three zones — Zhongzhuyuan, Beijing AI Origin Community and Dazhongsi.
- 04 Two wings — Zhongguancun Science City and Xiaoyue River ecological application context.
- 05 Three positions — autonomous innovation source, future-city testing ground and AI integration gateway.
- 06 Five functions — innovation source, pilot validation, application demonstration, talent services and cultural exchange.
- 07 Eight flows — land, space, industry, capital, talent, computing power, data and scenarios.

Direct translation of the design-reading labels. Provisional, conceptual, rights and professional-review limits are unchanged.

- The Jing-Zhang railway heritage is the time axis; the three zones & two wings and AI crossings form the innovation network.
- One axis, three zones, two wings, multi-crossings; three positioning logics translate across physical, aerial and virtual rails.
- Three scopes: integrated study area / overall design scope / three key areas.


|       |                                                                                                                                   |
|-------|-----------------------------------------------------------------------------------------------------------------------------------|
| 11.4  | km <sup>2</sup> overall design scope (announced)<br>Official ~11.4 km <sup>2</sup> ; temp geom 11.4925 km <sup>2</sup> see A0-6-2 |
| 368.4 | ha three key areas combined<br>Official announced / metric: <u>key_areas_announced_total_sqm</u>                                  |
| 3+2   | three zones & two wings on-site<br>Ch.03 / brief: 3 positions, 5 functions                                                        |



Fig. values traced to geometry / metrics.json (G-11)

**(Core Map 2)**

## Land-Use and Spatial Structure



- **01** Three functions — innovation production, urban services and public support.
- **02** Three carriers — Zhongzhiyuan, Beijing AI Origin Community and Dazhongsi.
- **03** Public-space structure — Jing-Zhang corridor, east–west links, blue-green interfaces and rail-city gateways.
- **04** Transfers the three-level scope into functions, corridors, gateways and key-area actions.
- **05** Does not replace statutory parcel controls; boundaries and proportions remain provisional.

Direct translation of the design-reading labels. Provisional, conceptual, rights and professional-review limits are unchanged.




Fig. A0-2-2 Retain–renovate–demolish classification & directions

- Urban renewal is the primary spatial path, coordinating land use and intensity within the Jing-Zhang heritage park corridor regulatory framework.
- Retain—renovate—demolish shifts from a single keep/demolish split to six directional categories, now at object / project-cluster depth.
- Where no formal basis exists for intensity or building height, mark as to-be-confirmed; do not fabricate regulatory conclusions.

|               |                                                                           |
|---------------|---------------------------------------------------------------------------|
| <b>6 cat.</b> | retain–renovate–demolish directions<br>Ch.07 7.4 / source:CH7-RENEWAL     |
| <b>29</b>     | crossing anchors<br>Ch.04 Fig.4-2 / source:CH7-CHAINS                     |
| <b>TBC</b>    | build scale & R-R (late calibration)<br>Ch.07 / no implementation promise |




Fig. A0-2-3 Development-intensity zoning  
(Fig.4-5)



Fig. A0-2-4 Crossing-anchor distribution  
(Fig.4-2)






Fig. A0-2-5 Urban renewal general framework (Fig.4-6)

Fig. values traced to geometry / metrics.json (G-11)

Fig. A0-3-1 Transport – Blue-Green public space complex system (Core Map 3)



Key Judgments

- North-south is a continuity problem, east-west a reachability problem — the Jing-Zhang park and twin-rail corridor already form the NS backbone.
- The Jing-Zhang heritage park carries the composite public-space task of NS penetration and EW stitching; prioritize repairing slow-traffic breakpoints.
- Municipal, new infrastructure and edge computing express only conceptual spatial interfaces; no engineering-feasibility conclusions.

Key Metrics

|   |                                                                                                          |
|---|----------------------------------------------------------------------------------------------------------|
| 4 | minimum spatial actions (NS cont./EW stitch/node/break fix)<br>Ch.08,09 / source:CH8-TRANSPORT           |
| 9 | nine corridors EW stitching (3rd–5th ring, Qinghe, moat...)<br>Ch.08 / depth:traffic_rail_slow_parking   |
| 3 | AI pilgrimage landmarks (verifiable / public / reversible)<br>Ch.06 Tab.6-4 / data:geometry/public_space |



Fig. A0-3-3 AI Origin wudaokou & central Jing-Zhang Park activity




Fig. A0-3-4 Zhongzhiyuan Xuezhijuan station-district integration



Fig. A0-3-5 AI Origin wudaokou & central Jing-Zhang Park activity

Fig. A0-4-1 Three key areas index & design-task map (Core Map 4)

DIRECT ENGLISH FIGURE COMPANION  
Three Key Areas: Index and Design Tasks



ENGLISH TRANSLATION KEY

- 01 K1 / DK-07 ZHONGZHIYUAN — garden-style AI district, shared pilot-production carrier, Xuezhijuan rail-city interface and blue-green links.
- 02 K2 / DK-05 BEIJING AI ORIGIN COMMUNITY — university-origin innovation, low-disturbance renewal, open campus-city crossings and a continuous public front.
- 03 K3 / DK-04 DAZHONGSI — culture-led renewal, four-quadrant stitching, adaptive reuse and an AI application gateway.
- 04 Collaboration chain — innovation source → pilot validation → urban application.
- 05 Boundaries are provisional; announcement areas are approximate and project nodes are proposals.



Fig. A0-4-2 Zhongzhiyuan "AI Co-Test Lighthouse" shared pilot & observation

Key Judgments

- Three areas differentiate N-S: Zhongzhiyuan pilot acceleration / AI Origin incubation translation / Dazhongsi industry cluster, combined ~368.4 ha.
- Zhongzhiyuan "university core + enterprise core + shared-pilot third pole"; AI Origin "result-transfer network + low-disturbance renewal"; Dazhongsi "culture-led → AI import".
- Nine corridors form three EW groups by area: N parks—countryside—waterfront / mid universities—parks—community—stations / S HQ—heritage—commerce—gateway.

Key Metrics

|       |                                                                                                               |
|-------|---------------------------------------------------------------------------------------------------------------|
| 192.1 | ha Zhongzhiyuan AI self-innovation accelerator (DK-07)<br>Official announced / key_areas.geojson#PROV-KEY-001 |
| 104.3 | ha Beijing AI Origin community (DK-05)<br>Official announced / key_areas.geojson#PROV-KEY-002                 |
| 72.0  | ha Dazhongsi AI industry cluster (DK-04)<br>Official announced / key_areas.geojson#PROV-KEY-003               |

Direct translation of the design-reading labels. Provisional, conceptual, rights and professional-review limits are unchanged.

DIRECT ENGLISH FIGURE COMPANION  
Zhongzhiyuan Key-Area Detailed Design



Fig. A0-4-3 Zhongzhiyuan key-area comprehensive detailed design

DIRECT ENGLISH FIGURE COMPANION  
Beijing AI Origin Community Key-Area Detailed Design




Fig. A0-4-4 AI Origin community key-area comprehensive detailed design

DIRECT ENGLISH FIGURE COMPANION  
Dazhongsi AI Industry Cluster Key-Area Detailed Design




Fig. A0-4-5 Dazhongsi key-area comprehensive detailed design

Boundary: The three areas differ in risk: Zhongzhiyuan (northern regulatory coverage & ecology); AI Origin (gentrification, heritage, tenure, transport); Dazhongsi (heritage, property, ring-crossing transport,





Fig. A0-5-1 AI innovation ecosystem & scenario closure (Ch.06 main map)

DIRECT ENGLISH FIGURE COMPANION

AI Innovation Ecosystem and Scenario Loop



Direct translation of the design-reading labels. Provisional, conceptual, rights and professional-review limits are unchanged.



Fig. A0-5-2 AI Origin "Open-Source Co-Creation Star Map" public deliberation

Key Judgments

- Five spatial roles receive eight innovation resources, forming the AI innovation ecosystem and scenario closure.
- Human review, non-digital fallback and exit restoration are the shared baseline for scenario opening.
- Phasing follows evidence and governance maturity, not the calendar; unproven success narratives do not trigger expansion.

Key Metrics

|    |                                                                              |
|----|------------------------------------------------------------------------------|
| 12 | AI scenario cards (SC-01–SC-12)<br>Ch.06 / source:CH6-SCENARIO-ASSETS        |
| 5  | spatial roles & user rhythms<br>Ch.06 Fig.6-2 / source:CH6-SCENARIO-BASELINE |
| 3  | AI pilgrimage landmarks (LM-01–LM-03)<br>Ch.06 Tab.6-4                       |

DIRECT ENGLISH FIGURE COMPANION

SC-01 AI Innovation Living Room




Direct translation of the design-reading labels. Provisional, conceptual, rights and professional-review limits are unchanged.

Fig. A0-5-3 SC-01 AI Innovation Living Room scenario card

DIRECT ENGLISH FIGURE COMPANION

Daily Rhythms of Five Personas



Direct translation of the design-reading labels. Provisional, conceptual, rights and professional-review limits are unchanged.

Fig. A0-5-4 Daily rhythm of five user categories

Phasing Logic: Evidence Maturity, Not Calendar Order

Renewal is triggered by evidence and governance maturity—not a fixed timetable.




Fig. A0-5-5 Phasing logic: three stages by evidence maturity

Boundary: Scenario cards and phasing are conceptual proposals: nodes and links express design relations only, not principal authorization, construction sequence or formal operation status. Where no public cost basis



Fig. A0-6-1 Core-indicator recalculation & task evidence chain (Core Map 5)

DIRECT ENGLISH FIGURE COMPANION

Core Metric Recalculation and Task Evidence Chain



Direct translation of the design-reading labels. Provisional, conceptual, rights and professional-review limits are unchanged.

DIRECT ENGLISH FIGURE COMPANION

Source-Claim-Space-Metric-Output Evidence Chain



Fig. A0-6-2 Source-claim-space-metric-output evidence chain

Key Judgments

- Build a four-layer system: announced-task metrics → spatial-model metrics → industry-operation metrics → compliance-review metrics.
- Recalculation derives from submitted GeoJSON under EPSG:4548; it is a low-confidence schematic model value.
- Task matrix covers 23 mandatory items and agent.1–agent.6; standard matrix has 7 items (6 mandatory), all 6/6 mandatory items responded.

Key Metrics

|        |                                                                                               |
|--------|-----------------------------------------------------------------------------------------------|
| 11.49  | km <sup>2</sup> overall scope geometric recalc<br>metric:site_area_sqm / known-low confidence |
| 368.79 | ha three key areas combined recalc<br>Ch.11 / temp constrained scope                          |
| 6/6    | mandatory standards responded (7 total-6 mandatory)<br>Ch.11 / 23 mandatory + agent.1–6       |

DIRECT ENGLISH FIGURE COMPANION  
Regional Innovation Collaboration Process



Fig. A0-6-3 Regional innovation synergy process

DIRECT ENGLISH FIGURE COMPANION  
SC-04 Public Computing-Power Service Window



Fig. A0-6-4 SC-04 Public computing-power service window

DIRECT ENGLISH FIGURE COMPANION  
SC-09 Xiaoyue River Ecological Sensing and Waterfront Warning Station




Fig. A0-6-5 SC-09 Xiaoyue River eco-sensing & waterfront warning

Boundary: The overall scope and three key areas still use a temporary constrained range; recalculation results are low-confidence schematic model values, not official precise redlines, statutory planning indicators,