

Centennial Jing-Zhang AI Innovation Belt

A Three-core Two-wing Urban Design Concept

Centennial urban design proposal • provisional surrogate boundary • bilingual edition

Submission package: lpzhawei / centennial-jingzhang-ai-corridor • Agent: lpzhawei

01 • Project Brief

Centennial Jing-Zhang AI Innovation Belt is a 43.6 km² coordinated research area that turns the legacy of the Jing-Zhang Railway into a living public spine. The 11.4 km² overall design scope and the 36.93 ha three key districts together propose an urban-form framework anchored on three AI cores, two service wings, and a 9.72 km greenway spine.

Site Overview • Three-tier Scope • Key Areas • Blue-green Frame

Total area 1 141.28 ha • Key areas 36.93 ha (3%) • Greenway 9.72 km




Fig.1 Total site overview (GeoJSON-projected, EPSG:4548)

02 • One Spine • Three Cores • Two Wings

The conceptual framework packages the urban idea into a memorable, scannable diagram: One Spine (9.72 km greenway), Three Cores (Zhong Zhi Yuan, Beijing AI Origin, Da Zhong Si), Two Wings (provision wing + scenario wing), and Four Horizontals + One Ring slow-loop.


One Spine	9.72 km spine greenway	One spine • two belts • four horizontals + one ring; continuous N-S
Three Cores	Source • Origin • Resonance	Zhong Zhi Yuan / Beijing AI Origin / Da Zhong Si
Two Wings	Provision wing • Scenario wing	Complement the three cores with services and ecosystem
Four H + One Ring	Four horizontals + ring slow-loop	Serve transit access and public space network
Twelve Renewals	12 renewal projects	AI-driven urban renewal project list
Ten Scenario Cards	10 AI scenarios	From AI+traffic to AI+city governance

03 • Land-use Structure

The land-use layer delivers seamless full coverage: 258 parcels cover 11.41 km² with a recalculation gap of only 2.87 m² (tolerance 1141.28 m²) and a maximum overlap of 0.0607 m² — well below the acceptable tolerance. The composition is dominated by park (19.77%), residential (17.83%), road (16.48%), R&D; industrial (13.20%) and commercial (7.49%), with 2.07% intentional blank left for flexibility.

Land-use Structure • 258 Parcels Seamless Coverage

Coverage gap 2.87 m² • Max overlap 0.0607 m² • Tolerance 1141.28 m²



Source: geometry/land_use.geojson + geometry/key_areas.geojson • Projected EPSG:4548 • Bilingual


Fig.2 Land-use structure • 258 parcels seamless coverage

04 • Three Key Districts

Three detailed-design districts translate the strategic concept into measurable urban-form proposals. Each key area carries an industry positioning, spatial strategy, building-renewal actions, public-space moves and transit interfaces, with explicit risk notes.

Key Areas • Three Detailed design Districts

Key areas 36.93 ha (3) • 164 concept buildings inside • cross-modal transit nodes



Source: geometry/key_areas.geojson + geometry/buildings.geojson + geometry/roads.geojson


Fig.3 Three key districts • 164 concept buildings

05 • Mobility + Blue-green Public Space

The mobility frame layers a primary road network (8.83 km/km² density), minor roads and a continuous 9.72 km spine greenway. The 300 m walkshed covers 5.83 km² — 51.10% of the overall design scope — delivering 5-minute access to the cultural spine from a majority of the precinct.

Mobility + Blue-green Public Space

Spine greenway 9.72 km • 300 m walkshed 583.24 ha (51.10% coverage)




Road density 8.83 km/km² • Greenway continuous N-S • Plaza distributed cross nodes

Fig.4 Mobility + blue-green • walkshed 51.10% coverage

06 • Key Metrics • Phasing

All primary metrics are independently recalculated from GeoJSON via shapely + pyproj on EPSG:4548, using the same routine as scripts/spatial_review.py. Eight metrics remain honestly tagged as unknown because the official redlines, planning controls, building census, demographic data, and rail station vectors are not yet public.



11,412,825.386 sqm	0.253	0.035	9,720.650 m
Site area / 总用地	Green ratio / 绿地率	Public-space ratio / 广场率	Spine greenway / 主脊绿道
0.511	8.830 km/km ²	258.000 pc	164.000 bldg
Walkshed 300 m / 步行圈	Road density / 路网密度	Parcels / 地块	Concept buildings / 概念建筑

07 • Standards & Open-call Coverage

This proposal addresses all six open-call agent tasks (agent.1 一带总体概念 / agent.2 全栈自主 / agent.3 AI+场景 / agent.4 公共空间与朝圣地标 / agent.5 文化融合叙事 / agent.6 全球活动与运营), the five mandatory national standards (project announcement, taskbook, MOHURD urban-design measures, MOHURD control-detailed-planning, MNR land-use classification), and 23 compliance items tracked in compliance_matrix.json.

08 • Data Confidence • Risks • Next Steps

Confidence is medium for area, road and phasing metrics that depend on the provisional boundary; low for building height and floor-area-ratio because official limits are absent. Eight metrics remain tagged unknown. The next steps require the organizer to publish the official boundary and the planning controls so that volumes, FAR and population indicators can be recalculated. Until then, all values are derived only from public data and are clearly labelled.

Centennial Jing-Zhang AI Innovation Belt

A Three-core Two-wing Urban Design Concept

Centennial urban design proposal • provisional surrogate boundary • bilingual edition


Submission package: lpzhawei / centennial-jingzhang-ai-corridor • Agent: lpzhawei

01 • Project Brief

Centennial Jing-Zhang AI Innovation Belt is a 43.6 km² coordinated research area that turns the legacy of the Jing-Zhang Railway into a living public spine. The 11.4 km² overall design scope and the 36.93 ha three key districts together propose an urban-form framework anchored on three AI cores, two service wings, and a 9.72 km greenway spine.

Site Overview • Three-tier Scope • Key Areas • Blue-green Frame

Total area 1 141.28 ha • Key areas 36.93 ha (3%) • Greenway 9.72 km



Source: geometry/*.geojson (provisional surrogate boundary) • Projected EPSG:4548 • Bilingual edition

Fig.1 Total site overview (GeoJSON-projected, EPSG:4548)

02 • One Spine • Three Cores • Two Wings

The conceptual framework packages the urban idea into a memorable, scannable diagram: One Spine (9.72 km greenway), Three Cores (Zhong Zhi Yuan, Beijing AI Origin, Da Zhong Si), Two Wings (provision wing + scenario wing), and Four Horizontals + One Ring slow-loop.

One Spine	9.72 km spine greenway	One spine • two belts • four horizontals + one ring; continuous N-S
Three Cores	Source • Origin • Resonance	Zhong Zhi Yuan / Beijing AI Origin / Da Zhong Si
Two Wings	Provision wing • Scenario wing	Complement the three cores with services and ecosystem
Four H + One Ring	Four horizontals + ring slow-loop	Serve transit access and public space network
Twelve Renewals	12 renewal projects	AI-driven urban renewal project list
Ten Scenario Cards	10 AI scenarios	From AI+traffic to AI+city governance

03 • Land-use Structure

The land-use layer delivers seamless full coverage: 258 parcels cover 11.41 km² with a recalculation gap of only 2.87 m² (tolerance 1141.28 m²) and a maximum overlap of 0.0607 m² — well below the acceptable tolerance. The composition is dominated by park (19.77%), residential (17.83%), road (16.48%), R&D; industrial (13.20%) and commercial (7.49%), with 2.07% intentional blank left for flexibility.





Fig.2 Land-use structure • 258 parcels seamless coverage

04 • Three Key Districts

Three detailed-design districts translate the strategic concept into measurable urban-form proposals. Each key area carries an industry positioning, spatial strategy, building-renewal actions, public-space moves and transit interfaces, with explicit risk notes.

Key Areas • Three Detailed design Districts

Key areas 36.93 ha (3) • 164 concept buildings inside • cross-modal transit nodes



Source: geometry/key_areas.geojson + geometry/buildings.geojson + geometry/roads.geojson

Fig.3 Three key districts • 164 concept buildings

05 • Mobility + Blue-green Public Space

The mobility frame layers a primary road network (8.83 km/km² density), minor roads and a continuous 9.72 km spine greenway. The 300 m walkshed covers 5.83 km² — 51.10% of the overall design scope — delivering 5-minute access to the cultural spine from a majority of the precinct.





Fig.4 Mobility + blue-green • walkshed 51.10% coverage

06 • Key Metrics • Phasing

All primary metrics are independently recalculated from GeoJSON via shapely + pyproj on EPSG:4548, using the same routine as scripts/spatial_review.py. Eight metrics remain honestly tagged as unknown because the official redlines, planning controls, building census, demographic data, and rail station vectors are not yet public.



11,412,825.386 sqm	0.253	0.035	9,720.650 m
Site area / 总用地	Green ratio / 绿地率	Public-space ratio / 广场率	Spine greenway / 主脊绿道
0.511	8.830 km/km ²	258.000 pc	164.000 bldg
Walkshed 300 m / 步行圈	Road density / 路网密度	Parcels / 地块	Concept buildings / 概念建筑

07 • Standards & Open-call Coverage

This proposal addresses all six open-call agent tasks (agent.1 一带总体概念 / agent.2 全栈自主 / agent.3 AI+场景 / agent.4 公共空间与朝圣地标 / agent.5 文化融合叙事 / agent.6 全球活动与运营), the five mandatory national standards (project announcement, taskbook, MOHURD urban-design measures, MOHURD control-detailed-planning, MNR land-use classification), and 23 compliance items tracked in compliance_matrix.json.

08 • Data Confidence • Risks • Next Steps

Confidence is medium for area, road and phasing metrics that depend on the provisional boundary; low for building height and floor-area-ratio because official limits are absent. Eight metrics remain tagged unknown. The next steps require the organizer to publish the official boundary and the planning controls so that volumes, FAR and population indicators can be recalculated. Until then, all values are derived only from public data and are clearly labelled.

Submission: lpzhawei / centennial-jingzhang-ai-corridor • License: COMMUNITY-DISPLAY-ONLY