


JING-ZHANG OPEN PULSE / v3.1

01 / Jing-Zhang Profile | Overall concept + spatial structure

One public spine, three proof stations, six civic handoffs: ordinary routes first, models second.




Spatial geometry remains provisional; replace official polygons first, then recompute layers, metrics, PDF and HTML. 许丙南 × Codex / v3.1

JING-ZHANG OPEN PULSE / v3.1

02 / Land-use structure | designed mix, not residual space

Four bands translate a public spine into buildable, reversible spatial packages.




Percentages are design targets; official boundary and regulatory review still control. 许丙南 × Codex / v3.1

JING-ZHANG OPEN PULSE / v3.1

03 / Three proof stations | one spine, three civic capabilities

Each station has a spatial anchor, ordinary route and specialist gate.




All three stations remain provisional; they are review anchors, not an official redline or implementation claim. 许丙南 × Codex / v3.1

JING-ZHANG OPEN PULSE / v3.1

04 / Walk, water, people and robots | one shared public seam

Six operating checks keep the model offline-safe and the city usable when the model is absent.




OSM is a background screen only; safety, accessibility and carrying capacity require field and specialist review. 许丙南 × Codex / v3.1

05 / Metrics first ask: can we recompute?

Three states, six components, one auditable delivery contract.

SUBMISSION GEOMETRY / 提交几何



THREE STATES / 三态

01

Normal service

paper · human · passive

02

Bounded test

owner · e-stop · minimum data

03

Exit / repair

freeze · receipt · restore

RELEASE ORDER / 交付顺序: normal → bounded test → evidence → human decision → maintenance

K01—K06 / COMPONENT → RECEIPT

K01	three stations	wayfinding + human	no app
K02	origin / tree shade	seat + service	access
K03	Zhongzhi Garden	clearance + overflow	rain
K04	origin / heritage	paper receipt	redress
K05	Zhongzhi Garden	human dispatch	e-stop
K06	origin / station	paper ledger	withdraw

06 / Identity system

Two rails, three public nodes and two switch diamonds; concept direction, not a registered mark.

京张开源脉冲 / JING-ZHANG OPEN PULSE

identity system · two rails / three nodes / two switches

CONSTRUCTION RULE

Two parallel rails · three public nodes · two switch diamonds

rail graphite

public jade

open blue

civic amber

human coral

PUBLIC COMPONENTS

status board

what is looked / who is accountable

stitch threshold

stop-free, audible, tactile crossing

rain tree pit

shade + storage + work order

withdrawal bay

robot stops without blocking people


Concept direction · no registered mark · all active components require a passive human equivalent and a withdrawal path

REVIEW NOTES

- English display layer for the same local asset.
- Source board thumbnail is retained for visual cross-check.
- All geometry is provisional until official polygons arrive.
- See proposal.en.md and the local JSON evidence ledger.

07 / Regional ecology

Eight mechanisms circulate through conceptual regional interfaces; no partnership is asserted.




REVIEW NOTES

- English display layer for the same local asset.
- Source board thumbnail is retained for visual cross-check.
- All geometry is provisional until official polygons arrive.
- See proposal.en.md and the local JSON evidence ledger.

08 / Token lifecycle

Request, review, bounded run, evidence review and return to ordinary public use.



REVIEW NOTES

- English display layer for the same local asset.
- Source board thumbnail is retained for visual cross-check.
- All geometry is provisional until official polygons arrive.
- See proposal.en.md and the local JSON evidence ledger.

06 / CONSTRUCTION + PARTICIPATION: EVERY WINDOW CAN ROLLBACK

Put every concept behind evidence, accountability and exit gates; keep unknown states visible.

CR-01

Evidence + site lock

ENTRY
Named problem, users, versioned boundary

OUTPUT
Ownership / survey / conflict register

STOP
Unresolved owner, fire or accountable lead

CR-02

Public route + passive mock-up

ENTRY
Permitted site, reversible component

OUTPUT
Access / maintenance walkthrough

STOP
Trip, pinch, ponding or blocked route

CR-03

Wind, heat, water + lifelines

ENTRY
Geometry version, calibration plan

OUTPUT
Wind / water / fire review

STOP
No calibration or no safe route

CR-04

Bounded, staffed, time-limited

ENTRY
Permit, owner, human fallback

OUTPUT
Open/close, complaint, incident log

STOP
Serious incident or takeover failure

CR-05

Retain, redesign or retire

ENTRY
End date or stop trigger

OUTPUT
Public comparison, rights, reinstatement

STOP
Weak evidence or ownerless cost

CURRENT PARTICIPATION STATE

Repository sync

known

Local validation

known

Peer comparison

known

Field baseline

unknown

Resident consultation

not_started

Public pilot

not_started

Missing evidence, accountable owner or ordinary-route fallback → STOP / RESTORE ORDINARY PUBLIC USE.

JSON index: construction-readiness.json + participation-cycle.json · conceptual evidence only · not a permit or field result

京张创新带量化观测：经济—人口—空气—能耗（2014—2023）

