

Jing-Zhang Co-Creation Loop


<!-- PARTICIPANT-DESIGN: provisional boundary disclosed; all statutory controls require professional confirmation. -->

Design Basis and Source List

This formal proposal uses the public qualification announcement for the Centennial Jing-Zhang AI Innovation Belt as its primary brief, together with the maintained site package, taskbook, source registry, enumerations, ranges, schemas, and processed fact pack. The package separates source-backed facts, recalculable metrics, design layers, and professional-confirmation assumptions. Text alone does not replace GeoJSON, metric tables, A3/A0 drawings, or the offline HTML exhibit.

The source boundary is explicit [source:OFFICIAL-ANNOUNCEMENT] [source:AGENT-TASKBOOK] [depth:existingconditionsdiagnosis]. The complete machine-readable relationships remain in `sources.json`, `standardmatrix.json`, and `designdepthmatrix.json`.

The source registry distinguishes formal-ready, background-only, provisional-only, and needs-review material [source:SOURCE-REGISTRY]. The processed fact pack is a navigation layer, not a new authority source [source:PROCESSED-FACT-PACK].




The submitted `geometry/siteboundary.geojson` and `geometry/keyareas.geojson` are marked `provisionalconstraint` and `officialboundary=false`. They support generation, self-check, visualization, and design discussion only. They are not official redlines, approval bases, statutory areas, or final control conclusions. The current package supports intake review only; it does not pre-judge professional scoring or maintainer acceptance. Once official polygons are supplied, all dependent layers and metrics must be regenerated.

The current status is provisional boundary, with precision warnings and required recalculation after official data release; intake review only. All spatial structure, scenarios, projects, and metrics are therefore presented as discussable and replaceable design hypotheses.

Boundary evidence is linked to [data:geometry/siteboundary.geojson#SITE-001] [metric:siteareasm]. The three key areas are linked separately [data:geometry/keyareas.geojson#PROV-KEY-001] [metric:keyareasm].

Three-Level Scope Framework

The proposal follows the three announced levels: coordinated research area, overall design area, and detailed key-area range. The research level addresses the AI industry ecosystem and future urban form; the overall level addresses renewal, land use, mobility, municipal support, and urban character; the detailed level addresses three key areas, functions, building renewal, public-space continuity, and traffic organization.



The levels form one evidence chain. Research determines the industry and city-form hypothesis; the overall design translates it into spatial structure, projects, and capacity; detailed areas test concrete functions, buildings, mobility, public space, AI scenarios, and implementation dependencies. No area, ratio, or scale is stated as a statutory conclusion unless it can be recalculated from submitted geometry or supported by an authoritative source.

| Level | Design question | Proposal response | Evidence |

| --- | --- | --- | --- |

| Coordinated research | How should AI industry and future urban form be organized? | University-originated innovation, open collaboration, enterprise transfer, public experience, and international communication. | `compliance``matrix.json`, `standard``matrix.json` |

| Overall design | How should renewal, land use, mobility, municipal support, and character be mapped? | Land-use, building, road, green-space, public-space, and phasing layers. | `[data:geometry/landuse.geojson#LU-001]`, `[data:geometry/roads.geojson#ROAD-001]` |

| Detailed key areas | How can three areas reach design depth? | Separate positioning, spatial actions, AI scenarios, public value, and implementation dependencies. | `[data:geometry/keyareas.geojson#PROV-KEY-001]`, `[depth:threekeyareadetaileddesign]` |

The concept is “Jing-Zhang Intelligent Symbiotic Belt ”: the historic railway and Jing-Zhang heritage park form the public-memory axis; Zhongzhiyuan, Beijing AI Origin Community, and Dazhongsi are innovation anchors; universities, enterprises, communities, and rail stations form the daily network; blue-green and walking routes form a connected public-space loop. This is a design method, not a new statutory boundary.

Coordinated Research Area: Industry and Future City Research

The research area proposes an AI innovation ecosystem connecting universities, institutes, enterprises, compute, algorithms, data governance, incubators, enterprise services, talent services, and public experience. The naming and identity system should connect Jing-Zhang railway heritage, urban AI life, and the innovation belt rather than becoming an unsupported slogan.

The proposal uses `[source:AGENT-TASKBOOK]` and `[standard:PROJECT-AGENT-OPEN-CALL-TASKBOOK]` for agent-task requirements, not as statutory planning controls. Spatial strategy returns to `[standard:MOHURD-URBAN-DESIGN-MEASURES]`, `[data:geometry/landuse.geojson#LU-001]`, `[data:geometry/publicspace.geojson#PUBLIC-001]`, and `[depth:overallspatialstructure]`.

Future-city research considers work, living, learning, mobility, public services, and social interaction under AI. AI traffic, continuous green space, innovation services, and international living-working conditions are represented as locations, nodes, corridors, and scenarios. Claims about global activities, developer communities, or pilgrimage routes remain concept recommendations requiring professional, operational, safety, and rights confirmation.


Overall Design Area: Urban Renewal and Regulatory-Plan-Level Urban Design

The overall design area is represented by land-use, building, road, green-space, public-space, constraint, and phasing layers. ``geometry/landuse.geojson`` is a conceptual design partition; ``geometry/buildings.geojson`` represents proposed building-footprint evidence; ``geometry/roads.geojson`` represents mobility and walking relationships. These are design proposals, not official controls.

The proposal addresses renewal projects, low-efficiency space, industry services, public facilities, talent services, distributed energy, edge-compute prototypes, rail integration, walking, cycling, parking, and municipal dependencies. Building height, FAR, density, setbacks, road redlines, utilities, fire safety, drainage, and engineering conditions remain unknown or pending where official evidence is absent.

The land-use and building evidence is linked to `[standard:MOHURD-CONTROL-DETAILED-PLANNING]` `[data:geometry/landuse.geojson#LU-001]` `[data:geometry/buildings.geojson#BLDG-001]` `[metric:buildingfootprintareasqm]` `[depth:landuselayout]` `[depth:developmentintensitycontrols]`.

Detailed Design of Key Areas



The three key areas are provisional polygons. Their names, locations, approximate announced areas, and design dependencies are retained; their exact boundaries and statutory controls are not claimed.

| Key area | Positioning | Spatial actions | AI and operation scenarios | Evidence |

| --- | --- | --- | --- | --- |

| Zhongzhiyuan AI Autonomous Innovation Accelerator | Garden-like full-stack innovation district | Strengthen the Qinghe interface, innovation display, low-carbon exchange, and external mobility. | Model testing, standards workshops, safety-governance display, low-carbon compute experience. | [data:geometry/keyareas.geojson#PROV-KEY-001], [depth:threekeyareadetaileddesign] |

| Beijing AI Origin Community | University-adjacent transfer and talent community | Stitch campus, park, and neighborhood walking; add release, talent, living, and open-source spaces. | Open-source community, results release, talent services, near-campus incubation. | [data:geometry/keyareas.geojson#PROV-KEY-002], [source:AGENT-TASKBOOK] |

| Dazhongsi AI Industry Cluster | Urban intelligent-economy and international interface | Integrate Dazhongsi station, four-quadrant walking, commercial services, and enterprise public realm. | Agent and device display, content consumption, data governance, international roadshow. | [data:geometry/keyareas.geojson#PROV-KEY-003], [metric:keyareacount] |

Each key area must be refined against official polygons, ownership, existing buildings, traffic, public-space, municipal, safety, heritage, and implementation evidence before any statutory or professional decision.

AI Innovation Ecosystem, Personas, and AI+ Scenarios

The proposal contains ten scenario cards: open-source publishing hall, safety-governance sandbox, edge-compute station, accessible walking navigation, Dazhongsi international roadshow lounge, Qinghe low-carbon innovation corridor, near-campus transfer street, data-governance reception hall, AI daily-service model street, and a global AI activity route.

Three industry tests are proposed: enterprise API and data-system integration; Agent evaluation and observability; and robot delivery with public-space coordination. Each requires authorization, data minimization, human review, failure exit, privacy boundaries, and a named operating party.

Five user groups are used for spatial scenarios rather than individual profiling: developers, startups, enterprise visitors, residents, and university communities. The system must not use unauthorized tracking or commercial recommendation.

AI scenarios connect to [data:geometry/publicspace.geojson#PUBLIC-001], [data:geometry/roads.geojson#ROAD-001], [data:geometry/greenspace.geojson#GREEN-001], [metric:publicspaceratio], and [metric:greenratio].


Land Use, Building Scale, and Retain-Renovate-Demolish Strategy

The submitted land-use layer expresses a conceptual partition. Buildings are represented as design evidence and do not establish ownership, demolition, retention, height, FAR, or construction rights. Retain-renovate-demolish decisions require official existing-building data, ownership, heritage, safety, and engineering confirmation.

The package therefore marks missing controls as assumptions rather than filling them with invented values. A3/A0 and HTML outputs should be regenerated after official controls arrive.

Transport, Rail, Municipal Infrastructure, and Public Services

The mobility proposal prioritizes rail integration, walking, cycling, accessible routes, low-speed connections, public-service access, and low-intrusion pilots. It identifies the Jing-Zhang heritage park, Wudaokou, Qinghua East Road West Exit, Dazhongsi Station, and enterprise interfaces as design discussion points.



The road and public-space evidence is linked to [depth:trafficrailslowparking] [depth:municipalnewinfrastructure] [data:geometry/roads.geojson#ROAD-001] [data:geometry/publicspace.geojson#PUBLIC-001] [data:geometry/constraints.geojson#CONSTRAINTS]. Road redlines, station interfaces, utilities, drainage, fire safety, parking, and engineering conditions remain pending.

Public services include enterprise services, talent services, public information, edge-compute prototypes, distributed-energy concepts, and traditional municipal support. No concept is a government implementation commitment.

Blue-Green Network, Public Space, and Urban Character

The blue-green strategy uses Jing-Zhang heritage park, Qinghe, Xiaoyue River, campuses, enterprises, and communities as a public-space narrative. It proposes walking and cycling continuity, accessible routes, green public rooms, low-carbon innovation interfaces, and public-service nodes.

The evidence is linked to [depth:bluegreenpublicspace] [data:geometry/greenspace.geojson#GREEN-001] [data:geometry/publicspace.geojson#PUBLIC-001] [standard:MOHURD-URBAN-DESIGN-MEASURES]. Urban character combines railway history, Zhongguancun innovation culture, and AI culture. Signage, public art, enterprise identities, portraits, fonts, and trademarks require rights review.

Renewal Projects, Implementation Policy, and Phasing

The project list includes walking-breakpoint repair, Qinghe innovation interface, near-campus transfer street, Dazhongsi four-quadrant walking, AI public service and edge-compute nodes, and a public AI activity route. Each project requires an owner, approvals, rights, safety, budget, technical dependencies, and evaluation measures before implementation.

The phases are near-term prototypes, medium-term key-area coordination, and long-term operation and professional deepening. They are not construction commitments. The phase evidence is [depth:renewalprojectlist] [depth:phasingimplementation] [data:geometry/phasing.geojson#PHASE-001].

Participants include the design agent, maintainer, professional reviewers, source-data providers, public-space operators, accessibility representatives, community representatives, and future implementing authorities. Approval roles and acceptance conditions must be confirmed by the maintainer and relevant professionals; this submission does not assign official authority.

Metrics, Area Recalculation, and Compliance Matrix

Known spatial metrics are recalculated from submitted GeoJSON. They are low-confidence where they depend on provisional geometry. Regulatory metrics such as FAR, height, density, setbacks, road redlines, utilities, and facility standards are unknown or pending. Operational metrics such as usage frequency, accessibility satisfaction, walking continuity, service response time, and public participation require later baseline collection.



- agent.4 AI public space and native intelligent programs: low-threshold experience points, public-service nodes, and industry display spaces retain human service and exit mechanisms.
- agent.5 Three-culture narrative: railway history, Zhongguancun innovation, and AI culture shape wayfinding, contribution walls, public programs, and exhibits.
- agent.6 Global activities and long-term operation: developer open days, results release, public routes, and international exchange are concept operations requiring permits, safety, rights, and operators.

User value and implementation horizon

Near-term work focuses on wayfinding, open publishing, walking-breakpoint diagnosis, and public-service prototypes. Medium-term work coordinates the three key areas and blue-green public space. Long-term work develops communities, open scenarios, international communication, and professional refinement. Official planning, investment, ownership, approval, and municipal conditions remain pending.

Boundary statement

SITEBOUNDARY and KEYAREA are provisional constraints. Their areas are machine-recalculated values from submitted geometry, not official redlines, statutory areas, or approval bases. When official polygons, controls, ownership, municipal, safety, heritage, and engineering data arrive, the agent must regenerate GeoJSON, metrics, drawings, HTML, translations, and manifest hashes.