



Overall Concept and Spatial Structure

One co-legibility spine | three pressure tests | two functional wings | three-level translation

01 | Overall Concept + Scope




02 | Spatial Structure + Functions



Mobility, Blue-Green System and Three Key Areas

Walking and cycling | rail access | public-space continuity | project levers and risks

03 | Mobility, Blue-Green + Municipal Interfaces



- 01 RAIL + STATION

Separate orientation, transfer, waiting and delivery; verify alignments and flows.
- 02 CONTINUOUS WALKING

Keep passage continuous; move stopping, queues and pickup to side pockets.
- 03 BLUE-GREEN SPACE


Review sight fields with mature planting, seasons, wet-night reflection and ecology.
- 04 AI SCENARIO NODES

AI flags non-personal state change; fixed geometry and staffed paths stay available.
- 05 MUNICIPAL SUPPORT

Reserve removable power, communication and sensing, drainage, fire and maintenance need review.

→ FIXED DIRECTION → CONTINUOUS WALK → SIDE POCKET → AI NODE → HUMAN REVIEW



04 | Three Tests + Landmarks



Flagship Prototype | Zhongzhiyuan Co-Legible Corner

Candidate context | pressure hypothesis | plan and section | AI-off | field protocol

05 | From Hypothesis to Field Test






- HYPOTHESES
- 01 Mature planting and parking may reduce mutual view
 - 02 Dusk may weaken direction and boundary cues
 - 03 Stopping, cycling and walking may overlap

- REQUIRED RECORDS
- 01 Route, viewpoint, condition and version
 - 02 Older/low-vision pedestrians and cycling couriers
 - 03 Visible, legible and timely separately
 - 04 Failure, near-failure and AI-off baseline

- STOP + CONFIRM
- 01 Stop on any safety concern
 - 02 Stop without an accessible alternative
 - 03 Traffic, access, landscape and operations confirm
 - 04 No test without site permission

06 | Spatial Change + Rollback




- 01 SPACE: planting layers, no-stop edge, early slowdown, observation pocket
- 02 AI: alerts on occlusion change, people verify, low confidence falls back
- 03 FAIL: late mutual discovery, broken accessible passage or no rollback

Concept handover depth | Site survey, real-user testing and traffic/accessibility/landscape review are prerequisites


Ecosystem, Operations, Projects and Evidence

Six cases and eight factors | four projects and phases | metric recalculation | six task handover gates

07 | Global AI Ecosystems + Eight Factors



08 | Renewal Projects + Phasing



09 | Metrics + Acceptance Gates

METRIC	VALUE	SOURCE	RECALCULATION	CONFIDENCE
OVERALL SCOPE AREA	11.41 km ²	geometry/site_boundary.geojson	area(union) EPSG:4548	MEDIUM
DIAGRAMMATIC GREEN RATIO	12.3%	green_space + site_boundary	area(union) EPSG:4548	LOW
DIAGRAMMATIC PUBLIC RATIO	7.5%	public_space + site_boundary	area(union) EPSG:4548	LOW
CO-LEGIBLE ROUTE LENGTH	2.03 km	geometry/roads.geojson	sum(lines) EPSG:4548	LOW
CANDIDATES / PROTOCOL DRAFTS	16 / 3	visual/assets/*.json	count(records)	MEDIUM
BUILDING AREA / FAR	UNKNOWN	Survey + official controls required	no defensible formula yet	UNKNOWN

STRUCTURE

JSON / GeoJSON / bilingual / figures / PDF / offline HTML

PROFESSIONAL

Traffic, access, landscape, architecture, heritage, municipal, operations

FIELD

Permission, real users, routes, repeats and stop conditions

After this build, rerun render → finalize → self-check → participant preflight in sequence

10 | Six Task Handovers

