



JINGZHANG

# Jingzhang Co-Legible Interfaces

Shared Visibility Conditions for a City in Motion

---

**Let the city be understood before it is made intelligent**

# 01 | Basis, Scope and Overall Thesis

official sources · provisional geometry · structured evidence




JINGZHANG CO-LEGIBLE INTERFACES

01 / STRUCTURE

## Three Areas, Two Wings | Shared-Visibility Loop

OSM context supports three pressure windows; the wings are functional links, not statutory boundaries.



Map context © OpenStreetMap contributors, ODbL · provisional design overlay

Provisional geometry | Concept proposal | Recalculate after official data

# 02 | Spatial Structure, Functions and Three-Level Translation

spine · corridors · portals · functional relationships




JINGZHANG CO-LEGIBLE INTERFACES

02 / SPATIAL STRUCTURE

## Spatial Structure | One Spine, Three Interfaces, Three-Level Translation

Functions, corridors, portals and scope translation; provisional geometry is neither statutory land use nor a control plan.



OSM context + provisional scope; panels are not to a common scale

### 01 RESEARCH SCOPE

Problem discovery | ecosystem | two-wing relationships

### 02 DESIGN SCOPE

Spine | public-space chain | portals and interfaces

### 03 KEY AREAS

Three pressures | reversible prototypes | controlled tests

#### CULTURAL ORIENTATION

Fixed direction, mileage, engineering knowledge

#### PUBLIC-LIFE INTERFACE

Find, cross, share and adapt

#### INNOVATION GOVERNANCE

Problem, prototype, evidence and reuse

Provisional geometry | Concept proposal | Recalculate after official data



# 03 | Ecosystem and Future City: Six Cases, Eight Factors

mechanism transfer only · no policy, funding or reputation transfer



JINGZHANG CO-LEGIBLE INTERFACES

02 / ECOSYSTEM

## Global Cases → Eight Factors → Three Areas and Two Wings

Compare mechanisms; do not transfer scale, policy, investment or reputation. Every factor retains a human gate.

### Seoul AI Hub / AI Yangjae Hub

Seoul, Republic of Korea

Public coordination of research, firms and talent.

### Punggol Digital District

Singapore

University, industry space and an open district platform.

### IPAI Campus

Heilbronn, Germany

Research, enterprise, society, living lab and startups.

### Mila

Montréal, Canada

Research network, industry interfaces and talent.

### AI Singapore

Singapore

Problem-led projects, engineering platforms and talent.

### Hub71+ AI

Abu Dhabi, UAE

Market, capital, corporate and global service interfaces.

LAND

SPACE

INDUSTRY

FUNDS

TALENT

COMPUTE

DATA

SCENARIOS

### PROTOTYPE

PROTOTYPE + GOVERNANCE

### RESEARCH

RESEARCH + COMMUNITY

### MARKET

MARKET + DENSE INTERFACE

### PUBLIC TEST CHAIN

PUBLIC TEST CHAIN

### SERVICE MATCHING

SERVICE MATCHING

CONDITION → ACTION → EVIDENCE → HUMAN GATE

Provisional geometry | Concept proposal | Recalculate after official data

# 04 | Mobility, Rail, Municipal and Blue-Green Systems

continuous passage · side pockets · AI-off baseline




JINGZHANG CO-LEGIBLE INTERFACES

04 / MOBILITY + BLUE-GREEN

## Mobility × Rail Access × Blue-Green Public Space

Make different speeds visible before they meet; connect the three areas through continuous walking, side pockets and reversible scenario nodes.



### 01 RAIL + STATION

Separate orientation, transfer, waiting and delivery; verify alignments and flows.

### 02 CONTINUOUS WALKING

Keep passage continuous; move stopping, queues and pickup to side pockets.

### 03 BLUE-GREEN SPACE

Review sight fields with mature planting, seasons, wet-night reflection and ecology.

### 04 AI SCENARIO NODES

AI flags non-personal state change; fixed geometry and staffed paths stay available.

### 05 MUNICIPAL SUPPORT

Reserve removable power, communication and sensing; drainage, fire and maintenance need review.

→ FIXED DIRECTION → CONTINUOUS WALK → SIDE POCKET → AI NODE → HUMAN REVIEW

Provisional geometry | Concept proposal | Recalculate after official data



# 05 | Three Key Areas and Public Landmarks

same mechanism · different pressures · explicit risks



JINGZHANG CO-LEGIBLE INTERFACES

03 / THREE TESTS

## Three Areas Are Three Pressure Conditions

One mechanism faces complex co-presence, inclusive daily life and dense interfaces.

Zhongzhiyuan



### Co-Legible Corner Test

Planting × parking × dusk

Sight triangle | slowdown | pocket

Landmark: Co-Visibility Test Court

AI Origin



### Inclusive Wayfinding Test

Rain × queues × construction

Entrance frame | route | staff

Landmark: Co-Legible Milestone Gate

Dazhongsi



### Visual Congestion Test

Station × media × event

Public field | buffer | delivery

Landmark: Urban Interface Theatre

# Zhongzhiyuan Candidate Node | From Hypothesis to Field Verification

OSM provides context only; the node, viewpoints, conflicts and dimensions require field and professional confirmation

## CANDIDATE CONTEXT | NOT A SURVEY

CONTEXT MAP - NOT A SURVEY



Map context © OpenStreetMap contributors, ODbL - provisional design overlay

2026-08-11

## PRESSURE-CONDITION CONCEPT | NOT A SITE PHOTO



## HYPOTHESES

- 01 Mature planting and parking may reduce mutual view
- 02 Dusk may weaken direction and boundary cues
- 03 Stopping, cycling and walking may overlap

## REQUIRED RECORDS

- 01 Route, viewpoint, condition and version
- 02 Older/low-vision pedestrians and cycling couriers
- 03 Visible, legible and timely separately
- 04 Failure, near-failure and AI-off baseline

## STOP + CONFIRM

- 01 Stop on any safety concern
- 02 Stop without an accessible alternative
- 03 Traffic, access, landscape and operations confirm
- 04 No test without site permission



# 07 | Flagship Prototype: Spatial Change and Rollback

candidate node · plan · section · concept scene · field gates




JINGZHANG CO-LEGIBLE INTERFACES

04 / FLAGSHIP


## Flagship Prototype | Plan + Section + Realistic Concept Scene

Older pedestrian + courier; change space before testing AI value. Dimensions are design prompts, not engineering controls.


### 01 | CO-LEGIBLE CORNER PLAN (DIAGRAM)



### 02 | SECTION AI-OFF BASELINE



### AI CONCEPT SCENE | NOT A SITE PHOTO OR RECONSTRUCTION



- 01 SPACE: planting layers, no-stop edge, early slowdown, observation pocket
- 02 AI: alerts on occlusion change; people verify; low confidence falls back
- 03 FAIL: late mutual discovery, broken accessible passage or no rollback

Concept handover depth | Site survey, real-user testing and traffic/accessibility/landscape review are prerequisites

Provisional geometry | Concept proposal | Recalculate after official data



# Sixteen Urban Tasks | Four Families

## Find

- 01 First Look After Exit
- 02 A Community Entrance That Does Not Hide
- 03 An Accessible Branch Legible in Rain
- 04 A Delivery Bay Found Without Looking Down

## Cross

- 01 Co-Legible Corner Test
- 02 A Continuous Footway Through Pickup Peak
- 03 A Visible Crossing of Four Speeds
- 04 A Crossing Signal Not Lost in Advertising Glare

## Share

- 01 A Greenway for Stopping, Moving and Passing
- 02 A Continuous Route Beneath the Canopy
- 03 A Protected Visual Field for Public Wayfinding
- 04 Heritage Reading Without Occupying Direction Choice

## Adapt

- 01 A Sight Triangle That Accounts for Growth
- 02 Changing Hoardings, Continuous Direction
- 03 Decision Margin During Crowd Surges
- 04 The City Still Explains Itself with AI Off

# Cultural Resources × Three Public Landmarks × Contribution Versions

Direction, mileage, signalling and maintenance enter the public narrative; unverified heritage, images, people and marks remain outside factual claims

## 01 OFFICIAL RAIL ARCHIVES

Confirmed lines, stations, structures and archives

## 02 ENGINEERING KNOWLEDGE

Direction, mileage, signalling, maintenance and collaboration

## 03 INNOVATION CULTURE

Research, entrepreneurship and open collaboration

## 04 DAILY MEMORY

Use only consented user and maintainer material

### ZHONGZHIYUAN

## CO-VISIBILITY TEST COURT

Reversible components, failures and current version

Siting / scale / ownership / heritage / engineering: PENDING

### AI ORIGIN

## CO-LEGIBLE MILESTONE GATE

Direction, mileage, version and co-creation

Siting / scale / ownership / heritage / engineering: PENDING

### DAZHONGSI

## URBAN INTERFACE THEATRE

Switchable trials, short events and visible staffed help

Siting / scale / ownership / heritage / engineering: PENDING

ORIENT

READ HISTORY

CO-TEST

RECORD CONTRIBUTION

CANDIDATE → CONTROLLED TEST → FAIL/REVISE → REUSE | Being recorded is not an award, approval, construction or endorsement

Subordinate event IP: City Co-Legibility Challenge | names, marks and communication rights require clearance



# 10 | AI Operating Contract and Annual Iteration

visible ≠ legible ≠ timely · AI compares · people decide



JINGZHANG CO-LEGIBLE INTERFACES

05 / EVIDENCE

## Three Questions × AI Contract × Four-Season Iteration

Record failures separately; AI compares and alerts; people decide; retest AI-off; no composite score.



Structure checks pass; field tests, operator, thresholds, budget and permits remain UNKNOWN

Provisional geometry | Concept proposal | Recalculate after official data

# Renewal Projects × Phasing × Responsibility and Rollback

Begin with reversible prototypes and evidence packets; construction, procurement, attraction, budget and schedule are not commitments at this stage

JZ-01

## CO-VISIBILITY TEST COURT

### REVERSIBLE FIRST MOVE

Corner, planting, furniture, no-stop edge

### PROFESSIONAL DEPENDENCY

Traffic / landscape / lighting / real users

ROLLBACK: fixed geometry / manual inspection / visible service / frozen version

JZ-02

## CO-LEGIBLE PASSAGE

### REVERSIBLE FIRST MOVE

Entrance frame, passage, queue and detour kit

### PROFESSIONAL DEPENDENCY

Access / fire / ownership / community operations

ROLLBACK: fixed geometry / manual inspection / visible service / frozen version

JZ-03

## URBAN INTERFACE THEATRE

### REVERSIBLE FIRST MOVE

Public field, station buffer, delivery pocket

### PROFESSIONAL DEPENDENCY

Flows / media / event / egress

ROLLBACK: fixed geometry / manual inspection / visible service / frozen version

JZ-04

## COMPONENT + CASE LIBRARY

### REVERSIBLE FIRST MOVE

Versions, failure conditions and reuse records

### PROFESSIONAL DEPENDENCY

Data / copyright / operator responsibility

ROLLBACK: fixed geometry / manual inspection / visible service / frozen version

## 01 BASELINE

Survey and evidence review

## 02 PROTOTYPE

Reversible components and AI-off path

## 03 CO-TEST

Permitted public + professional test

## 04 DECIDE

Adopt, revise or roll back and archive

AI opens recommendation tickets; venue operators, public bodies, professionals and user representatives decide with a rollback version

# 12 | Metrics, Recalculation and Acceptance Gates

known · low-confidence · unknown · next verification



JINGZHANG CO-LEGIBLE INTERFACES

05 / METRICS + EVIDENCE

## Metric Sources | Recalculation | Unknown Controls | Acceptance Gates

Values describe the current structured layers only; low-confidence diagrams are not existing, statutory, engineering or performance claims.

| METRIC                       | VALUE     | SOURCE                              | RECALCULATION             | CONFIDENCE |
|------------------------------|-----------|-------------------------------------|---------------------------|------------|
| OVERALL SCOPE AREA           | 11.41 km² | geometry/site_boundary.geojson      | area(union) · EPSG:4548   | MEDIUM     |
| DIAGRAMMATIC GREEN RATIO     | 12.3%     | green_space ÷ site_boundary         | area(union) · EPSG:4548   | LOW        |
| DIAGRAMMATIC PUBLIC RATIO    | 7.5%      | public_space ÷ site_boundary        | area(union) · EPSG:4548   | LOW        |
| CO-LEGIBLE ROUTE LENGTH      | 2.03 km   | geometry/roads.geojson              | sum(lines) · EPSG:4548    | LOW        |
| CANDIDATES / PROTOCOL DRAFTS | 16 / 3    | visual/assets/* .json               | count(records)            | MEDIUM     |
| BUILDING AREA / FAR          | UNKNOWN   | Survey + official controls required | no defensible formula yet | UNKNOWN    |

STRUCTURE

JSON / GeoJSON / bilingual / figures / PDF / offline HTML

PROFESSIONAL

Traffic, access, landscape, architecture, heritage, municipal, operations

FIELD

Permission, real users, routes, repeats and stop conditions

After this build, rerun render → finalize → self-check → participant preflight in sequence



# Six Task Responses | Output + Boundary + Handover Gate

Packaged concept responses are not site, policy, operator or engineering confirmation

## agent.1

### Overall Concept and Functional Coordination

#### OUTPUT

Three positions, five functions and a three-area/two-wing coordination loop

#### HANDOVER GATE

Wing extents, ownership and quantitative flows remain unverified.

## agent.2

### Global AI Innovation Ecosystems and Jingzhang Mechanisms

#### OUTPUT

Six global cases and an eight-factor land-to-scenario mechanism

#### HANDOVER GATE

Actors, funding, compute, policy tools and attraction results are unconfirmed.

## agent.3

### Xiaoyue River Public Experience Chain and Scenario Operation

#### OUTPUT

Sixteen scenarios, personas, Xiaoyue River chain and test protocols

#### HANDOVER GATE

The Xiaoyue River alignment and field results remain unverified.

## agent.4

### AI Public Space, Native Scenarios, Landmarks and Component Library

#### OUTPUT

Heritage-park public space, cross-axis links, Dazhongsi scenarios, three landmarks and six components

#### HANDOVER GATE

Routes, carriers, ownership, heritage and engineering remain pending.

## agent.5

### Historical-Cultural Resource System and International Narrative

#### OUTPUT

Four cultural-resource classes, storyline, signage and international copy

#### HANDOVER GATE

Specific heritage assets, facts and rights require official verification.

## agent.6

### Annual Events, Brand IP, Developer Community and Conversion

#### OUTPUT

Four-season events, City Co-Legibility Challenge IP, developer operations and conversion path

#### HANDOVER GATE

Brand rights, dates, budget, operators, partners and results are unconfirmed.

Package: narrative + five figures + 16 scenarios + 3 tests + AI contract + provenance/matrices | Next: survey, professional review, operator confirmation