

CIVIC AI INFRASTRUCTURE THAT CAN BE QUESTIONED, EXITED AND IMPROVED

One civic spine, three Proof Stations, two service wings, six cross-connections and twelve governed scenarios translate the century-old railway grammar into public validation.

1141.3 ha

provisional area

18.0%

conceptual green

12 / 3

scenarios / industry tests

8

action packages

BOUNDARY STATUS

Provisional constraint for concept generation, display and self-check. It is not an Official Planning Boundary. Recalculate all layers, metrics, figures and drawings after rights-cleared official polygons.

01

PROOFLINE | OVERALL CONCEPT AND SPATIAL STRUCTURE


One civic spine | three Proof Stations | two service wings | five validation steps

JING-ZHANG PROOFLINE
PROVISIONAL | CONCEPT ONLY

FULL-STACK PROOF

OPEN TRANSFER

CITY EXPERIENCE



CORE PROPOSITION

Urban AI should not merely display capability. Questions, tests, decisions, exits and contributions must be publicly visible.

CIVIC VALIDATION LOOP

- 01

DEFINE THE QUESTION

Residents, developers, companies and professional teams define it together.
- 02

TEST IN PUBLIC

Run a minimum-scale trial at three Proof Stations and twelve scenario nodes.
- 03

HUMAN DECISION

Accountable professionals decide and keep appeal and exit available.
- 04

RECORD CONTRIBUTION

Archive traceable rules, failures, corrections and civic contributions.
- 05

TRANSFER AND REUSE

Move validated components into products, places and operations through two wings.

PROVISIONAL BOUNDARY

The red dashed extent is a provisional constraint for concept generation and self-check. Recalculate every area, alignment and key-area form after official polygons.

02 DESIGN BASIS AND SOURCE TIERS

Use each source only for the claim it can support

OFFICIAL TASK BASIS

Announcement and local standards support tasks, scope text, approximate area and professional principles - not exact polygons or controls.

RIGHTS-CLEARED TASKBOOK

Supports brand, cases, scenarios, landmarks, culture and operations - not statutory planning or investment commitments.

PROVISIONAL SPATIAL BASIS

Supports generation, topology, relative relationships and offline display - not ownership, exact area or approval.

AGENT-DESIGNED DATA

GeoJSON and metrics support conceptual zoning, capacity, networks, scenarios and phasing - not surveyed conditions.

ADMINISTRATIVE STATISTICS

Haidian, national and Beijing data calibrate problems - they do not establish corridor flows, siting or performance.

BACKGROUND CASES

Six institutional sites support mechanism comparison only - not Haidian performance analogies or delivery guarantees.

BACKGROUND OBSERVATIONS -> DESIGN ACTIONS

92 / 123

key laboratories / filed and launched large models

Prioritize standards, failure records, IP and product validation.

37

universities in one public service case

Create four clinic routes; do not infer equal needs or partnerships.

76.5%

green mode share in central Beijing

Prioritize active travel, but measure this corridor before expansion.

1456 / 239

health institutions / community centers or stations

Verify directory and refer; never diagnose or infer corridor capacity.

03 ONE SPINE, THREE STATIONS, TWO WINGS

A civic-validation loop across the Three-Level Scope Framework

01 PROOFLINE | OVERALL CONCEPT AND SPATIAL STRUCTURE

One civic spine | three Proof Stations | two service wings | five validation steps


JING-ZHANG PROOFLINE

PROVISIONAL | CONCEPT ONLY

FULL-STACK PROOF

OPEN TRANSFER

CITY EXPERIENCE



CORE PROPOSITION

Urban AI should not merely display capability. Questions, tests, decisions, exits and contributions must be publicly visible.

CIVIC VALIDATION LOOP

- 01 DEFINE THE QUESTION Residents, developers, companies and professional teams define it together.
- 02 TEST IN PUBLIC Run a minimum-scale trial at three Proof Stations and twelve scenario nodes.
- 03 HUMAN DECISION Accountable professionals decide and keep appeal and exit available.
- 04 RECORD CONTRIBUTION Archive traceable rules, failures, corrections and civic contributions.
- 05 TRANSFER AND REUSE Move validated components into products, places and operations through two wings.

PROVISIONAL BOUNDARY

The red dashed extent is a provisional constraint for concept generation and self-check. Recalculate every area, alignment and key-area form after official polygons.

04 LAND USE AND SPATIAL STRUCTURE


Complete conceptual coverage; no blank or statutory claim

02 COMPLETE LAND-USE PARTITION | THE SPINE IS NOT LEFTOVER SPACE


One shared grid | full coverage | conceptual use does not replace approved Regulatory Detailed Planning

JING-ZHANG PROOFLINE

PROVISIONAL | CONCEPT ONLY



FUNCTIONAL COMPOSITION



SPATIAL TRANSLATION

- 17%+ CONTINUOUS OPEN SPINE** Combine stormwater, shade, walking and civic validation along the railway direction.
 - RESEARCH NEXT TO EDUCATION** Share divisible proof, transfer and learning space while respecting campus ownership.
 - URBAN EXPERIENCE IN THE SOUTH** Place terminals, commerce and exchange at an opt-out interface with Human Review.

Data: geometry/land_use.geojson | EPSG:4548 recalculation | white seams are shared partition lines | red dash is provisional

05 DETAILED DESIGN OF THREE KEY AREAS

Full-stack proof, open transfer and opt-out urban experience

03 THREE PROOF STATIONS | ONE SPINE, THREE INNOVATION LOOPS

Key-area polygons are provisional | each station pairs civic value with an evidence gate and exit

JING-ZHANG PROOFLINE

PROVISIONAL | CONCEPT ONLY

01

Zhongzhiyuan

FULL-STACK PROOF STATION



- Model safety and standards sandbox
- Edge-computing carbon ledger
- Qinghe ecological innovation interface

EVIDENCE GATE BEFORE DETAIL

Heritage | waterway | transport | ownership | energy

02

Beijing AI Origin

OPEN TRANSFER STATION



- Open-source launch and contribution lineage
- Research transfer clinic
- Talent learning and everyday-life loop

EVIDENCE GATE BEFORE DETAIL

Campus | ownership | buildings | transit interface

03

Dazhongsi

CITY EXPERIENCE STATION



- Opt-out intelligent-terminal experience
- International demonstration and referral
- Four-quadrant walking connections

EVIDENCE GATE BEFORE DETAIL

Road | rail | utilities | commercial operations

06

TWELVE AI-ENABLED SCENARIOS

Every card has minimum data, a human reviewer, an exit and a stop condition

SCN-01 Model Safety Proving Ground Zhongzhiyuan industry test Minimum necessary data Human Review immediate exit or appeal explicit stop condition	SCN-02 Edge Computing Carbon Ledger Zhongzhiyuan industry test Minimum necessary data Human Review immediate exit or appeal explicit stop condition	SCN-03 Robot Right-of-Way Sandbox Xiaoyue River industry test Minimum necessary data Human Review immediate exit or appeal explicit stop condition	SCN-04 Open-Source Launch Hall AI Origin innovation Minimum necessary data Human Review immediate exit or appeal explicit stop condition
SCN-05 Research Transfer Clinic AI Origin enterprise service Minimum necessary data Human Review immediate exit or appeal explicit stop condition	SCN-06 Accessible Walking Companion Proofline public service Minimum necessary data Human Review immediate exit or appeal explicit stop condition	SCN-07 Maintenance Co-Review Proofline civic governance Minimum necessary data Human Review immediate exit or appeal explicit stop condition	SCN-08 Trustworthy AI Education Near-campus education Minimum necessary data Human Review immediate exit or appeal explicit stop condition
SCN-09 Health-Service Navigation Community point referral only Minimum necessary data Human Review immediate exit or appeal explicit stop condition	SCN-10 Legal-Service Referral Community point professional review Minimum necessary data Human Review immediate exit or appeal explicit stop condition	SCN-11 Opt-Out Terminal Experience Dazhongsi urban experience Minimum necessary data Human Review immediate exit or appeal explicit stop condition	SCN-12 Urban Memory Contribution Proofline culture Minimum necessary data Human Review immediate exit or appeal explicit stop condition

SHARED PROTOCOL

Service user | minimum data | spatial boundary | human reviewer | exit / appeal | evaluation / stop

07

WALKING, CYCLING AND BLUE-GREEN PUBLIC SPACE

One continuous spine; expansion only after five corridor evidence gates


04

WALKING AND CYCLING x BLUE-GREEN PUBLIC SPACE | SIX CROSS-CONNECTIONS

Walking first | companion cycling | accessible continuity | transit referral | low-impact scenario nodes

JING-ZHANG PROOFLINE

PROVISIONAL | CONCEPT ONLY



Conceptual connection diagram, not a road boundary, rail alignment, bridge/tunnel scheme or engineering approval.

ONE CONTINUOUS CIVIC SPINE

The Jing-Zhang direction becomes a civic-validation spine. A companion cycling route separates speeds; six east-west interfaces connect communities, campuses, transit and parks into one everyday network.

PROOFLINE LENGTH

9.3 km

WALKING + CYCLING NETWORK

24.4 km

AI SCENARIO NODES

12

INDUSTRY VALIDATION

3

INCLUSIVE OPERATING PROTOCOL

- 01

DEVICE-FREE BY DEFAULT

Every service retains a staffed window, ordinary wayfinding and a non-smart alternative.
- 02

VISIBLE BOUNDARIES

Purpose, retention, responsible person, exit and appeal are readable on site.
- 03

LOW SPEED AND TIME SLOTS

Robot trials use speed limits, physical separation and on-site takeover.
- 04

FAILURES ENTER THE RECORD

Withdrawal reasons and negative results are archived alongside successes.

P01

Civic Proof Protocol

EVIDENCE / STOP

Legal, ethical, accessibility and public review

P03

Zhongzhiyuan Safety Proof Garden

EVIDENCE / STOP

Energy, waterway, transport, data safety and human stop

P05

Dazhongsi Opt-Out Experience Street

EVIDENCE / STOP

Transport baselines, fire, consumer rights and privacy

P07

Three contribution nodes

EVIDENCE / STOP

Provenance, rights and dispute process

P02

Lightweight spine pilot

EVIDENCE / STOP

Heritage, ownership, fire and five transport baselines

P04

AI Origin Transfer Clinic

EVIDENCE / STOP

Ownership, safety, authorization and material governance

P06

Six accessible cross-connections

EVIDENCE / STOP

Continuity audit and representative-user review

P08

Annual Proofline operations

EVIDENCE / STOP

Actor, budget, permit and safety responsibility

AREA PHASING



09 METRICS AND FOUR REVIEW GATES

Structured data is authoritative; display assets explain it

05 CORE METRICS AND EVIDENCE CHAIN | STATE WHAT IS KNOWN AND UNKNOWN

geometry/*.geojson -> EPSG:4548 recalculation -> metrics.json -> figures / HTML -> four checks

JING-ZHANG PROOFLINE

PROVISIONAL | CONCEPT ONLY



THREE-PHASE AREA SHARE



KNOWN / UNKNOWN SEPARATION

REPRODUCIBLE

Land-use coverage, green and Public Space, capacity prototypes, Walking and Cycling Network, scenario count and phasing.

AWAIT OFFICIAL EVIDENCE

Exact boundaries, statutory controls, roads, ownership, surveyed buildings, heritage, utilities and facility inventories.

FOUR REVIEW GATES

01	DETERMINISTIC	Files / schemas / references / hashes	PASS
02	SPATIAL	Validity / coverage / overlap / area	PASS
03	VISUAL PACKAGING	Offline / metric consistency / disclosure	PASS
04	PROFESSIONAL EVIDENCE	Standards / depth / layers / metrics	PASS

HONEST DISCLOSURE PASS means the package can enter machine and Content Review. It is not official approval, engineering feasibility or an exact planning boundary.

All displayed values match metrics.json. Conceptual capacity is low confidence; statutory floor_area_ratio remains unknown.

10

RISK, COPYRIGHT AND COMPLIANCE

Review-ready is not approved, funded, engineered or officially bounded

PROVISIONAL BOUNDARY

Replace official polygons first, then regenerate every design layer, metric and display.

BUILDING DECISIONS

Capacity prototypes are not surveyed buildings and mark no demolition target.

SPATIAL MISALLOCATION

Administrative statistics never establish corridor demand or project performance.

AI GOVERNANCE

Minimum data, Human Review, non-digital alternatives, appeal, exit and a stop date are mandatory.

STATUTORY MISREADING

Land use and capacity are low-confidence concepts; statutory FAR remains unknown.

ENGINEERING ALIGNMENT

Mobility lines express connection intent and require road, rail, utility and accessibility review.

PLATFORM DATA

Personal traces and order records are prohibited; aggregate data requires permission and bias disclosure.

IMPLEMENTATION CLAIM

Actors, permits, budget, procurement and responsibility remain to be established.

ORIGINAL AND OFFLINE

Narrative, GeoJSON, JSON, HTML, logo, evidence figures and PDFs are original submission outputs. The concept image is presentation only. Offline HTML loads no CDN, remote map, font, script, iframe, form, API or tracker.