

GROUND FIRST: A Resilient Civic Ground for the Centennial Jing-Zhang AI Innovation Belt


Make the ground work through heat, rain, outages and daily maintenance before AI enters measurement, validation and stewardship.

Provisional rough geometry: not a redline, precise-area basis, approval or implementation commitment.

01 / SITE + THESIS

GROUND FIRST | Evidence Overview

PROVISIONAL ROUGH GEOMETRY | not a redline or precise-area basis



AI works only after the ground works.

01 Cool Ground

Continuous shade, rest points, low-glare surfaces and visible overflow routes precede digital devices.

02 Open Ground

Turn campus, park, workplace and neighborhood edges into walkable, enterable and closable civic interfaces.

03 Care Ground

Step-free continuity, water, seating, toilets and staffed help points form the basic service layer.

04 Circular Ground

Reversible assemblies, material passports, repair access and recovery routes let pilots be removed, reused or relocated.


05 Fail-Safe Ground

When power, networks or models fail—or a storm closes an area—analogue signs, human handoff and safe detours still work.

Provisional geometry 11,412,825 m² • 3 key areas

Land-Use Structure and Exact-Cover Audit

PROVISIONAL ROUGH GEOMETRY | not a redline or precise-area basis



One CRS • one partition • exact cover

05 Commercial services	11.3%
0701 Talent living	10.4%
0702 Community services	10.0%
0802 Research / validation	11.5%
0803 Rail culture	11.9%
1207 Street / access	11.3%
1401 Park green	15.7%
1403 Civic square	8.3%
16 Change reserve	9.5%

TOPOLOGY AUDIT

GAP 0.000000 m²
OVERLAP 0.000000 m²


Conceptual analytical partition; not approved zoning.

Provisional rough geometry: not a redline, precise-area basis, approval or implementation commitment.


03 / KEY AREAS

Three Key Areas | One Ground Gate, Three Operating Characters


PROVISIONAL ROUGH GEOMETRY | not a redline or precise-area basis



K1 OPEN MODEL YARD
controlled validation,
public failure records,
human e-stop



K2 FIRST GROUND / GROUND LEDGER
access, shade, maintenance
and contribution records
first




K3 CENTURY SIGNAL
station-city seam, rail
memory and circular service

Provisional rough geometry: not a redline, precise-area basis, approval or implementation commitment.

Mobility × Blue-Green Civic Ground × 12 AI Scenarios

PROVISIONAL ROUGH GEOMETRY | not a redline or precise-area basis



THREE HARD GATES

01 continuous access and safe egress

02 visible heat/water routes and human maintenance

03 data minimization, human takeover and stop rules

12 SCENARIOS | 3 VALIDATION

- SCN-01 End-to-End Accessible Arrival Audit
- SCN-02 Civic-Service Navigation with Human Handoff
- SCN-03 Shared-Ground Safety Validation for Low-Speed Robots
- SCN-04 Cool-Ground Microclimate Comparison
- SCN-05 Shared-Lab Booking and Safe-Access Trial
- SCN-06 Bookable Loading Curb for Small Businesses
- SCN-07 Human-Verified Care Resource Matching
- SCN-08 Two-Way Civic AI Literacy Classroom
- SCN-09 Opt-In, Quiet Rail-Memory Guide
- SCN-10 Material Passports for Reversible Components
- SCN-11 Match Repair Demand with Local Capability
- SCN-12 Ground-Recovery Triage after Heat and Storms

Provisional rough geometry: not a redline, precise-area basis, approval or implementation commitment.

From Facts to Gates | Metrics and Exit Path

PROVISIONAL ROUGH GEOMETRY | not a redline or precise-area basis

01 REGISTERED FACTS ~9 km planned park; Phase I 2.5 km / 16.8 ha; repository- maintained provisional geometry.	02 GEOMETRY-DERIVED SITE 11,412,825 m² GREEN 15.75% PUBLIC 5.30% GAP 0.000 m²	03 PENDING CONTROLS FAR, height, ownership, redlines, heritage, utilities, flood, fire and field accessibility.	04 PILOT GATES 0–18m: ground + fallback 18–36m: 3 controlled validations years 3–5: replicate only passed modules exit if maintenance/residual gates fail
---	--	--	--

PASS = package reviewable, not approved, selected, funded or implementation-ready.

Provisional rough geometry: not a redline, precise-area basis, approval or implementation commitment.

Six Personas

ID	Persona	Ground requirement
P-01	Accessible commuter	a continuous, verified station-to-park route and staffed help
P-02	Caregiver and family	shade, water, toilets, rest and low-risk crossings
P-03	Outdoor service worker	heat-rest access, predictable loading, water and fair work orders
P-04	Startup developer and researcher	shared facilities, risk-tiered tests and explicit exit gates
P-05	Local resident and small business	low-disruption renewal, repair opportunities, appeal and non-digital channels
P-06	Student and international visitor	trusted bilingual guidance, open learning and optional quiet experiences

Three Contribution Landmarks

ID	Landmark	Public contribution and exit rule
LM-01	Qinghuayuan Memory Mile Zero	Verified rail history, contributor credit and a removable digital layer sit on reversible ground without altering unconfirmed protected fabric.
LM-02	Cool-Ground Observatory	Shade, water, material upkeep and measurement error are visible to the public; the garden is both a place to rest and a long-term performance classroom.
LM-03	Circular Exchange Hall	Material passports, disassembly, repair history and next use are displayed; recognition rewards reusable contributions rather than a single brand.

Non-device alternatives, human appeal, data minimization and field safety gates apply to every user.

Twelve AI Scenario Cards | Three Validation Tests

ID	Scenario	Human review and stop
SCN-01	End-to-End Accessible Arrival Audit	stop on any safety defect, misleading route or missing human alternative
SCN-02	Civic-Service Navigation with Human Handoff	withdraw on erroneous eligibility decisions, missing appeal or sensitive-data leakage
SCN-03	Shared-Ground Safety Validation for Low-Speed Robots	stop after contact, geofence breach, failed emergency stop or repeated near misses
SCN-04	Cool-Ground Microclimate Comparison	pause on sensor drift, invalid comparison or increased heat risk and revert to manual inspection
SCN-05	Shared-Lab Booking and Safe-Access Trial	close booking when qualifications fail, maintenance is overdue or risk level is unclear
SCN-06	Bookable Loading Curb for Small Businesses	suspend when accessible passage or emergency access is blocked or conflicts rise
SCN-07	Human-Verified Care Resource Matching	stop automated recommendations on medical judgment, rights exclusion or stale resource data
SCN-08	Two-Way Civic AI Literacy Classroom	remove on inaccurate teaching, commercial promotion or inaccessible content
SCN-09	Opt-In, Quiet Rail-Memory Guide	withdraw disputed, uncleared or noise-producing content
SCN-10	Material Passports for Reversible Components	bar redeployment when provenance, hazardous content or recovery route is unclear
SCN-11	Match Repair Demand with Local Capability	route safety-critical work, unclear qualifications or labor-risk cases to a human-only channel
SCN-12	Ground-Recovery Triage after Heat and Storms	switch fully to manual inspection when data are missing or model and field disagree

Validation scenarios SCN-03 / 07 / 11 require a physical e-stop, geofence, on-site marshal and manual fallback. Serious harm, blocked access, boundary breach, unauthorized personal data, a critical cyber incident or lapsed permission triggers immediate stop.

Flagship Pilot and Phasing

PHASE-001	0–18m	FIRST GROUND: accessibility baseline, reversible kit, manual fallback and funded maintenance
PHASE-002	18–36m	replicate passed components; three staffed validation scenarios; zero serious incidents
PHASE-003	years 3–5	connect only with permissions, operator, funding, benefit evidence and residual-value gate

责任矩阵 / RACI

Work	A	R	Review / stop veto
Permissions	PA	GS	IR + community
Baseline + design	GS	DP	IR / FM / users
AI trials	GS	SO	IR stop veto
Maintenance	GS	FM	DP / SO / users
Phase gate	PA	IR	all consulted

SITE 11,412,825 m² • GREEN 15.75% • PUBLIC 5.30% • 12 scenarios / 3 validation. All values use provisional geometry; FAR, height, ownership, utilities and engineering conditions remain pending.

Maintenance: daily pre-opening safety/access checks; weekly structure, electrical and drainage inspection; monthly accessibility and data-security audit; quarterly community walk; annual independent lifecycle and residual-value audit. Safety-critical assets close immediately, are made safe within four hours and repaired or removed within 24 hours.

Provisional rough geometry: not a redline, precise-area basis, approval or implementation commitment.