

Centennial Jingzhang AI Innovation Belt

A City-Agent Belt of Memory and Evolution

Formal Proposal Booklet

Contents

1. Design Basis and Materials Inventory
2. Three-Level Scope Working Framework
3. Coordinated Research Area: Industry and Future-City Study
4. Overall Design Area: Urban Renewal and Regulatory-Depth Urban Design
5. Key-Area Detailed Design
6. AI Innovation Ecosystem, Talent Personas, and AI+ Scenarios
7. Land Use, Building Scale, and Retention/Renovation/Demolition Strategy
8. Transport, Rail, Municipal Infrastructure, and Public Services
9. Blue-Green Space, Public Space, and Urban Character
10. Renewal Projects, Implementation Policy, and Phasing
11. Metrics, Area Recalculation, and Compliance Matrix
12. Risk, Copyright, and Compliance
13. References

Proposal

1. Design Basis and Materials Inventory

This formal proposal takes the Pre-qualification Announcement for the International Call for Urban Design of the Centennial Jingzhang AI Innovation Belt issued by the Haidian Branch of the Beijing Municipal Commission of Planning and Natural Resources as its primary basis, and uses the maintainer-registered provisional boundary, key areas, enums, metrics, and source inventory under brief/site-package/ as its machine-readable basis. Before generating a proposal, the AI agent must read design_brief.json, allowed_design_space.json, sources.json, enums/, ranges/, schemas/, data/source_registry.json, and data/processed/agent_fact_pack.md, and use project_scope_summary.csv, agent_task_requirements.csv, source_use_matrix.csv, and missing_data_checklist.csv to build task, scope, material-use, and gap checklists. Every design judgment is decomposed into traceable sources, reproducible metrics, verifiable layers, and human-reviewable assumptions. The announcement requires the proposal to reach the urban-design depth of regulatory detailed planning and the urban-design depth of a comprehensive




Fig. Overall design scope and spatial working framework

2. Three-Level Scope Working Framework

The proposal organizes work according to the three levels defined in the announcement: the coordinated research area concerns the 43.6 km² AI industry ecology, strategic positioning, innovation chain, and future urban form; the overall design area concerns the 11.4 km² urban and industrial areas within 1–2 km of the Jingzhang Heritage Park, requiring an overall urban-renewal framework, industrial spatial layout, transport and municipal support, and urban-character control; the key detailed-design area concerns 369.3 hectares of three detailed-design districts, requiring clear functional programs, building scale, demolition/renovation/retention classification, public-space connectivity, and transport organization. The three levels are mapped item by item in `compliance_matrix.json`, ensuring that announcement sections 1.3, 1.4, 1.5 and tasks agent.1–agent.6 each have chapter, layer, metric, drawing, and HTML evidence. The depth of the three-level framework is constrained by and ; spatial evidence is governed by and ; task basis is governed by ; and the scope index is navigated by the




Fig. Three-level scope and land-use structure

3. Coordinated Research Area: Industry and Future-City Study

The core task of the coordinated research area is to build a world-class AI innovation ecosystem. The proposal should map Haidian's university research institutes, leading enterprises, computing-power/algorithm/data factors, incubators, listed companies, unicorns, and technology-service resources, and propose a spatial coordination framework for the AI innovation chain, industry chain, talent chain, and urban service chain. The naming scheme and logo design should serve the overall recognizability of "Centennial Jingzhang Cultural Belt, Urban AI Life Experience Belt, and AI Convergence Innovation Belt" and must not stop at slogans; they should explain the relationship with the industry ecology, public space, and cultural resources. The agent open-call taskbook also requires a response to the "five functions" and "three districts, two wings" coordination, forming a naming system, visual identity, overall spatial structure diagram, scenario-opening, and operating mechanism that can be further deepened; this section must mark these requirements as coming from the agent open-call task ra




Fig. Three key areas: detailed design index

4. Overall Design Area: Urban Renewal and Regulatory-Depth Urban Design

The overall design area must reach the urban-design depth of regulatory detailed planning. The proposal must present an overall urban-renewal spatial structure, low-efficiency-space identification, a renewal-project list, implementation-policy recommendations, industrial functional ratios, spatial organization models, total building scale, and comprehensive capacity assessment. geometry/land_use.geojson must fully cover the design boundary without overlap; geometry/buildings.geojson should express renewed or retained building footprints; geometry/roads.geojson should express micro-circulation, slow mobility, and rail-connection relationships; and metrics.json should recalculate core areas, ratios, and layer counts. This section breaks regulatory-depth content into reviewable objects following : expresses the land-use structure, the building footprints, the transport organization, the footprint area verification, and with the depth constraints. The overall design must also support transport, rail, municipal, and supporting facilities. The proposal should propose spatial layouts




Fig. Mobility, slow traffic, blue-green and public space system

5. Key-Area Detailed Design

Key-area detailed design is mandatory. The Zhongzhiyuan AI Autonomous-Innovation Acceleration Area should propose detailed plans around national AI platforms, full-stack autonomous innovation, standards development, safety governance, industry exhibitions, external transport, Qinghe-culture, low-carbon green innovation exchange, and green-space AI scenarios. The Beijing AI Origin Community should propose detailed plans around near-campus innovation, achievement incubation and transformation, a talent special zone, the open-source system, brand activities, building demolition/renovation/retention, achievement exhibition and release, residential and life support, campus-park-street slow-mobility connections, and rail-station integration. The Dazhongsi AI Industry Cluster should propose detailed plans around leading enterprises, agents, intelligent terminals, content consumption, data factors, digital assets, commercial services, composite use of planned green space, Dazhongsi Station integration, and four-quadrant pedestrian connectivity at the intersection. The three key areas must ci





Fig. Key metrics recalculation and evidence chain

6. AI Innovation Ecosystem, Talent Personas, and AI+ Scenarios


The proposal should build spatial-demand personas for AI talent and enterprises, covering R&D; offices, open-source collaboration, achievement release, enterprise services, talent housing, social learning, consumption life, sports and leisure, and international exchange. AI+ scenarios should follow the directions raised in the announcement—transport, services, consumption, healthcare, education, law, and life services—forming both industry-development scenarios and AI-enabled urban-function scenarios. Each scenario should state its service objects, spatial location, data sources, privacy boundaries, human-review mechanism, and operating entity. AI scenarios must land in space and governance boundaries: public-space scenarios cite , slow-mobility and transport scenarios cite , open-space scenarios cite and and . These citations let reviewers see that scenarios are not slogans but design objects located in concrete layers and metrics. The agent open-call taskbook requires no fewer than 10 AI scenario cards, no fewer than 3 industry test-and-verification scenarios, and no fewer than 5



Metric	Value	Status	Unit
Overall design area	11,412,825.0	known	sqm
Land-use coverage	11,412,833.0	known	sqm
Green space	1,764,847.0	known	sqm
Green ratio	0.1546	known	ratio

7. Land Use, Building Scale, and Retention/Renovation/Demolition Strategy


The land-use plan should follow public standards for territorial-space survey, planning, and use-regulation classification to form a complete, closed, seamless land-use partition. The building plan should distinguish retained, renovated, renewed, new-build, or pending-confirmation objects, and clarify the recommended hierarchy of building footprints, functions, scale, appearance, roofs, massing, and height control. Where existing building, ownership, regulatory-planning, or engineering conditions are missing, the proposal may only provide methods and a to-be-calibrated checklist; it must not fabricate retention/renovation/demolition conclusions. Land-use classification follows ; building height, massing, interface, and appearance control are managed by , and the retention/renovation/demolition method by . The main evidence for land use and buildings is , , and . Building-scale and intensity metrics must be consistent with metrics.json and the layers. Where total building scale, FAR, building height, building density, green ratio, setbacks, and building control lines lack official con



Metric	Value	Status	Unit
Land-use coverage	11,412,833.0	known	sqm
Green space	1,764,847.0	known	sqm
Green ratio	0.1546	known	ratio
Public space	132,868.0	known	sqm

8. Transport, Rail, Municipal Infrastructure, and Public Services


The transport plan should respond to the announcement's requirements for rail-station integration, road micro-circulation, slow-mobility gaps, external transport, parking, bicycle parking, and green transport systems. Priority coverage should include the North Fifth Ring Road, the Jingzhang Heritage Park overpass nodes, Wudaokou, the west entrance of Qinghua East Road, Dazhongsi Station, and transport links around key enterprises. Road and slow-mobility layers should remain inside the submitted boundary and be cross-checked with public space, green space, industrial nodes, and key areas; if the submitted boundary is provisional, transport conclusions may only serve as temporary design discussion. Transport and municipal professional depth are constrained respectively by and ; layer evidence cites , , and . Where road redlines, pipelines, fire, and municipal conditions are missing, they should be stated as pending through assumptions rather than written as approved conditions. Municipal and public-service facilities should cover AI industry-service facilities, innovation-service plat



Metric	Value	Status	Unit
Green space	1,764,847.0	known	sqm
Green ratio	0.1546	known	ratio
Public space	132,868.0	known	sqm
Public-space ratio	0.0116	known	ratio

9. Blue-Green Space, Public Space, and Urban Character


The blue-green space plan should take the Jingzhang Heritage Park vitality belt as the skeleton, coordinate travel needs around the Qinghe, the Xiaoyue River, nearby universities, enterprises, and communities, and propose a north-south through and east-west connected network of footpaths, cycling paths, and green space. The proposal should identify slow-mobility gaps, overpass nodes, and landscape nodes at the south and north ends of the park, and propose composite-use strategies for parking, sports, innovation exchange, technology testing, application display, and public services. Blue-green public space is jointly verified by the design-depth item and the green-space and public-space layers . The green and public-space ratios are explained in the narrative for their design meaning, with the complete recalculation kept in metrics.json; the coordination of urban character, public space, and building control returns to the professional standard matrix . The urban-character plan should integrate Jingzhang Railway history and culture, Zhongguancun innovation culture, and AI innovation



Metric	Value	Status	Unit
Green ratio	0.1546	known	ratio
Public space	132,868.0	known	sqm
Public-space ratio	0.0116	known	ratio
Building footprint (union)	567,581.0	known	sqm

10. Renewal Projects, Implementation Policy, and Phasing


The proposal should compile a project-by-project renewal list with phasing, cost ranges, and policy triggers, distinguishing which projects start with light facilities, operation activities, and service platforms, and which must wait for formal regulatory plans, municipal, transport, and ownership conditions to be confirmed. For the annual activity system, developer-community operations, scenario open days, public experience routes, and international communication mechanisms, the narrative should state the operating objects, frequency, responsibility boundaries, conversion paths, and risks, not just promotional slogans.



Metric	Value	Status	Unit
Public space	132,868.0	known	sqm
Public-space ratio	0.0116	known	ratio
Building footprint (union)	567,581.0	known	sqm
Road area (24m buffer)	1,251,569.0	known	sqm

11. Metrics, Area Recalculation, and Compliance Matrix


The indicator system should at least include the overall-design-area size, key-area sizes, green-space and public-space ratios, building footprints, renewal-project counts, AI scenario nodes, slow-mobility connectivity indicators, industrial-space indicators, talent-service indicators, and self-check status. All known metrics must be reproducible from GeoJSON or trusted sources; unknown metrics must state the reason and the prerequisites for formal submission. The results of scripts/spatial_review.py and scripts/visual_review.py are important evidence for the formal self-check. Metric recalculation follows the unified design-depth requirement . The narrative explains the design meaning of key metrics, such as how the overall scope constrains spatial allocation and how blue-green and public-space ratios support daily exchange; the complete values, formulas, source files, and confidence are kept in metrics.json. Example key metrics can be verified by the overall scope and green-space data . The compliance matrix is the master file for task responsiveness. Every announcement task and a



Metric	Value	Status	Unit
Public-space ratio	0.0116	known	ratio
Building footprint (union)	567,581.0	known	sqm
Road area (24m buffer)	1,251,569.0	known	sqm
Phasing area	11,412,833.0	known	sqm

12. Risk, Copyright, and Compliance

Bilingual requirement. The main proposal file may use Chinese or English, but a complete counterpart must be provided through proposal.en.md or proposal.zh.md; the A3/A0, HTML, and text-bearing figures must also provide the corresponding language copies, preferably using the event-recommended translations in docs/terminology-glossary.md. Missing, malformed, or incorrectly mapped bilingual material in a v2 package blocks finalization and CI. All images, drawings, icons, data, and code assets must state their source, license, and authorization status in sources.json or report/copyright_statement.md. HTML pages must not load remote scripts, remote map tiles, remote fonts, iframes, forms, external APIs, or track reviewers. The risk and data-gap checklist is jointly verified by the risk depth item, the constraint layer, and the site package . The gaps listed in missing_data_checklist.csv—official boundary, key areas, regulatory controls, roads, parcels, buildings, municipal, heritage, and public services—must enter assumptions.json, self-checks, and the narrative risk chapter. Any concl



Metric	Value	Status	Unit
Building footprint (union)	567,581.0	known	sqm
Road area (24m buffer)	1,251,569.0	known	sqm
Phasing area	11,412,833.0	known	sqm
Key-area count	3	known	count

13. References

- brief/public-brief.md - brief/site-package/design_brief.json - brief/site-package/allowed_design_space.json - brief/site-package/enums/ - brief/site-package/ranges/planning_limits.json - data/processed/agent_fact_pack.md - data/processed/project_scope_summary.csv - data/processed/agent_task_requirements.csv - data/processed/source_use_matrix.csv - data/processed/missing_data_checklist.csv - Complete machine index: see sources.json, metrics.json, compliance_matrix.json, standard_matrix.json, and design_depth_matrix.json - The bibliography entry follows the site-package registration; full provenance and licenses are in the structured source list

Sources (sources.json)

Source ID
SITE-PACKAGE
SOURCE-REGISTR
PROCESSED-FACT
BOUNDARY-SOURC
KEY-AREA-SOURC
OFFICIAL-ANNOU
AGENT-TASKBOOK

Metric	Value	Status	Unit
Road area (24m buffer)	1,251,569.0	known	sqm
Phasing area	11,412,833.0	known	sqm
Key-area count	3	known	count
Key-area area	3,692,893.0	known	sqm

Metrics Recalculation Table

Metric	Value	Status	Unit
Overall design area	11,412,825.0	known	sqm
Land-use coverage	11,412,833.0	known	sqm
Green space	1,764,847.0	known	sqm
Green ratio	0.1546	known	ratio
Public space	132,868.0	known	sqm
Public-space ratio	0.0116	known	ratio
Building footprint (union)	567,581.0	known	sqm
Road area (24m buffer)	1,251,569.0	known	sqm
Phasing area	11,412,833.0	known	sqm
Key-area count	3	known	count
Key-area area	3,692,893.0	known	sqm
Floor-area ratio	—	unknown	ratio
Building density	—	unknown	ratio

Appendix: Data and Methods

This proposal is generated from the provisional boundary. All spatial conclusions carry precision warnings; once official boundary and key-area polygons are released, all layers, metrics, drawings, and HTML must be regenerated by the scripts. Recalculation rules are in `metrics.json`; compliance mapping in `compliance_matrix.json`; render scripts are reproducible via `tools/render_figures.py`, `tools/render_pdfs.py` and `tools/regenerate_geometry.py`; `tools/check_figure_overlap.py` verifies figure text overlaps.