


FIG.01

AI SYSTEMS STOP · BASIC SERVICES STAY OPEN

TWO ENTRANCES · ONE STAFFED SERVICE AREA · ONE VISIBLE RESEARCH-AND-OPERATIONS CLOSURE BOUNDARY




PROVISIONAL ROUGH BOUNDARY · NOT AN OFFICIAL REDLINE · NOT FOR DAZHONGSI LOCATION CLAIMS

A / 2026.08.16

FIG.07

EXISTING RESOURCES · RENEWAL SCREENING

INVENTORY BEFORE CLASSIFICATION · NO PARCEL OR BUILDING RENEWAL CLAIM WITHOUT SURVEY AND RIGHTS EVIDENCE



SCREENING METHOD READY · SITE AND BUILDING CLASSIFICATION AWAITS SURVEY, RIGHTS, AND PROFESSIONAL REVIEW

A / 2026.08.16

FIG.02

SIX ZONES · ONE PUBLIC SERVICE CORRIDOR

LAND-USE CLASSIFICATION AND SERVICE ROLES ARE SHOWN SEPARATELY · UNITS ARE NOT STATUTORY PARCELS



PROVISIONAL ROUGH BOUNDARY · NOT AN OFFICIAL REDLINE · NOT FOR DAZHONGSI LOCATION CLAIMS

A / 2026.08.16

THE IDEA TO SEE FIRST

AI SYSTEMS STOP · BASIC SERVICES STAY OPEN


- TWO OPERATING STATES**
The same public ground floor is drawn with AI systems operating and paused for maintenance; passage and basic service stay open.
- ONE CHECKLIST**
All thirteen services are checked for access, queues, equipment logistics, human accountability, appeal, and stop conditions.
- THREE DISTINCT RESPONSES**
Zhongzhiyuan tests under control, AI Origin supports technology transfer, and Dazhongsi uses a non-boundary four-quadrant concept for walking and public space.

The innovation lies in the combination of space, service, and shutdown rules; no first-use or exclusive claim is made.

FIG.03

THREE DISTINCT KEY-AREA RESPONSES

CONCEPT PLANS · REFERENCE SECTIONS · DESIGN-DEVELOPMENT PRECONDITIONS




PROVISIONAL ROUGH BOUNDARY · NOT AN OFFICIAL REDLINE · NOT FOR DAZHONGSI LOCATION CLAIMS

A / 2026.08.16

FIG.09

KEY-AREA FORM · FRONTAGE CONTROLS

COURTS, PUBLIC GROUND FLOORS, LOGISTICS SIDES, AND BROKEN MASSING · NO INVENTED HEIGHT, STOREY, SETBACK, OR RETENTION CLAIM




QUALITATIVE FORM CONTROL · NUMERIC CONTROLS REQUIRE PLANNING, SURVEY, AND SPECIALIST EVIDENCE

A / 2026.08.16

FIG.04

PUBLIC NETWORK FOR WALKING · PARKS · SERVICES

PUBLIC MOVEMENT, STAFFED SERVICE, AND EQUIPMENT OPERATIONS ARE ORGANIZED SEPARATELY · ALIGNMENTS ARE CONCEPTUAL



PROVISIONAL ROUGH BOUNDARY · NOT AN OFFICIAL REDLINE · NOT FOR DAZHONGSI LOCATION CLAIMS

A / 2026.08.16

THREE DIFFERENT AREA RESPONSES

ONE PUBLIC PRINCIPLE · NO REPEATED PLAN

- 1 ZHONGZHIYUAN
Park edge, public observation, closed testing, and equipment removal are separated.
- 2 AI ORIGIN
Campus research, community service, and technology transfer meet through courts and staffed service.
- 3 DAZHONGSI
A non-boundary, non-quantitative framework compares function, building action, mobility, public space, operations, and start conditions.

All drawings are conceptual; road redlines, rights, fire review, and official boundaries remain pending.

FIG.S1

13 DISTINCT SERVICE SPACES · OPERATING RULES

EACH SERVICE DEFINES ITS SPACE, REFERENCE SIZE, ACCESS WIDTH, QUEUE, LOGISTICS, EGRESS, AND STOP CONDITIONS

DSC-001 University Technology Transfer Service Desk technology transfer service hall • 18 X 8m • CLEAR 2.4m QUEUE 12m • LOGISTICS 14m • EGRESS 18m	DSC-008 Evidence-Backed Cultural Guide railway interpretation and source desk • 12 X 8m • CLEAR 2.0m QUEUE 6m • LOGISTICS 6m • EGRESS 14m
DSC-002 Compute and Model-Usage Service Desk compute service and queue hall • 20 X 10m • CLEAR 2.4m QUEUE 18m • LOGISTICS 22m • EGRESS 22m	DSC-009 Community AI Living Room community meeting and staffed service room • 18 X 10m • CLEAR 2.4m QUEUE 10m • LOGISTICS 8m • EGRESS 18m
DSC-003 Trusted Data and Compliance Station trusted data intake and review suite • 16 X 10m • CLEAR 2.0m QUEUE 20m • LOGISTICS 16m • EGRESS 20m	DSC-010 Public Service Navigation general public service advice point • 10 X 6m • CLEAR 2.0m QUEUE 6m • LOGISTICS 6m • EGRESS 12m
DSC-004 Walking-Network Break Diagnosis streetside walking audit point • 12 X 6m • CLEAR 2.0m QUEUE 6m • LOGISTICS 8m • EGRESS 12m	DSC-011 Event Safety Review event safety command and review room • 18 X 10m • CLEAR 2.4m QUEUE 14m • LOGISTICS 18m • EGRESS 24m
DSC-005 Accessible Route Companion accessible advice and rest point • 10 X 6m • CLEAR 2.4m QUEUE 5m • LOGISTICS 6m • EGRESS 10m	DSC-012 AI Health-Service Navigation health service advice and human referral room • 12 X 8m • CLEAR 2.4m QUEUE 6m • LOGISTICS 6m • EGRESS 14m
DSC-006 Closed-Course Low-Speed Robot Test closed low-speed robot test court • 24 X 12m • CLEAR 2.4m QUEUE 14m • LOGISTICS 26m • EGRESS 26m	DSC-013 Urban Resource Data-Interface Board urban resource catalogue and maintenance desk • 14 X 8m • CLEAR 2.0m QUEUE 6m • LOGISTICS 12m • EGRESS 16m
DSC-007 Park Maintenance Robot park maintenance dispatch point • 14 X 8m • CLEAR 2.0m QUEUE 6m • LOGISTICS 18m • EGRESS 14m	

13 SERVICES • 13 ACCESSIBLE ROUTES • 3 INDUSTRY TESTS • STOP CONDITIONS FOR EVERY SERVICE

PROVISIONAL ROUGH BOUNDARY • NOT AN OFFICIAL REDLINE • NOT FOR DAZHONGSI LOCATION CLAIMS

A / 2026.08.16

FIG.08

AI INDUSTRY · CITY INDICATOR FRAMEWORK

DEFINITION, FORMULA, DATA, AND ACTIVATION GATE ARE PUBLISHED TOGETHER • UNAUDITED VALUES REMAIN PENDING

01 AI INNOVATION INDEX Six normalized dimensions × approved weights PENDING OFFICIAL / AUDITABLE DATA	02 AI TALENT DENSITY Verified staff / eligible AI floor area PENDING OFFICIAL / AUDITABLE DATA
03 AI INDUSTRY OUTPUT De-duplicated annual value for eligible entities PENDING OFFICIAL / AUDITABLE DATA	04 ENTERPRISE CLUSTER DENSITY Active eligible AI firms / official area PENDING OFFICIAL / AUDITABLE DATA
05 INDUSTRY SPACE SCALE + SHARE Eligible AI space / total regional floor area PENDING OFFICIAL / AUDITABLE DATA	06 LIVE-WORK + SERVICE ACCESS Share of five categories within agreed travel time PENDING OFFICIAL / AUDITABLE DATA

COMMON RULE: ALIGN NUMERATOR, DENOMINATOR, OFFICIAL BOUNDARY, AND YEAR; DE-DUPLICATE FIRMS, PEOPLE, AND SPACE; NEVER SUBSTITUTE DESIGN VALUES FOR EXISTING STATISTICS.

FULL DEFINITIONS AND ACTIVATION DATA ARE IN THE INDICATOR REGISTER • CURRENT VALUES ARE NULL

A / 2026.08.16

FIG.10

CULTURE · ANNUAL PROGRAMME · PUBLIC VISIT


MAKE RESPONSIBILITY, SOURCES, FAILURE, AND CORRECTION PUBLIC • EVERY EVENT REQUIRES APPROVAL, STAFF, AND FUNDING

LM-01 Public Service Responsibility Board Publish the service, accountable role, opening hours, and appeal route; do not rank firms	LM-02 Public Contribution Table Show sourced work, failure records, and corrections; promotional material is not proof of contribution	LM-03 Operating Status Board State whether research and equipment operations are open, paused, or being removed, and whether public service continues
---	--	---

ANNUAL PUBLIC-SERVICE PROGRAMME



BILINGUAL PUBLIC VISIT ROUTE



PROJECT PATH: Visit → Experience → Review → Contract → Implement → Follow up

DAZHONGSI IS EXCLUDED FROM THE CURRENT VISIT ROUTE • INTERNATIONAL EXCHANGE REQUIRES CONTENT CLEARANCE, APPROVAL, AND A NAMED HOST

A / 2026.08.16

FROM AN AI LIST TO A PUBLIC-SERVICE TEST

13 SERVICES · 3 INDUSTRY TESTS · 13 ACCESSIBLE ROUTES


- 1 SPACE
Every service has public access, staffed service, and a separate equipment-operations entrance.
- 2 ACCOUNTABILITY
Every service states minimum data, human decision, appeal route, and stop condition.
- 3 PUBLIC REVIEW
A field-test week runs the same task from public and operational sides, records differences, and corrects them openly.

Counts are not performance. Services start only after field, user, and operating review.

FIG.11

NINE RENEWAL PROPOSALS · PHASES · START GATES

PHASES SHOW READINESS, NOT CONSTRUCTION DATES · NO ACTIVATION WITHOUT AN OWNER, SITE RIGHTS, AND FUNDING



START GATES: ACCOUNTABLE ENTITY · SITE RIGHTS · FUNDING + OPERATIONS · PROFESSIONAL REVIEW · EXIT HANDOVER



PRJ-09 DAZHONGSI STUDY STARTS AFTER OFFICIAL STATION-AREA, ROAD, AND BOUNDARY EVIDENCE IS CONFIRMED

A / 2026.08.16

FIG.05

KEY INDICATORS AND THEIR LIMITS

PROVISIONAL BOUNDARY FOR DESIGN COMPARISON · STATUTORY CONTROLS REQUIRE OFFICIAL DATA



PENDING OFFICIAL EVIDENCE: FAR · TOTAL FLOOR AREA · STATUTORY COVERAGE · HEIGHT · ROAD AREA · SETBACKS


PROVISIONAL ROUGH BOUNDARY · NOT AN OFFICIAL REDLINE · NOT FOR DAZHONGSI LOCATION CLAIMS

A / 2026.08.16

FIG.06

WORKING NAME AND VISUAL IDENTITY


A RAILWAY LINE, THREE KEY AREAS, AND TWO ENTRANCES FORM THE IDENTITY · NO THIRD-PARTY MARKS



JING-ZHANG PUBLIC SERVICE CORRIDOR

CENTENNIAL JING-ZHANG AI INNOVATION BELT URBAN DESIGN · WORKING NAME

PALETTE



USAGE RULES

- 1 Use full bilingual terms publicly; keep letter codes only in structured data
- 2 Entrance signs name public service, staffed service, and research and equipment operations
- 3 Show provisional areas, concept dimensions, and pending evidence in grey
- 4 Before publication, the participant checks the name, fonts, and graphics and obtains professional advice if required

WORKING NAME · PARTICIPANT SIGN-OFF IS REQUIRED ON THE EXACT PACKAGE BEFORE PUBLICATION

A / 2026.08.16

TURNING THE IDEA INTO DELIVERY GATES

9 PROPOSALS · 3 READINESS PHASES · 5 START GATES

- 1 IMMEDIATE PREPARATION
Start with design guidance, controlled testing, technology-transfer service, and a public-space pilot.
- 2 EXPAND AFTER PRECONDITIONS
Culture, community service, resource data, and field testing start after responsibility and funding are secured.
- 3 STUDY AFTER OFFICIAL EVIDENCE
Dazhongsi plans, sections, phasing, and metrics follow official boundary, road, and station-area evidence.

No project starts without an accountable entity, site rights, funding, operations, and professional review.