


24h PUBLIC JOURNEY

A DAY ON ONE STREET PASS

LIN LAN IS NOT A USER DEMO; SHE HELPS DECIDE EXPANSION OR EXIT

Lin Lan: a composite, non-identifying Dazhongsi commuter, caregiver and small-organisation collaborator | Wants clear multilingual transfer and accessible-arrival information for Exit A–1733–Exit D without uploading passenger identity.




07:30

PUBLIC BASE

The heritage park first guarantees ordinary arrival

No-app wayfinding, shaded seating, a physical map and human help work first.




09:30

PROVE

Zhongzhiyuan decides whether it may be tested

Boundary, emergency stop, near miss and exit route are clear; failure is a valid result.



12:30

TRANSLATE

AI Origin decides whether people can understand it

The stamp is given only if Lin can restate purpose, limits, human responsibility and withdrawal.



16:30

FIRST USE

Dazhongsi decides whether one real arrival works

A–1733–D works first through physical maps and people; AI remains optional, time-limited and switchable.



20:00

FEEDBACK

The public decides expansion, pause or exit

Success, pause and failure are recorded equally; ordinary transfer and commercial space continue after equipment leaves.

Each is a representative 100-m concept study window, not an official area boundary, road line, surveyed plan, engineering dimension, investment or delivery commitment. It requires official data, ownership, heritage, transport, fire, utility, operating-authority and professional review before development.

ONE OBSERVATION → PROTOTYPE CORRECTION

FIELD 01 / EVIDENCE → CORRECTION


FIELD EVIDENCE STOPPED AN OLD ASSUMPTION

AI MAIN STREET / v2.4




FIELD-DZS-01 / 18:09

Surface route near Line 13 Exit A




FIELD-DZS-02 / 19:36

1733 sunken commercial interface and Line 12 Exit D



FIELD-DZS-03 / 19:33

Line 12 Exit D




FIELD-DZS-04 / 19:42

Walking-micromobility interface under North Third Ring Road

A → 1733 → D

Line 13 Dazhongsi Exit A direction—surface route—1733 ground/B1/B2—Line 12 Dazhongsi Exit D—North Third Ring underpass



OLD PROTOTYPE PAUSED → FIRST-USE TRANSFER LOOP

FIELD-DZS-01 The first-use unit begins with physical direction, human help and verification of an accessible alternative, never an app-only route.

FIELD-DZS-02 Stop the former shopfront-market prototype; replace it with an A–1733–D First-use Transfer Loop and embed commercial first use in the existing layered interface.

FIELD-DZS-03 Make operating status a C1 on-site field verified by the rail operator before opening; the concept does not claim a new or relocated exit.

FIELD-DZS-04 First define parking/waiting edges and maintenance responsibility without occupying tactile paving or the commuting line, before any digital guidance or low-speed device.


One evening observation from public viewpoints; not a survey, footfall count, accessibility audit, ownership check or operator interview, and not generalisable to daily, weekday/weekend or long-term patterns.

PLAN + SECTION + FOUR STATES

03 / THREE FIRST-USE YARDS


THREE 100-m STUDIES: DIFFERENT SPACES, CONNECTED DUTY

AI MAIN STREET / v2.4



PROVE

Zhongzhiyuan Garden Validation Yard




AI OFF

A complete garden, observation porch and safety-information point.



TRANSLATE

AI Origin Translation Street House and Courtyard




AI OFF

A shared information, reading, resting and community courtyard for residents and talent.



FIRST USE

Dazhongsi First-use Transfer Loop



AI OFF

An ordinary transfer route sustained by physical wayfinding, continuous movement, an accessible alternative, waiting and human information.

Each is a representative 100-m concept study window, not an official area boundary, road line, surveyed plan, engineering dimension, investment or delivery commitment. It requires official data, ownership, heritage, transport, fire, utility, operating-authority and professional review before development.

SP-01–08 / 0–6 / 6–18 / 18–36

06 / DELIVERY GATES

FIRST USE IS NOT ROLLOUT: EVIDENCE DECIDES REPLICATION OR EXIT

AI MAIN STREET / v2.4

Package		0–6 m reversible	6–18 m evidence-gated	18–36 m network review	Stop/accept gate
SP-01	Street Pass and status board	Paper pass, human desk, shutdown drill	Shared status fields and appeal receipt	Cross-node version ledger	No launch without on-site staff, a non-AI route and a shutdown drill
SP-02	Zhongzhiyuan Validation Yard	Closed or physically bounded pocket	Controlled loop after safety evidence	Replication after independent review	Near-miss closure, takeover and restored exit
SP-03	AI Origin Translation Window	Model cards and human explanation	Booked co-testing and need return	One-kilometre translation-loop nodes	Understandable, correctable and withdrawable
SP-04	Dazhongsi First-use Transfer Loop	A–1733–D physical map and human desk	Time-limited side layer after ordinary transfer works	Replication after each location/time window is re-authorised	Route verification, human takeover, maintenance and restoration
SP-05	Accessible Journey Chain	Physical-route audit and human help	Optional AI advice after gaps close	Extension to twelve nodes	Connected main route, response and no-app access
SP-06	Twelve-node service kit	Dual-height, low-light and maintenance samples	Replication matched to maintenance capacity	Annual replacement and repair protocol	No route obstruction, switchable and maintained
SP-07	Correctable Contribution Record	Contribution template and first verification	Four landmarks linked	Globally correctable archive	Evidence, licence, version and correction access
SP-08	Four-season public operation	One problem call and one co-test	Complete four-season loop	Annual maintainers' review	Public archive, failure review and exit route

Time denotes a conceptual maturity sequence only; every cell still needs authority, professional review and public co-review.